

# HAL<sup>®</sup> 1820, HAL 24xy, HAL 28xy, HAL 36xy, HAL 38xy

Application Board HAL-APB V1.x

**3D|HAL<sup>®</sup>**  
by Micronas

**vario|HAL<sup>®</sup>**  
by Micronas

**Application Board HAL-APB V1.x**

---

**Copyright, Warranty,  
and Limitation of  
Liability**

The information and data contained in this document are believed to be accurate and reliable. The software and proprietary information contained therein may be protected by copyright, patent, trademark and/or other intellectual property rights of Micronas. All rights not expressly granted remain reserved by Micronas.

Micronas assumes no liability for errors and gives no warranty representation or guarantee regarding the suitability of its products for any particular purpose due to these specifications.

By this publication, Micronas does not assume responsibility for patent infringements or other rights of third parties which may result from its use. Commercial conditions, product availability and delivery are exclusively subject to the respective order confirmation.

Any information and data which may be provided in the document can and do vary in different applications, and actual performance may vary over time.

All operating parameters must be validated for each customer application by customers' technical experts. Any new issue of this document invalidates previous issues. Micronas reserves the right to review this document and to make changes to the document's content at any time without obligation to notify any person or entity of such revision or changes. For further advice please contact us directly.

Do not use our products in life-supporting systems, military, aviation, or aerospace applications! Unless explicitly agreed to otherwise in writing between the parties, Micronas' products are not designed, intended or authorized for use as components in systems intended for surgical implants into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the product could create a situation where personal injury or death could occur.

No part of this publication may be reproduced, photocopied, stored on a retrieval system or transmitted without the express written consent of Micronas.

**Micronas Trademarks****HAL, varioHAL, 1D HAL, 2D HAL, 3D HAL****Third-Party Trademarks**

All other brand and product names or company names may be trademarks of their respective companies.

**License Note**

HAL36xy and HAL38xy use licenses of Fraunhofer Institute for Integrated Circuits IIS.

---

## Contents

Page	Section	Title
<b>6</b>	<b>1.</b>	<b>Introduction</b>
6	1.1.	General Information
6	1.2.	Introduction
7	1.2.1.	Supported HAL Sensors
7	1.2.2.	Sensor-specific PC Software
8	1.3.	Board Block Diagram
<b>9</b>	<b>2.</b>	<b>Getting started</b>
9	2.1.	First Steps
9	2.1.1.	Check HAL-APB V1.x
9	2.1.2.	Check Communication with PC and Hall Sensor Connection
<b>10</b>	<b>3.</b>	<b>Board Configuration</b>
10	3.1.	Jumper Settings
13	3.2.	HAL Interface Connector
13	3.3.	Firmware update
<b>14</b>	<b>4.</b>	<b>Specification</b>
14	4.1.	Recommended Operating Conditions
14	4.2.	Recommended Wiring
15	4.3.	Maintenance and Calibration
16	4.4.	Characteristics
<b>17</b>	<b>5.</b>	<b>USB Driver Installation</b>
17	5.1.	Installing the USB VCP Drivers
<b>18</b>	<b>6.</b>	<b>Board Functions</b>
18	6.1.	Serial Command Interpreter
18	6.1.1.	Serial Interface Configuration
18	6.1.2.	Definition of the COMMAND Frame
18	6.1.3.	Definition of the RESPONSE Frame
19	6.1.4.	Analog Measurements
20	6.1.5.	Error Codes
<b>21</b>	<b>7.</b>	<b>Board Mode Settings</b>
21	7.1.	Board Operation Modes
21	7.2.	Board Configuration Commands

**Application Board HAL-APB V1.x**

---

<b>24</b>	<b>8.</b>	<b>HAL 1820</b>
24	8.1.	Programming interface
25	8.2.	Command Structures of Protocol
26	8.3.	Telegram Parameters
27	8.4.	Available sensor commands
27	8.4.1.	Read
27	8.4.2.	Write
27	8.4.3.	Protocol Error Handling
28	8.4.4.	Data check
28	8.4.5.	CRC
28	8.4.6.	Parity check
29	8.5.	HAL 1820 - Board commands
30	8.6.	Locking of the Sensor
<b>31</b>	<b>9.</b>	<b>HAL24xy</b>
31	9.1.	Programming interface
32	9.2.	Command Structure of Protocol for communication via VSUP
33	9.3.	Command Structure of Protocol for communication via OUT-Pin
34	9.4.	Telegram Parameter
35	9.5.	Available sensor commands
35	9.5.1.	Set base address
35	9.5.2.	Read
35	9.5.3.	Write
35	9.5.4.	CRC
36	9.5.5.	Parity check
36	9.5.6.	Protocol Error Handling
37	9.6.	HAL 24xy - Board commands
38	9.7.	Locking of the Sensor
<b>39</b>	<b>10.</b>	<b>HAL 2810 – Board Commands</b>
39	10.1.	LIN Interface
39	10.1.1.	LIN Interface Mode Configuration
39	10.1.2.	Schedule Tables
40	10.1.3.	Error Handling
41	10.2.	HAL 2810 (LIN2.0) – Board commands
42	10.3.	Locking of the Sensor
<b>43</b>	<b>11.</b>	<b>HAL 283x / HAL 2850</b>
43	11.1.	Programming interface
44	11.2.	Command Structure of Protocol for communication via OUT-Pin
45	11.3.	Telegram Parameters
46	11.4.	Available sensor commands
46	11.4.1.	Set base address
46	11.4.2.	Read with absolute address
46	11.4.3.	Read with base address
47	11.4.4.	Write byte with base address
47	11.4.5.	Write word with base address
47	11.4.6.	Special Cases
47	11.4.7.	Protocol Error Handling
48	11.5.	HAL 283x / HAL 2850 – Board commands
49	11.6.	Locking of the Sensor

<b>50</b>	<b>12.</b>	<b>HAL 3625, HAL 3675, HAL 385x and HAL 387x</b>
50	12.1.	Programming interface
51	12.2.	Command Structure of Protocol for communication via VSUP
52	12.3.	Telegram Parameters
53	12.4.	Command Structure of Protocol for communication via OUT-Pin
54	12.5.	Telegram Parameter
55	12.6.	Available sensor commands
55	12.6.1.	Set base address
55	12.6.2.	Read
55	12.6.3.	Write
55	12.6.4.	CRC
56	12.6.5.	Parity check
56	12.6.6.	Protocol Error Handling
57	12.7.	HAL 3625, HAL 3675, HAL 385x and HAL 385x– Board commands
58	12.8.	Locking of the Sensor
<b>59</b>	<b>13.</b>	<b>Application Note History</b>

---

**Release Note:** Revision bars indicate significant changes to the previous edition.

---

## 1. Introduction

---

### 1.1. General Information

---

The hardware and software description in this document is valid for the [Application Board HAL-APB V1.x](#).



**Fig. 1–1:** Application Board HAL-APB V1.x

---

### 1.2. Introduction

---

The Application Board HAL-APB V1.x (HAL-APB) is an board for programming the Micronas Hall-effect sensor families with analog and digital output formats. The board is equipped with a Micronas Flash micro controller CDC 3207G. It provides an application software supporting a command interface for the communication with a PC. This allows the implementation of specific PC software for engineering purposes or in-line calibration. The HAL-APB can be ordered with a housing or as a PCB version.

In the case of a housing, an additional extension board with two sockets for the connection of up to two Hall sensors (depending on the sensor type) is supplied.

Two versions of the Application Board HAL-APB are in use: version 1.3 and the updated version 1.5. Both versions are free to be used in laboratories for engineering purposes.

---

**Note:** For usage in the production, board version 1.5 is mandatory.

---

### 1.2.1. Supported HAL Sensors

The HAL-APB supports the sensors listed in [Table 1–1](#).

**Table 1–1:** Supported sensors

Sensor	Remark
HAL 1820	Linear sensor with analog output
HAL 242x	Linear sensor with analog output
HAL 2810	Linear sensor with LIN 2.0 Interface
HAL 283x	Linear sensor with SENT Interface
HAL 2850	Linear sensor with fast PWM output
HAL 3625	Direct angle sensor with analog output
HAL 3675	Direct angle sensor with PWM output
HAL 385x	2D position sensor with analog output
HAL 387x	2D position sensor with PWM output

Please refer to the corresponding Programming Guides Application Notes for detailed information on the sensors listed or contact the Application Support Sensors ([support\\_sensor@micronas.com](mailto:support_sensor@micronas.com)).

### 1.2.2. Sensor-specific PC Software

Micronas GmbH provides easy-to-use PC software (LabView) for each supported sensor.

### 1.3. Board Block Diagram




Fig. 1-2: HAL-APB block diagram




Fig. 1-3: Detailed view of HAL Interface



---

## 2. Getting started

---

### 2.1. First Steps

---

#### 2.1.1. Check HAL-APB V1.x

- Connect the HAL-APB to the supply voltage.
- Check if the power-on self-test was passed successfully. (ERROR LED is switched off after power on. Exception: LIN mode)

##### Board Supply

The HAL-APB requires a stabilized power supply. For this purpose, either when using it without housing, the connector X2 (DC jack) or the terminal beneath it can be used.

##### Power-On Self-Test

The HAL-APB firmware provides a power-on self-test. The self-test is started after connecting the board supply. During the self-test, the status LEDs including the Error LED, will flash.

In case of a detected error, the ERROR LED remains illuminated after the self-test. In LIN mode the ERROR LED is switched on as long as the Vsupply of the sensor is not set to 12 V.

#### 2.1.2. Check Communication with PC and Hall Sensor Connection

Connect a Hall sensor with the HAL-APB.

(a) directly into the socket HAL 1

or

(b) into one of the sockets of the HAL-APB extension board (housing version).

---

**Note:** For the first communication check, we recommend using the sensor specific Programming Environment LabView software provided by Micronas for the specific HAL sensor.

---

you can also

- set up a Hyperterminal connection (see [Section 6 on page 18](#))
- switch Vdd on using the “vho1” command (see [Section 7.2 on page 21](#)).
- try to read out a register (see chapter of the used sensor type).

### 3. Board Configuration

#### 3.1. Jumper Settings

For changing between LIN-Bus and Biphase-M communication, jumpers need to be set differently. For non-housed (optional) application boards it may be necessary to switch jumper for USB/RS-232 connection. The following pictures show how to set the jumpers correctly.




Fig. 3–1: Jumper settings HAL-APB V1.x

The default jumper position Pos1 is indicated by black bars in Fig. 3–1.

**Note:** For board versions higher than v1.3, no manual adjustment is required. The HAL-APB firmware automatically detects the appropriate protocol to be used for the Hall sensor.

**Table 3–2:** Jumper settings

Jumper	Setting	Function
JP1	pos1 (default)	debug
	pos2	normal operation
JP2	<b>V1.5</b> open (default)	communication via <b>RS232</b> manual MCU reset during firm- ware flash
	close	automatic MCU reset during firmware flash
	<b>V1.3</b> pos1 (default)	normal operation
	pos2	reserved
JP3	close (default)	USB
	open	RS-232
JP4	close (default)	VDD_Hall equals GND when Vsup is switched off
	open	VDD_Hall is floating when Vsup is switched off
JP5	<b>V1.5</b> open (default)	communication via <b>USB</b> manual MCU reset during firm- ware flash
	close	automatic MCU reset during firmware flash
	<b>V1.3</b> close (default)	normal operation
	open	only for LIN Bus applications
JP6 (only V1.3)	close (default)	normal operation
	open	only for LIN Bus applications
JP7 (only V1.3)	open (default)	normal operation
	close	only for LIN bus applications
<b>Note:</b> JP7 must not be set in combination with JP4 and JP5 (only V1.3)		

**Table 3–3:** Board LED description

LED Name	Function
ERROR	On, in case of communication error
READY	On, after power-on of board
PCCOM	On, in case of communication between PC and HAL-APB
HAL_RD	Telegram on VOUT
HAL_PR	reserved
HAL_WR	Telegram high level on Hall VDD
HAL_ON	Hall VDD on


### 3.2. HAL Interface Connector

Depending on the sensor type, up to two sensors can be connected to the board. For this purpose, a 6-pin connector HAL1/2 is provided. Alternatively, one Hall Sensor can be inserted in the 3-pin socket HAL beneath the connector HAL1/2 (only available for boards without housing).

The following pin's are connected in parallel Pin No. 1( $V_{SUP}Sensor1$ ) and 4 ( $V_{SUP}Sensor2$ ) and Pin No. 2 (Common Sensor GND) and Pin No. 5 (Common Sensor GND). The male plug (modular RJ-12, OST (MMJ) coding) corresponding to the fawn connector HAL1/2 can be ordered from every electronics store. The pinning of the interface is described in [Table 3–4](#).

**Table 3–4:** Pinning of the HAL interface HAL1/2

Pin No.	Description
1	Sensor input $V_{SUP}$ Sensor 1
2	Common Sensor GND
3	Sensor output $V_{OUT/DIO}$ Sensor 1
4	Sensor input $V_{SUP}$ Sensor 2
5	Common Sensor GND
6	Sensor output $V_{OUT/DIO}$ Sensor 2



**Fig. 3–2:** Modular connector HAL1/2, front view

### 3.3. Firmware update

The procedure for a firmware update of the HAL-APB V1.x is provided in the Application Note “Firmware Update HAL-APB V1.x”

## 4. Specification

### 4.1. Recommended Operating Conditions

All voltages are referenced to GND (-VB pin at X1 = GND at X2)

**Table 4–5:** Board conditions

Symbol	Parameter	Connector	Limit Values			Unit	Test Conditions
			Min.	Typ.	Max.		
I <sub>SUP</sub>	Supply Current	X2	-	180	-	mA	
V <sub>SUP</sub>	Supply Voltage	X2	16	18	20	V	
C <sub>L</sub>	Load Capacitance	HAL1/2	-	-	100	nF	

### 4.2. Recommended Wiring

We recommend connecting the application to the board using shielded wires.

In order to minimize the risk of electromagnetic disturbances, the cable should be as short as possible.

**Note:** Especially in noisy environments beneath power switches, electromagnetic actuators, and the like, EMI-compliant layout of the wiring is mandatory.

For recommended cable parameters, please refer to [Table 4–6](#).

### 4.3. Maintenance and Calibration

We recommend sending the programmer board back to the supplier for maintenance and calibration of the voltage levels after one year of operation.

The Hall programmer board must not be maintained or repaired by the customer. In case of any problems or defects, please contact your supplier.

**WARNING:** Do not modify any part of the Hall programmer board V 1.x, nor readjust any trimming potentiometer. Otherwise, the board may be damaged, the sensor programming may be insufficient, and the reliability of the sensor reduced.




Fig. 4-3: Recommended wiring - schematic sketch

Table 4-6: Recommended cable parameters

Symbol	Parameter	Min.	Typ.	Max.	Unit	Conditions
$R_0$	Ohmic Resistance per Wire	–	1	5	$\Omega$	$I \leq 10 \text{ mA}$
$C_0$	Capacitance	–	80	120	pF	
$Z$	Impedance	–	50	–	$\Omega$	
$L$	Length	–	–	1	m	

## 4.4. Characteristics

All voltages are referenced to GND (-VB pin at X1 = GND at X2)

**Table 4–7:** Board characteristics

Symbol	Parameter	Connector	Limit Values			Unit	Test Conditions
			Min.	Typ.	Max.		
I <sub>SUP_HAL</sub>	Output Load Current	HAL1/2	-	-	40	mA	Supply current per device
V <sub>OUT_HAL</sub>	Output Voltage of Hall Device	HAL1/2	0	-	5	V	Standard configuration (default)
			0		18	V	LIN configuration only!
V <sub>SUP_HAL_NORM</sub>	NORM Level of HAL Supply Voltage	HAL 1/2	4.9	5	5.1	V	
V <sub>SUP_HAL_LOW</sub>	LOW Level of HAL Supply Voltage	HAL 1/2	5.8	6.0	6.6	V	
V <sub>SUP_HAL_HIGH</sub>	HIGH Level of HAL Supply Voltage	HAL 1/2	6.8	7.3	7.8	V	

---

**Note:** The voltage levels are trimmed by the manufacturer. If any of the levels listed are found to be outside the specification limits, please contact the manufacturer or the Application Support Sensors Team.

---

The RS232 cable should be a standard serial cable. Also called straight cable.



---

## 5. USB Driver Installation

---

---

**Note:** When using the serial cable you do not need to install this drivers. They are only necessary for connecting the Application Board HAL-APB V1.x via USB cable to the PC.

---

### 5.1. Installing the USB VCP Drivers

---

Plug in the Application Board HAL-APB V1.x (Power supply also connected) into a spare USB port and plug in the power supply.

Windows 7 will automatically search latest driver if the PC is connected to the internet. If there are problems with the installation follow the application note: "AN\_119\_FTDI\_Drivers\_Installation\_Guide\_for\_Windows7.pdf"

The application note: "AN\_104\_FTDI\_Drivers\_Installation\_Guide\_for\_WindowsXP.pdf" can be used to install the driver on a windows xp system.

The application note can be either found on the Micronas Service Portal (<https://service.micronas.com/workgroups/>) or on the FTDI homepage.

---

**Note:** Sometimes the installer repeats the whole procedure. If this happens please do the same as explained above again.

---

## 6. Board Functions

### 6.1. Serial Command Interpreter

This board provides a serial command interpreter for the interaction with a PC, connected via USB or RS232.

The serial communication protocol applies a software handshake:

- The PC acts as a master, the HAL-APB V1.x as slave,
- The HAL-APB V1.x responds to each master **COMMAND** frame with a **RESPONSE** frame.

#### 6.1.1. Serial Interface Configuration

When using a hyperterminal communication please set the following parameters.

**Table 6–8:** parameter settings of serial interface

Parameter	Value
Bits per second	38400
Data bits	8
Parity	Even
Stop bits	1
Flow control	none

#### 6.1.2. Definition of the COMMAND Frame

The command frame is of variable length. There are basically two types of commands:

1. for board configuration
2. for communication with connected Hall device

The command string has to end with <CR> (ASCII character 0x0D), optionally with <CR><LF> (ASCII characters 0x0D, 0x0A).

#### 6.1.3. Definition of the RESPONSE Frame

The **response** frame consists of 7...10 characters plus 1 finishing <LF>

<ST>:<R9><R8>....<R2><R1><R0> <LF>

ST is non-zero in case of errors (see [Table 6–9](#))

The Rx-characters contain the received data depending on the command (see device-dependent command lists in section 9, 10,...).

#### 6.1.4. Analog Measurements

Its also possible to measure analog voltages, as the HAL\_VDD or the HAL\_VOUT with the ADC of the HAL-APB. The HAL\_OUT is only correctly measurable when HAL\_VDD equals 5 V.

##### Example

```
ftvdI0 (set VDD to 5 V)
ftana1 (measure HAL_VDD)
ftana2 (measure HAL_VOUT)
```

$$V_{DD} = \text{DATA} / 1024 \times 3 \times 5V$$

$$V_{OUT} = \text{DATA} / 1024 \times 5V$$

DATA is measured by ftana command as explained in [Table 7-11](#).

### 6.1.5. Error Codes

**Table 6–9:** Error codes

<b>STATUS</b>	<b>Error</b>
0	no error
1	acknowledge error
2	2'nd Acknowledge error
3	invalid command for selected Mode
4	PID in running table cannot be modified (LIN)
5	LIN communication Error
6	LIN interface connection Error
7	no PWM (at PWM Duty Cycle read command)
8	reserved
9	reserved
10 (0xA)	reserved
11 (0xB)	reserved
12 (0xC)	reserved
13 (0xD)	data read error
14 (0xE)	invalid command parameter
15 (0xF)	invalid command

## 7. Board Mode Settings

### 7.1. Board Operation Modes

In order to meet the different requirements of the various Hall devices, the board can be run in different operation modes. When a particular device is used, the corresponding board mode has to be selected first. The mode list can be displayed by sending the board command “?m”.

**Table 7–10:** Board modes

Mode	Description
8	HAL 2810 – LIN Mode
9	HAL 283x/50 – Biphase via DIO- Pin
A	HAL 1820 – Biphase via V <sub>SUP</sub> Pin HAL 24xy – Biphase via V <sub>SUP</sub> Pin HAL 3625 – Biphase via V <sub>SUP</sub> Pin HAL 3675 – Biphase via V <sub>SUP</sub> Pin HAL 38xy – Biphase via V <sub>SUP</sub> Pin
C	HAL 24xy – Biphase via OUT - Pin HAL 3625 – Biphase via OUT - Pin HAL 3675 – Biphase via OUT - Pin HAL 38xy – Biphase via OUT - Pin

### 7.2. Board Configuration Commands

The board configuration commands shall be used to

- select the board mode
- set/read configuration data like the bit time or firmware version
- control the power supply V<sub>DD\_HAL</sub> of the connected sensor

**Table 7–11:** Board configuration

Action	Command	Parameter	Remarks
get firmware version	?v	return <ST>:[Version]	firmware release version Example => ?v <= 0:v2.32
show available board modes	?m	-	returns a list of board modes available

Application Board HAL-APB V1.x

Table 7–11: Board configuration

Action	Command	Parameter	Remarks
set board mode	sm <b>N</b>	<b>N</b> see <a href="#">Table 7–10 on page 21</a> for details return value: <ST>:0000 <b>N</b>	switch board to device specific mode Example => smA <= 0:0000A
Switch V <sub>SUP_HAL</sub> on	vho1	return value: <ST>:00001	supply voltage on (default 6 V; see voltage levels for details) Example => vho1 <= 0:00001
Switch V <sub>SUP_HAL</sub> off	vho0	return value: <ST>:00000	supply voltage off => vho0 <= 0:00000
<b>For factory tests only</b>			
set low voltage level	ftvd <b>X</b>	<b>X</b> = 0: V <sub>SUP</sub> = 5V <b>X</b> = 1: V <sub>SUP</sub> = 6V	normal V <sub>SUP</sub> low level for Biphase-M protocol, if programming via V <sub>SUP</sub> -Pin
set high voltage level	ftvdh <b>X</b>	<b>X</b> = 0: V <sub>SUP</sub> = 5V <b>X</b> = 1: V <sub>SUP</sub> = 7.5V (if ftvdI0) <b>X</b> = 1: V <sub>SUP</sub> = 8V (if ftvdI1)	high level for Biphase-M protocol, if programming via V <sub>SUP</sub> -Pin
set programming voltage	ftvdp <b>X</b>	<b>X</b> = 0: V <sub>SUP</sub> = 5V (if ftvdI0 and ftvdh0) <b>X</b> = 1: V <sub>SUP</sub> = 12V (if ftvdI0 and ftvdh0) <b>X</b> = 1: V <sub>SUP</sub> = 12.5V (if ftvdI1 and ftvdh0) <b>X</b> = 1: V <sub>SUP</sub> = 14.5V (if ftvdI0 and ftvdh1) <b>X</b> = 1: V <sub>SUP</sub> = 15V (if ftvdI1 and ftvdh1)	for LIN-Mode
force output voltage	ftsme <b>X</b>	<b>X</b> = 1: force output voltage to high state <b>X</b> = 0: release output	
switch output pull-up resistor on/off	ftpon <b>X</b>	<b>X</b> = 0: pull-up off <b>X</b> = 1: pull-up on	for open-drain devices you need the pull-up resistor
select I/O channel	ftses <b>N</b>	<b>N</b> = 1 or 2  return value: <ST>:0000 <b>N</b>	<b>N</b> = 1 HAL1 <b>N</b> = 2 HAL 2  only possible in combination with programming via OUT-Pin.
set Bit time	sbt <b>BT</b>	BT = 000A... 0D48 (10us...3.4ms) return value: <ST>:00000	bit time in μs as 4-digit hex No. (default=0x03E8)
measure V <sub>SUP</sub>	ftana1	ftana1 "\n" return value: <ST>:000000	measure the supply voltage with HAL-APB's ADC Example => ftana1 <= 0:00177 0x00177 = 375(dec) * 15 / 1024 = 5.49 V

Table 7–11: Board configuration

Action	Command	Parameter	Remarks
measure VOUT_HAL	ftana2	ftana1 "\n" return value: <ST>:000000	measure the analog output voltage of sensor 1 with HAL-APB's ADC <b>Example</b> => ftana2 <= 0:00200 0x00200 = 512(dec) * 5 / 1024 = 2.5 V only for Sensor 1 available
read PWM-Period and Pulse width <sup>1)</sup>	prN	N = 0 / 1  return value: <ST>:<P4><P3><P2><P1><P0><W4><W3><W2><W1><W0>	N trigger on falling/rising PWM edge  <ST> board status <P> 5 digit Period <W> 5 digit Pulse width <b>Example</b> => pr1 (OP-bit=0) <= <ST>:013AE00A00 - Conversion of PWM-Period: 0x013AE = 5038 <sub>dec</sub> / 10000 = 0,5ms - Conversion of Pulse width: 0x00A00 = 2560 <sub>dec</sub> / 10000 = 0,26ms - Calculation of Duty-Cycle: 2560 / 5038 = 50,8%
get Bit time	?bt	return value: <ST>:BT	BT as a 5-digit hex No.
get last acknowledge time	?ack	return value: <ST>:0xACK	ACK as a 4-digit hex No. returns the width of last acknowledge pulse
<sup>1)</sup> Available with firmware versions greater then 2.32. With firmware versions less then 2.32 this command is only available in mode 9. <ST> = Board Status character see from <a href="#">Section 6.1.5 on page 20</a> onwards for details			

## 8. HAL 1820


The HAL 1820 is a universal magnetic field sensor with a linear output, based on the Hall effect. Magnetic field, perpendicular to the branded side of the sensor provides a output voltage direct proportional to the applied magnetic flux through the Hall plate and proportional to the supply voltage (ratiometric behavior). Details on features and specification are described in the data sheet.

### 8.1. Programming interface

The sensor is programmed via supply voltage modulation. After detecting a command, the sensor reads or writes the memory and answers with a digital signal on the output pin.

A logical “0” is coded as no level change within the bit time. A logical “1” is coded as a level change of typically 50% of the bit time. After each bit, a level change occurs (see [Fig. 8-1](#)).

The serial telegram is used to transmit the EEPROM content, error codes and digital values of the magnetic field from and to the sensor.



**Fig. 8-1:** Definition of logical 0 and 1 bit





### 8.3. Telegram Parameters

**Table 8–12:** Telegram parameters for programming via  $V_{SUP}$ -Pin (all voltages are referenced to GND)

Symbol	Parameter	Pin No.	Limit Values			Unit	Comment
			Min.	Typ.	Max.		
$V_{SUPProgram}$	$V_{SUP}$ Voltage for EEPROM & NVRAM programming (during Programming)	1	5.7	6	6.5	V	
Biphase frame characteristic of the host							
$t_{h\_bbit}$	Host biphase bit time		972	1024	1075	$\mu s$	
$t_{h\_bhb}$	Host biphase half bit time		0.45	0.5	0.55	$t_{h\_bbit}$	
$t_{h\_bifsp}$	Host biphase interframe space		3			$t_{h\_bbit}$	
	Slew rate		-	2	-	V/ $\mu s$	
Biphase frame characteristic of the Sensor							
$t_{s\_bbit}$	Sensor biphase bit time		820	1024	1225	$\mu s$	
$t_{s\_bhb}$	Sensor biphase half bit time		-	0.5	-	$t_{s\_bbit}$	
$t_{s\_bifsp}$	Sensor biphase interframe space		2	-	-	$t_{s\_bbit}$	
$t_{s\_bresp}$	Sensor biphase response time		1	-	5	$t_{s\_bbit}$	
	Slew rate		-	2	-	V/ $\mu s$	
Detail A							
$V_{SUPL}$	Supply Voltage for Low Level during Programming through Sensor $V_{SUP}$ Pin	1	5.8	6.3	6.6	V	
$V_{SUPH}$	Supply Voltage for High Level during Programming through Sensor $V_{SUP}$ Pin	1	6.8	7.3	7.8	V	
Detail B							
$t_{space}$	Time before and after acknowledge		-	1	-	$t_{s\_bbit}$	
$t_{ACK}$	Acknowledge time		-	1	-	$t_{s\_bbit}$	
$t_{prog}$	Programming time		-	1	-	ms	

## 8.4. Available sensor commands

The sensor supports 2 commands which provide read and write access to the NVRAM and register. Then mentioned commands allows for example to read the hall value, and to program the NVRAM.

The used write data frame and read data frame contains of 5 address bits.

In case of a unknown command, the sensor does neither transmit an acknowledge nor a body.

**Table 8–13:** Available Commands

Command	COM b[2:0]	frame type	ADR b[4:0]	DAT b[15:0] (RD/WD)
Read	1	read	offset address (0 to 31)	data read from address = ADR
Write	6	write	offset address (0 to 31)	data which is written to address = ADR

### 8.4.1. Read

The read telegram uses the read data frame. The sensor transmits the data of the address (A b[4:0]) after the header has been successful received and the address is permitted. Otherwise, the sensor does not respond.

### 8.4.2. Write

The write telegram uses the write data frame. The sensor saves the received address to the calculated effective address and transmits an acknowledge after the header and body has been successful received and the effective address is permitted. Otherwise, the command is discarded and the sensor transmits no acknowledge.

A write telegram is also discarded while NVRAM programming.

### 8.4.3. Protocol Error Handling

The sensor is detecting and logging protocol errors and command errors. The command errors are specified in section 1.

The sensor is detecting following communication errors

- invalid parity
- invalid checksum
- command error

A command error occurs when the command is either unknown or the execution has failed.

In case of an error, the sensor transmits no acknowledge nor a body. If the protocol is understood an ACK is sent no matter if the command can/may be processed

#### 8.4.4. Data check

To allow data transmission in rough environments, two separate check mechanisms are implemented.

The command bits and the address bits are followed by a common parity bit as per description

#### 8.4.5. CRC

The data bits are always followed by 4 CRC bits. For all commands but read the CRC result is calculated of all protocol bits, including command, address, parity and data bits.

For read command, the CRC result is calculated of dummy bit and data bits only (16).

The polynomial for the CRC calculation is always  $X^4+X+1$ .

In case of correct command detection (parity, CRC and command address if applicable), ACK is sent.

Disrupted transfers can be retried by the master.

#### 8.4.6. Parity check

For the command and address bits, an “odd” parity check is used. In the case of an even number of “1”s, the parity bit has to be “1”. In the case of an odd number of “1”s, the parity bit has to be “0”. With the parity bit, global parity is always even.

## 8.5. HAL 1820 - Board commands

**Note:** For general board commands see [Table 7-11 on page 21](#)

**Table 8-14:** HAL 1820 - Board commands

Action	Command	Parameter	Data
write data to address	xxw <b>STR</b>	<b>STR</b> = <A1><A0><D3><D2><D1> <D0><CRC> return value: <ST>:<R5><R4><R3><R2><R1><R0>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6-9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> write C000 (hex) into register 8 => xxw08C0008 <= 0:000000 <sup>1)</sup> <= 2:000000 <sup>2)</sup>
read data from address	xxr <b>STR</b>	<b>STR</b> = <ADR1><ADR0> Return value: <ST>:<R3><R2><R1><R0><CRC>	<A> address as 2-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6-9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> read address 8 => xxr08 <= 0:C000B
<sup>1)</sup> response for firmware versions less than 2.32 <sup>2)</sup> response for firmware versions greater or equal than 2.32			

## 8.6. Locking of the Sensor

---

For reliability in service, it is mandatory to set the LOCK bit after final adjustment and programming.

The success of the LOCK process should be checked by reading the status of the LOCK bit after locking.

It is also mandatory to check the status of the received data or to read/check the status of the DIAGNOSIS register after each store sequence to verify if the programming of the sensor was successful. VER, PER and OVP (bits <2:0>) should be 0 after each set/erase command. NVE (bit 11) should be 0 only after enough successive set or erase command (after 10 erase or 10 set).

Electro-static discharges (ESD) may disturb the supply voltage during programming. Please take precautions against ESD.

For the programming during product development and also for production purposes, a programming tool including hardware and software is available on request. It is recommended to use the Micronas tool kit for an easy product development. It is also recommended for production to always first program the "0" (erase command) the the "1" (set command).

---

**Note:** It is possible to read the registers of the HAL 1820 after locking. Changing of the memory after locking is not possible.

---

## 9. HAL24xy


The HAL 24xy is a universal magnetic field sensor with a linear output, based on the Hall effect. Magnetic field, perpendicular to the branded side of the sensor provides a output voltage direct proportional to the applied magnetic flux through the Hall plate and proportional to the supply voltage (ratiometric behaviour). Details on features and specification are described in the data sheet.

### 9.1. Programming interface

The sensor can be programmed via supply voltage modulation or via output voltage modulation. The default mode is the programming via the output voltage modulation. The sensor answers with a modulation of the output voltage.

A logical "0" is coded as no level change within the bit time. A logical "1" is coded as a level change of typically 50% of the bit time. After each bit, a level change occurs (see [Fig. 9-1](#)).

The serial telegram is used to transmit the EEPROM content, error codes and digital values of the magnetic field from and to the sensor.




**Fig. 9-1:** Definition of logical 0 and 1 bit

## 9.2. Command Structure of Protocol for communication via $V_{SUP}$

### command structure

COM: command bit  
 ADR: address bit  
 parity: command and address check bit  
 dummy: dummy bit (always 0)  
 SYNC: start bit (always 0)  
 DAT: data bit  
 CRC: CRC bit  
 ACK: acknowledge  
 Analog output

#### Communication via $V_{SUP}$ -Pin (Biphase-In = $V_{SUP}$ / Biphase-Out = OUT-Pin)








### 9.3. Command Structure of Protocol for communication via OUT-Pin

#### command structure

COM: command bit  
 ADR: address bit  
 parity: command and address check bit  
 dummy: dummy bit (always 0)  
 SYNC: start bit (always 0)  
 DAT: data bit  
 CRC: CRC bit  
 ACK: acknowledge  
 Analog output

#### Communication via Out-Pin / Bidirectional on Out-Pin



### 9.4. Telegram Parameter

Symbol	Parameter	Pin No.	Limit Values			Unit	Comment
			Min.	Typ.	Max.		
$V_{SUPProgram}$	$V_{SUP}$ Voltage for EEPROM & NVRAM programming (during Programming)	1	5.7	6	6.5	V	
Biphase frame characteristic of the host							
$t_{h\_bbit}$	Host biphase bit time		972	1024	1075	$\mu s$	
$t_{h\_bhb}$	Host biphase half bit time		0.45	0.5	0.55	$t_{h\_bbit}$	
$t_{h\_bifsp}$	Host biphase interframe space		3			$t_{h\_bbit}$	
	Slew rate		-	2	-	V/ $\mu s$	
Biphase frame characteristic of the Sensor							
$t_{s\_bbit}$	Sensor biphase bit time		820	1024	1225	$\mu s$	
$t_{s\_bhb}$	Sensor biphase half bit time		-	0.5	-	$t_{s\_bbit}$	
$t_{s\_bifsp}$	Sensor biphase interframe space		2	-	-	$t_{s\_bbit}$	
$t_{s\_bresp}$	Sensor biphase response time		1	-	5	$t_{s\_bbit}$	
	Slew rate		-	2	-	V/ $\mu s$	
Detail A (programming via $V_{SUP}$ )							
$V_{SUPL}$	Supply Voltage for Low Level during Programming through Sensor $V_{SUP}$ Pin	1	5.8	6.3	6.6	V	
$V_{SUPH}$	Supply Voltage for High Level during Programming through Sensor $V_{SUP}$ Pin	1	6.8	7.3	7.8	V	
Detail B							
$t_{space}$	Time before and after acknowledge	3	-	1	-	$t_{s\_bbit}$	
$t_{ACK}$	Acknowledge time	3	-	1	-	$t_{s\_bbit}$	
$t_{prog}$	Programming time	3	-	4.5	-	ms	
Detail C (programming via OUT-Pin)							
$t_{overc}$	Over current pulse duration	3	-	2	-	ms	
$t_{switch}$	Time to switch sensor from application mode into programming mode	3	-	4	-	ms	
$I_{oth}$	Over current threshold	3		+/-10		mA	

**Note:** Only with programming via OUT-Pin is it possible to connect and program two sensors to the same  $V_{SUP}$  and same GND line.

## 9.5. Available sensor commands

The sensor supports 3 commands which provide read and write access to the whole memory (NVRAM;ROM, RAM, register).

The used write data frame and read data frame contains of 5 address bits only. A set base address command which defines a base address, expands the accessible address range to 8 bit.

In case of a unknown command, the sensor does neither transmit an acknowledge nor a body.

**Table 9–15:** Available sensor commands

Command	COM b[2:0]	frame type	ADR b[4:0]	DAT b[15:0] (RD/WD)
Read	1	read	offset address (0 to 31)	data read from address = ADR
Set base address	3	write	don't care	base address 0,1,2,3
Write	6	write	offset address (0 to 31)	data which is written to address = ADR

### 9.5.1. Set base address

The set base address telegram functions as preparation for the write telegram and the read telegram. It uses the write data frame. Bit [15:2] are don't care bit 0 and bit1 are concatenated to the address. The sensor transmits an acknowledge if a communication error has not been detected.

### 9.5.2. Read

The read telegram uses the read data frame. The sensor transmits the data of the effective address after the header has been successful received and the effective address is permitted. Otherwise, the sensor does not respond.

The effective address is calculated by the base address plus offset address. The offset address is defined by the address bits of the header (A b[4:0]).

### 9.5.3. Write

The write telegram uses the write data frame. The sensor saves the received address to the calculated effective address and transmits an acknowledge after the header and body has been successful received and the effective address is permitted. Otherwise, the command is discarded and the sensor transmits no acknowledge.

A write telegram is also discarded while EEPROM programming. During the NVPRAM programming sequence, a write command is discarded.

### 9.5.4. CRC

The data bits are always followed by 4 CRC bits. For all commands but read the CRC result is calculated of all protocol bits, including command, address, parity and data bits.

For read command, the CRC result is calculated of data bits only (16).

The polynomial for the CRC calculation is always  $X^4+X+1$ .

In case of correct command detection (parity, CRC and command address if applicable), an ACK is sent as an answer.

### 9.5.5. Parity check

For the command and address bits, an “odd” parity check is used. In the case of an even number of “1”s, the parity bit has to be “1”. In the case of an odd number of “1”s, the parity bit has to be “0”.

### 9.5.6. Protocol Error Handling

The sensor is detecting protocol errors and command errors.

The sensor is detecting following communication errors:

- invalid parity
- invalid checksum
- command error

A command error occurs when the command is either unknown or the execution has failed.

## 9.6. HAL 24xy - Board commands

Table 9–16: HAL 24xy commands

Action	Command	Parameter	Remarks
set base address	xxsbSTR	STR = <A1><A0><D3><D2><D1> <D0><CRC> return value: <ST>:<R5><R4><R3><R2><R1><R0>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> set base address 1 => xxsb000001d <= 0:000000
write data	xxwSTR	STR = <A1><A0><D3><D2><D1> <D0><CRC> return value: <ST>:<R5><R4><R3><R2><R1><R0>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> write 3333 to address b => xxw0b33333 <= 0:000000
read data	xxrSTR	STR = <A1><A0> return value: <ST>:<R3><R2><R1><R0><CRC>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> read address b => xxr0b <= 0:3333E

## 9.7. Locking of the Sensor

---

For reliability in service, it is mandatory to set the LOCK bit after final adjustment and programming.

The success of the LOCK process should be checked by reading the status of the LOCK bit after locking.

It is also mandatory to check the acknowledges of the sensor or to read/check the status of the PROG register after each store sequence to verify if the programming of the sensor was successful.

Electro-static discharges (ESD) may disturb the supply voltage during programming. Please take precautions against ESD.

For the programming during product development and also for production purposes, a programming tool including hardware and software is available on request. It is recommended to use the Micronas tool kit for an easy product development.

---

**Note:** It is not possible to write or to read a register after locking.

---

---

## 10. HAL 2810 – Board Commands

---

The HAL 28xy family consists of members with different digital interfaces like LIN, PWM and SENT. All members within this family can be programmed without any additional programming pin. Programming is done via LIN frames or Biphase-M telegrams depending on the family member.

### 10.1. LIN Interface

---

---

**Note:** For the LIN2.0 Mode, the hardware configuration of the HAL-APB V1.x must be changed. For details (see [Section 3 on page 10](#)).

---

The LIN Interface on the HAL-APB V1.x is intended to be used with one HAL 2810 sensor as a point to point communication. The firmware comprises a master driver for LIN protocol 2.0. A slave mode is not implemented.

#### 10.1.1. LIN Interface Mode Configuration

---

**Note:** In case of LIN configuration the bus voltage level is equal to  $V_{\text{Board}}$  (normally 18 V).

---

For using this mode correct the  $V_{\text{DD\_HAL}}$  has to be set to 12V too. This is done by sending the two commands

=> ftvdp1(setting programming voltage = 12V)

=> vho1(switching on  $V_{\text{DD\_HAL}}$ )

#### 10.1.2. Schedule Tables

Different schedule tables allow the use of unconditional frames and diagnostic/configuration frames. It is possible to switch between 4 schedule tables, where tables 1 to 3 handle unconditional frames and table 4 handles configuration frames. The PIDs given in the table are the default settings in the HAL-APB V1.x firmware schedule table settings. The PIDs of the unconditional frames in the schedule tables 1 to 3 can be changed in the test terminal.

This can be only done while the corresponding table is not scheduled! The number of response bytes is set to a fixed value for each frame inside a schedule table. If a PID is changed accordingly, this length is applied to the new PID. Changed PIDs are lost after powering off the HAL-APB V1.x. Each schedule table includes only two LIN frames! The scheduling time between frames is set to 20 ms (fixed).

---

**Note:** To apply more user friendly behavior, especially for the saving of special PID settings, the calling application software should implement the preservation of the PID settings.

---

**Table 10–17:**Schedule Tables unconditional frames of the HAL-APB V1.x

Table Number	Description
ID_Table_1	Default scheduling table after startup. It comprises a set address to prepare a data access (W/nR=0) and a Read 2 bytes frame. The address is arbitrary. the default scheduling prevents the sensor from going into sleep.  Frame1: PID = 0x03 (set address), 3 bytes Frame2: PID = 0xc4 (Read 2 bytes), 2 bytes
ID_Table_2	This table prepares an address to read from (W/nR=0) and performs a 4 byte read from there.  Frame1: PID = 0x03 (set address), 3 bytes Frame 2: PID = 0x85, (Read 4 bytes), 4 bytes
ID_Table_3	This table comprises a frame to write a byte to an address (W/nR=1). A second frame includes only a dummy 4 byte read from this address.  Frame1: PID = 0x03 (set address), 3 bytes Frame2: PID = 0x85 (Read 4 bytes), 4 bytes

**Table 10–18:**Schedule table configuration frames of the HAL-APB V1.x

Table Number	Description
ID_Table_4	This table contains configuration frames to schedule.  The two frames are a request (PID60) and a response (PID61) frame. the data bytes to be used with the request frame can be set by the user.  Frame1: PID60 = 0x3C, 8bytes Frame2: PID61 =0x7D, 8bytes

### 10.1.3. Error Handling

A global error flag is set if a LIN communication error, e.g. a shorted bus or a disconnected slave has been detected. There is no certain fault confinement implemented but only this global error information. The last error information can be kept alive or reset.



## 10.2. HAL 2810 (LIN2.0) – Board commands

**Note:** For general board commands see [Table 7–11 on page 21](#)

**Table 10–19:**HAL 2810 commands

Action	Command	Parameter	Remarks
switch schedule table	IsstabN	N = 1...4 return value: <ST>:<R7><R6><R5><R4><R3><R2><R1><R0>	N schedule table No. <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 8-digit hex No. <i>Example</i> => Isstab1 <=> <ST>:00000000
set address = Prepare Data Access	lwpaSTR	STR = <A3><A2><A1><A0> return value: <ST>:<R7><R6><R5><R4><R3><R2><R1><R0>	<A> address as 4-digit hex No. <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 8-digit hex No. <i>Example</i> => lwpa3047 => <ST>:00000000
set address = Write Byte	lwaSTR	STR = <A3><A2><A1><A0><D1><D0> return value: <ST>:<R7><R6><R5><R4><R3><R2><R1><R0>	<A> address as 4-digit hex No. <D> data as 2-digit hex No <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 8-digit hex No. <i>Example</i> => lwa304711 => <ST>:00000000
send single shot of schedule table 3	Isos	return value: <ST>:<R7><R6><R5><R4><R3><R2><R1><R0>	<R> received data as 8-digit hex No. <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <i>Example</i> => Isos <=> <ST>:00000000
read last data	lrd	return value: <ST>:<R7><R6><R5><R4><R3><R2><R1><R0>	<ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 8-digit hex No. if Isstab1: <R3>... <R0> if Isstab2: <R7>... <R0>

### 10.3. Locking of the Sensor

---

A lock bit directly affects the sensor hardware:

1. Any further write access to the corresponding EEPROM area is blocked.
2. The EEPROM cells are permanently connected to their RAM layer.

If the lock bit C0LOC is not set the configuration of the DSP may be controlled by the data stored in the RAM layer only. The customer must verify and (if necessary) refresh the configuration data periodically.

---

**Note:** It is mandatory to lock the DSP CONIFIG EEPROM when the sensors are used for qualification tests and in field applications.

---

If the lock bit C1LOC is not set the configuration of the LIN bus may be controlled by the data stored in the RAM layer only. The customer must verify and (if necessary) refresh the configuration data periodically.

---

**Note:** Micronas recommends to lock the COM CONFIG area when the sensors are used for qualification tests and in field applications.

---

The lock bit does not restrict the read access to the memory. Any permitted address can be read independent of the lock bit.

- Before setting a lock bit (C0LOC or C1LOC) verify the register contents of the corresponding EEPROM area.
- Check for the effectiveness of the lock bit after locking.

This can be done by a write attempt to one of the EEPROM registers.

---

**Note:** The lock mechanism gets active with the next reset after setting the lock bit. Once the lock mechanism is active the corresponding EEPROM area cannot be reprogrammed. In particular the lock bits C0LOC, C1LOC, MLOC cannot be cleared.

---

## 11. HAL 283x / HAL 2850


The HAL 283x/HAL2850 are universal magnetic field sensors with SENT/PWM output, based on the Hall effect. Magnetic field, perpendicular to the branded side of the sensor provides a output signal direct proportional to the applied magnetic flux through the Hall plate. Details on features and specification are described in the data sheet.

### 11.1. Programming interface

The sensor can be programmed via output voltage modulation. The sensor answers with a modulation of the output voltage.

A logical "0" is coded as no level change within the bit time. A logical "1" is coded as a level change of typically 50% of the bit time. After each bit, a level change occurs (see [Fig. 11-1](#)).

The serial telegram is used to transmit the EEPROM content, error codes and digital values of the magnetic field from and to the sensor.



**Fig. 11-1:** Definition of logical 0 and 1 bit


## 11.2. Command Structure of Protocol for communication via OUT-Pin

### command structure


COM: command bit	SYNC: start bit (always 0)	ACK: acknowledge
ADR: address bit	DAT: data bit	: digital Output
parity: command and address check bit	CRC: CRC bit	
dummy: dummy bit (always 0)		

### Communication via Out-Pin / Bidirectional on Out-Pin


#### Mode Switch



#### WRITE command



#### READ command



### 11.3. Telegram Parameters

Symbol	Parameter	Pin No.	Limit Values			Unit	Comment
			Min.	Typ.	Max.		
V <sub>SUPProgram</sub>	V <sub>SUP</sub> Voltage for EEPROM programming (during Programming)	1	5.5	-	18	V	
t <sub>startup</sub>	Start up time ( <b>HAL2850</b> )	3	-	-	8 <sup>1)</sup>	ms	PERIOD = 0 (0.5 ms)
					9 <sup>1)</sup>	ms	PERIOD = 1 (1 ms)
					10 <sup>1)</sup>	ms	PERIOD = 3 (2 ms)
					10 <sup>1)</sup>	ms	PERIOD = 7 (4 ms)
					20 <sup>1)</sup>	ms	PERIOD = 11 (8 ms)
					40 <sup>1)</sup>	ms	PERIOD = 15 (16 ms)
					80 <sup>1)</sup>	ms	PERIOD = 19 (32 ms)
	Start up time ( <b>HAL283x</b> )					1 <sup>2)</sup>	ms
t <sub>MS</sub>	Mode switch	3	130	-	560	ms	
t <sub>switch</sub>			0		12	ms	
Biphase frame characteristic of the host							
t <sub>h_bbit</sub>	Host biphase bit time		972	1024	1075	μs	
t <sub>h_bhb</sub>	Host biphase half bit time		0.45	0.5	0.55	t <sub>h_bbit</sub>	
t <sub>h_bifsp</sub>	Host biphase interframe space		3			t <sub>h_bbit</sub>	
	Slew rate		-	2	-	V/μs	
Biphase frame characteristic of the Sensor							
t <sub>s_bbit</sub>	Sensor biphase bit time		820	1024	1225	μs	
t <sub>s_bhb</sub>	Sensor biphase half bit time		-	0.5	-	t <sub>s_bbit</sub>	
t <sub>s_bifsp</sub>	Sensor biphase interframe space		2	-	-	t <sub>s_bbit</sub>	
t <sub>s_bresp</sub>	Sensor biphase response time		1	-	5	t <sub>s_bbit</sub>	
	Slew rate		-	2	-	V/μs	
<sup>1)</sup> For POST= 0, 10 ms must be added when POST=1 and 3, 32 ms must be added when POST=2 <sup>2)</sup> For POST= 0, 10 ms must be added when POST=1, 2 or 3, 7 ms must be added							

## 11.4. Available sensor commands

The sensor supports 5 commands which provide read and write access to the whole memory (ROM, RAM, register). Then mentioned commands allows for example to read the hall value, the temperature value, and to program the EEPROM.

The used write data frame and read data frame contains of 5 address bits only. A "set base address" command which defines a base address, expands the accessible address range to 16 bit.

In case of a unknown command, the sensor does neither transmit an acknowledge nor a body.

**Table 11–20:**Supported commands

Command	COM b[2:0]	frame type	A b[4:0]	DAT b[15:8] (RD/WD)	DAT b[7:0] (RD/WD)
Read with absolute address	0	read	absolute address (0 to 31, byte aligned)	data read from address = A + 1	data read from address = A
Read with base address	1	read	address offset (0 to 31, byte aligned)	data read from address = base address + A + 1	data read from address = base address + A
Set base address	3	write	don't care	base address (16 bit, byte aligned)	
Write byte with base address	5	write	address offset (0 to 31, byte aligned)	don't care	data which is written to address = base address + A
Write word (16-bit) with base address	6	write	address offset (0 to 31, byte aligned)	data which is written to address = base address + A + 1	data which is written to address = base address + A

### 11.4.1. Set base address

The "set base address" telegram functions as preparation for write telegrams and the "read with base address" telegram. It uses the write data frame. The base address is defined by DAT[15:0]. The sensor transmits an acknowledge if a communication error has not been detected.

### 11.4.2. Read with absolute address

The "read with absolute address" telegram uses the read data frame. The sensor transmits the data of the effective address after the header has been successful received and the effective address is permitted. Otherwise, the sensor does not respond.

The effective address is defined by the address bits of the header (A b[4:0]). Thus, this telegram can be used for reading the lower 32 byte only.

### 11.4.3. Read with base address

The "read with base address" telegram uses the read data frame. The sensor transmits the data of the effective address after the header has been successful received and the

effective address is permitted. Otherwise, the sensor does not respond. The effective address is calculated by the base address plus offset address. The offset address is defined by the address bits of the header (A b[4:0]).

#### 11.4.4. Write byte with base address

The "write byte with base address" telegram uses the write data frame. The sensor saves the received byte (DAT b[7:0]) to the calculated effective address and transmits an acknowledge after the header and body has been successful received and the effective address is permitted. Otherwise, the command is discarded and the sensor transmits no acknowledge.

A "write byte with base address" telegram is also discarded while EEPROM programming.

#### 11.4.5. Write word with base address

This telegram is similar to the "write byte with base address" telegram. Unlike the "write byte with base address" telegram, this telegram is used for writing 16-bit data to the effective address and the effective address+1.

#### 11.4.6. Special Cases

After reset, the IC does not execute a "read with base address", "write byte with base address" or "write word with base address" command till a "set base address" telegram has been received.

During the EEPROM programming sequence (clear and set), a "write byte with base address" command or "write word with base address" command is discarded. It is recommended to pause the communication while the clear and set sequence is operated.

#### 11.4.7. Protocol Error Handling

The sensor is detecting and logging protocol errors and command errors.

The sensor is detecting following communication errors:

- frame error

A frame error can occur due to a too short interframe space, a non valid start bit ("0"), a non valid dummy bit "0", to less bits of a frame (time-out), or invalid pulse widths.

- invalid parity

- invalid checksum

- command error

A command error occurs when the command is either unknown or the execution has failed.

In case of an error, the sensor neither transmits an acknowledge nor a body.

## 11.5. HAL 283x / HAL 2850 – Board commands

**Note:** For general board commands see [Table 7.2 on page 21](#)

**Table 11–21:**HAL 283x / HAL 2850 commands

Action	Command	Parameter	Remarks
read PWM-Period and Pulse width (only HAL 2850)	prN	N = 0 / 1  return value: <ST>:<P3><P2><P1><P0><W3><W2><W1><W0>	N trigger on falling/rising PWM edge  <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <P> 4digit Period <W>4digit Pulse width  <i>Example</i> => pr1 (OP-bit=0) <=< <ST>:13AE0A00 - Conversion of PWM-Period: 0x13AE = 5038 <sub>dec</sub> / 10000 = 0,5ms - Conversion of Pulse width: 0x0A00 = 2560 <sub>dec</sub> / 10000 = 0,26ms - Calculation of Duty-Cycle: 2560/ 5038 = 50,8%
mode switch	pcms	return value: return value: <ST>:<R4><R3><R2><R1><R0>	switch HAL 283x/HAL 2850 to Biphase-M programming mode  <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 5-digit hex No.
read from page 0 returns data read from address to address+1	pxr0STR	STR = <A1><A0>  return value: <ST>:<R3><R2><R1><R0><CRC>	<A> address as 2-digit hex No.  <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No. <CRC> checksum as 1-digit hex No.  <i>Example</i> => pxr002 => <ST>:0FFB2
set base address	pxsbSTR	STR = <A3><A2><A1><A0><CRC>  return value: <ST>:<R4><R3><R2><R1><R0>	<A> base address as 4-digit hex No. <CRC> checksum  <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 5-digit hex No.  <i>Example</i> => pxsb30006 => <ST>:000000



Table 11–21: HAL 283x / HAL 2850 commands

Action	Command	Parameter	Remarks
read byte with base address returns data from address to address+1	pxrbSTR	STR = <A1><A0> return value: <ST>:<R3><R2><R1><R0><CRC>	<A> address as 2-digit hex No. <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No. <CRC> checksum <i>Example</i> => pxrb00 <= <ST>:D4537
write byte with base address	pxwbSTR	STR = <A1><A0><D1><D0><CRC>  return value: <ST>:<R4><R3><R2><R1><R0>	<A> address as 2-digit hex No. <D> data as 2-digit hex No. <CRC> checksum  <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 5-digit hex No.  <i>Example</i> => pxwb00000 <= <ST>:000000
write word with base address	pxwwSTR	STR = <A1><A0><D3><D2><D1><D0><CRC>  return value: <ST>:<R4><R3><R2><R1><R0>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum  <ST> board status (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 5-digit hex No.

## 11.6. Locking of the Sensor

For reliability in service, it is mandatory to set the LOCK bit after final adjustment and programming.

The success of the LOCK process should be checked by reading the status of the LOCK bit after locking.

It is also mandatory to check the status bit of the received data or read/check the EEPCTRL register after each store sequence to verify if the programming of the sensor was successful.

Electro-static discharges (ESD) may disturb the supply voltage during programming. Please take precautions against ESD.

For the programming during product development and also for production purposes, a programming tool including hardware and software is available on request. It is recommended to use the Micronas tool kit for an easy product development.

---

**Note:** It is not possible to write or to read a register after locking.

---

## 12. HAL 3625, HAL 3675, HAL 385x and HAL 387x


The HAL 36x5, HAL 385x and HAL 387x are members of a new generation of Hall-effect sensors with vertical hall plate technology. With the new vertical Hall technology it is possible to directly measure rotation angles in a range of 0° to 360° and linear movements with simple magnetic circuits. Details on features and specification are described in the data sheet.

### 12.1. Programming interface

The sensor can be programmed via supply voltage modulation or via output voltage modulation. The default mode is the programming via the output voltage modulation. The sensor answers with a modulation of the output voltage.

A logical “0” is coded as no level change within the bit time. A logical “1” is coded as a level change of typically 50% of the bit time. After each bit, a level change occurs (see [Fig. 12-1](#)).

The serial telegram is used to transmit the EEPROM content, error codes and digital values of the magnetic field from and to the sensor.




**Fig. 12-1:** Definition of logical 0 and 1 bit

## 12.2. Command Structure of Protocol for communication via $V_{SUP}$

### command structure

COM: command bit  
 ADR: address bit  
 parity: command and address check bit  
 dummy: dummy bit (always 0)  
 SYNC: start bit (always 0)  
 DAT: data bit  
 CRC: CRC bit  
 ACK: acknowledge  
 [Symbol]: analog or digital output

#### Communication via $V_{SUP}$ -Pin ( $Biphase-In = V_{SUP} / Biphase-Out = OUT-Pin$ )



### 12.3. Telegram Parameters

Symbol	Parameter	Pin No.	Limit Values			Unit	Comment
			Min.	Typ.	Max.		
V <sub>SUPProgram</sub>	V <sub>SUP</sub> Voltage for EEPROM & NVRAM programming (during Programming)	1	5.7	6	6.5	V	
Biphase frame characteristic of the host							
t <sub>h_bbit</sub>	Host biphase bit time		972	1024	1075	µs	
t <sub>h_bhb</sub>	Host biphase half bit time		0.45	0.5	0.55	t <sub>h_bbit</sub>	
t <sub>h_bifsp</sub>	Host biphase interframe space		3			t <sub>h_bbit</sub>	
	Slew rate		-	2	-	V/µs	
Biphase frame characteristic of the Sensor							
t <sub>s_bbit</sub>	Sensor biphase bit time		820	1024	1225	µs	
t <sub>s_bhb</sub>	Sensor biphase half bit time		-	0.5	-	t <sub>s_bbit</sub>	
t <sub>s_bifsp</sub>	Sensor biphase interframe space		2	-	-	t <sub>s_bbit</sub>	
t <sub>s_bresp</sub>	Sensor biphase response time		1	-	5	t <sub>s_bbit</sub>	
	Slew rate		-	2	-	V/µs	
Detail A							
V <sub>SUPL</sub>	Supply Voltage for Low Level during Programming through Sensor V <sub>SUP</sub> Pin	1	5.8	6.3	6.6	V	
V <sub>SUPH</sub>	Supply Voltage for High Level during Programming through Sensor V <sub>SUP</sub> Pin	1	6.8	7.3	7.8	V	
Detail B							
t <sub>space</sub>	Time before and after acknowledge		-	1	-	t <sub>s_bbit</sub>	
t <sub>ACK</sub>	Acknowledge time		-	1	-	t <sub>s_bbit</sub>	
t <sub>prog</sub>	Programming time		-	4.5	-	ms	

## 12.4. Command Structure of Protocol for communication via OUT-Pin

### command structure

COM: command bit

ADR: address bit

parity: command and address check bit


dummy: dummy bit (always 0)

SYNC: start bit (always 0)

DAT: data bit

CRC: CRC bit


ACK: acknowledge

 : Analog or digital output

#### Communication via Out-Pin / Bidirectional on Out-Pin


WRITE  
command

OUT-Pin




READ  
command

OUT-Pin




Detail B

OUT-Pin



Detail C

OUT-Pin



## 12.5. Telegram Parameter

Symbol	Parameter	Pin No.	Limit Values			Unit	Comment
			Min.	Typ.	Max.		
V <sub>SUPProgram</sub>	V <sub>SUP</sub> Voltage for EEPROM & NVRAM programming (during Programming)	1	5.7	6	6.5	V	
Biphase frame characteristic of the host							
t <sub>h_bbit</sub>	Host biphase bit time		972	1024	1075	µs	
t <sub>h_bhb</sub>	Host biphase half bit time		0.45	0.5	0.55	t <sub>h_bbit</sub>	
t <sub>h_bifsp</sub>	Host biphase interframe space		3			t <sub>h_bbit</sub>	
	Slew rate		-	2	-	V/µs	
Biphase frame characteristic of the Sensor							
t <sub>s_bbit</sub>	Sensor biphase bit time		820	1024	1225	µs	
t <sub>s_bhb</sub>	Sensor biphase half bit time		-	0.5	-	t <sub>s_bbit</sub>	
t <sub>s_bifsp</sub>	Sensor biphase interframe space		2	-	-	t <sub>s_bbit</sub>	
t <sub>s_bresp</sub>	Sensor biphase response time		1	-	5	t <sub>s_bbit</sub>	
	Slew rate		-	2	-	V/µs	
Detail A (programming via V <sub>SUP</sub> )							
V <sub>SUPL</sub>	Supply Voltage for Low Level during Programming through Sensor V <sub>SUP</sub> Pin	1	5.8	6.3	6.6	V	
V <sub>SUPH</sub>	Supply Voltage for High Level during Programming through Sensor V <sub>SUP</sub> Pin	1	6.8	7.3	7.8	V	
Detail B							
t <sub>space</sub>	Time before and after acknowledge	3	-	1	-	t <sub>s_bbit</sub>	
t <sub>ACK</sub>	Acknowledge time	3	-	1	-	t <sub>s_bbit</sub>	
t <sub>prog</sub>	Programming time	3	-	4.5	-	ms	
Detail C (programming via OUT-Pin)							
t <sub>overc</sub>	Over current pulse duration	3	-	2	-	ms	
t <sub>switch</sub>	Time to switch sensor from application mode into programming mode	3	-	4	-	ms	
I <sub>oth</sub>	Over current threshold	3		+/-10		mA	

**Note:** Only with programming via OUT-Pin is it possible to connect and program two sensors to the same V<sub>SUP</sub> and same GND line.

## 12.6. Available sensor commands

The sensor supports 3 commands which provide read and write access to the whole memory (NVRAM;ROM, RAM, register).

The used write data frame and read data frame contains of 5 address bits only. A set base address command which defines a base address, expands the accessible address range to 8 bit.

In case of a unknown command, the sensor does neither transmit an acknowledge nor a body.

**Table 12–22:** Available commands

Command	COM b[2:0]	frame type	ADR b[4:0]	DAT b[15:0] (RD/WD)
Read	1	read	offset address (0 to 31)	data read from address = ADR
Set base address	3	write	don't care	base address 0,1,2,3
Write	6	write	offset address (0 to 31)	data which is written to address = ADR

### 12.6.1. Set base address

The set base address telegram functions as preparation for the write telegram and the read telegram. It uses the write data frame. Bit [15:2] are don't care bit 0 and bit1 are concatenated to the address. The sensor transmits an acknowledge if a communication error has not been detected.

### 12.6.2. Read

The read telegram uses the read data frame. The sensor transmits the data of the effective address after the header has been successful received and the effective address is permitted. Otherwise, the sensor does not respond.

The effective address is calculated by the base address plus offset address. The offset address is defined by the address bits of the header (A b[4:0]).

### 12.6.3. Write

The write telegram uses the write data frame. The sensor saves the received address to the calculated effective address and transmits an acknowledge after the header and body has been successful received and the effective address is permitted. Otherwise, the command is discarded and the sensor transmits no acknowledge.

A write telegram is also discarded while EEPROM programming. During the NVROM programming sequence, a write command is discarded.

### 12.6.4. CRC

The data bits are always followed by 4 CRC bits. For all commands but read the CRC result is calculated of all protocol bits, including command, address, parity and data bits.

For read command, the CRC result is calculated of data bits only (16).

The polynomial for the CRC calculation is always  $X^4+X+1$ .

In case of correct command detection (parity, CRC and command address if applicable), an ACK is sent as an answer.

### 12.6.5. Parity check

For the command and address bits, an “odd” parity check is used. In the case of an even number of “1”s, the parity bit has to be “1”. In the case of an odd number of “1”s, the parity bit has to be “0”.

### 12.6.6. Protocol Error Handling

The sensor is detecting protocol errors and command errors.

The sensor is detecting following communication errors:

- invalid parity
- invalid checksum
- command error

A command error occurs when the command is either unknown or the execution has failed.



## 12.7. HAL 3625, HAL 3675, HAL 385x and HAL 385x– Board commands

**Table 12–23:** HAL 3625, HAL 3675, HAL 385x and HAL 387x board commands

Action	Command	Address	Data
set base address	xxsbSTR	STR = <A1><A0><D3><D2><D1> <D0><CRC> return value: <ST>:<R5><R4><R3><R2><R1><R0>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> set base address 1 => xxsb000001d <= 0:000000
write data	xxwSTR	STR = <A1><A0><D3><D2><D1> <D0><CRC> return value: <ST>:<R5><R4><R3><R2><R1><R0>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> write 37B7 to address 8 => xxw0837B76 <= 0:000000
read data	xxrSTR	STR = <A1><A0> return value: <ST>:<R4><R3><R2><R1><CRC>	<A> address as 2-digit hex No. <D> data as 4-digit hex No. <CRC> checksum as 1-digit hex No. <ST> = Status of Board (see <a href="#">Table 6–9 on page 20</a> for details) <R> received data as 4-digit hex No.  <i>Example:</i> read address 8 => xxr08 <= 0:37B75

## 12.8. Locking of the Sensor

---

For reliability in service, it is mandatory to set the LOCK bit after final adjustment and programming.

The success of the LOCK process should be checked by reading the status of the LOCK bit after locking.

It is also mandatory to check the acknowledges of the sensor or to read/check the status of the PROG register after each store sequence to verify if the programming of the sensor was successful. VER, PER should be 0 after each set/erase command. NVE should be 0 after set/erase command of the NVRAM.

Electro-static discharges (ESD) may disturb the supply voltage during programming. Please take precautions against ESD.

For the programming during product development and also for production purposes, a programming tool including hardware and software is available on request. It is recommended to use the Micronas tool kit for an easy product development.

---

**Note:** It is not possible to write or to read a register after locking.

---

## 13. Application Note History

---

1. HAL 1820, HAL28xy, HAL3625 Application Board HAL-APB V1.x, April, 16, 2010; APN000055\_001EN. First release of the application note.
2. HAL 1820, HAL28xy, HAL3625 Application Board HAL-APB V1.x, March 24, 2011; APN000055\_002EN. Second release of the application note.  
Major Changes:
  - HAL-APB version 1.5 added
3. HAL 1820, HAL28xy, HAL3625, HAL3675, HAL385x and HAL387x Application Board HAL-APB V1.x, Oct. 8, 2012, APN000055\_003EN. Third release of the application note.  
Major Changes:
  - [Section 4.2 Recommended Wiring](#) added.
  - [Section 4.3 Maintenance and Calibration](#) added.
  - [Section 5 USB Driver Installation](#) changed.