

Specification Sheet

Part Number: 596-00670



Solar Label, Clear Laminate, 4.2" x 2.25", Clear, 10/pkg

Article Number

596-00670

Type

LAM110

Color

Clear (CL)

Features & Benefits

- Made with UV stable inks and materials for durability and weather resistance.
- The labels are supplied with aggressive adhesive to ensure long life.
- Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

Quantity Per

pack

Product Description

HellermannTyton pre-printed vinyl Solar Installation Labels are designed to meet the requirements of the National Electrical Code and the International Fire Code as well as being acceptable to the Authority Having Jurisdiction (AHJ). Labels are made with durable UV-stable materials and adhesives that are designed to stick to both baked enamel and powder coat surfaces. Where applicable, labels are made using reflective materials for first responder safety. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed.

Short Description	Solar Label, Clear Laminate, 4.2" x 2.25", Clear, 10/pkg
Global Part Name	LAM110-443/552-CL
Technical Description	Solar Label UV laminate, 4.2" X 2.25", Clear
Local Order Number 2	Cross Reference = 50 per roll: 596-00242
Width W (Imperial)	4.2
Width W (Metric)	106.1
Thickness T (Metric)	64.0
Height H (Imperial)	2.25
Height H (Metric)	57.10
Material	Type 443/552, UV Stable Flexible White Vinyl with Acrylic Laminate
Material Shortcut	443/552
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +174°F (-40°C to +79°C)
Operating Temperature (Metric)	-40°F to +174°F (-40°C to +79°C)

Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Certification/Specification WEB	NEC2017 NEC2014
Warranty (US)	Yes
UL Recognized (US)	Yes
Package Quantity(Imperial)	10
Package Quantity (Metric)	10
Customs Number	3919102055
Labels per Column	1
Labels per Row	1
Weight (Metric)	0.521
Weight (Imperial)	1.14