

Specification Sheet

Part Number: 558-00382



Adhesive Labels, Banded Color Continuous Roll, 4.0" x 250', UV Stable, Orange/White, 250 ft/roll

Article Number	558-00382
Type	HT4OE10250UV
Color	Orange (OG)
Features & Benefits	<ul style="list-style-type: none">• Continuous Colored Signal Panel labels come with yellow or orange stripes for easy printing of caution and warning labels.• Continuous labels allow for designing and cutting labels to any length.• Various widths are available so that a wide variety of sign sizes can be customized and produced on demand.
Quantity Per	roll

Product Description

The Pre-printed colored header vinyl rolls can be used to design signs that conform to Occupational Safety and Hazard Association (OSHA) and American National Standards Institute (ANSI) requirements for Warning and Caution Signs and markers. All can be designed, printed and cut to length in Tagprint Pro and any HellermannTyton thermal transfer printing system.

Short Description	Adhesive Labels, Banded Color Continuous Roll, 4.0" x 250', UV Stable, Orange/White, 250 ft/roll
Global Part Name	HT4OE10250UV-840/926-OG
Technical Description	Banded Continuous Colored Signal Panel Roll, 4.0" X 250', UV Stable, Orange/White
Length L (Imperial)	250.0
Length L (Metric)	76.2
Variant	3.2mil, 50lb bleached kraft paper
Width W (Imperial)	4.0
Width W (Metric)	101.6
Thickness T (Metric)	64.0
Width of Liner (Metric)	101.6
Width of Liner (imperial)	4.0
Material	Type 840/926, Polyester (PET), UV stable, clear Polyester laminate
Material Shortcut	840/926
Adhesive	Acrylic

Halogen free No

Adhesive Operating Temperature -40°F to +302°F (-40°C to +150°C)

Operating Temperature (Metric) -40°F to +302°F (-40°C to +150°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Certification/Specification WEB IFC 2012 CSA 66956 NEC2011 ANSI Standard Z535.4 UL 969 NEC2014

Package Quantity(Imperial) 250

Package Quantity (Metric) 76.20

Customs Number 3919102055

Labels per Column 1

Labels per Row 1

Weight (Metric) 1.176

Weight (Imperial) 2.57