

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62201-3700](#)
Status: **Active**
Description: Flat Rock Tooling for Pneumatic Press

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Adapter Kit
UPC	800754813204

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-622013700, TM-622013800, TM-622022099
Sales Drawing	622013700-ASSY, 622013700-BOM



EU RoHS	China RoHS
Compliance Status	
Not Reviewed	
REACH SVHC	
Not Reviewed	
Low-Halogen Status	
Not Reviewed	

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[T3002Series](#)

Application Tooling Description	FAQ Product #
2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 8-Row, Open Signal Module, 200 Circuits, Pin Length 4.75mm. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740602506
2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical,	0740609003

8-Row, Open Signal Module, 80 Circuits, Pin Length 4.25mm, Lead- Free. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740609104
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 8- Row, Open Signal Module, 80 Circuits, Advance Mate Shield, Pin Length 5.15mm, Lead- Free. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740609009
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 8-Row, Open Signal Module, 80 Circuits, Pin Length 5.15mm, Lead- Free. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740609006
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 8-Row, Open Signal Module, 80 Circuits, Pin Length 4.75mm, Lead- Free. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740609102
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 8-	

Row, Open Signal
Module, 80 Circuits,
Advance Mate
Shield, Pin Length
6.25mm, Lead-
Free. Series:74075
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0736560000
HDM® Board-to-
Board Backplane
Power Module,
Vertical, SMC,
Power Receptacle,
3 Circuits, Gold (Au)
0.76µm
2.00mm Pitch HDM®0737690100
Board-to-Board
Stacking Header,
High Rise Vertical,
Press-Fit, Open End
Option, 72 Circuits
2.00mm Pitch HDM®0737700300
Board-to-Board
Stacking Header,
High Rise Vertical,
SMC, Closed End
Option, 72 Circuits
2.00mm Pitch HDM®0737701109
Board-to-Board
Stacking Header,
High Rise Vertical,
SMC, Closed End
Option, 144 Circuits
2.00mm Pitch HDM®0738000200
Board-to-Board
Midplane Header,
Vertical, SMC,
Press-Fit, Long Pin,
Open End Option, 72
Circuits
2.00mm Pitch HDM®0738001000
Board-to-Board
Midplane Header,
Vertical, SMC,
Press-Fit, Long Pin,
Open End Option,
144 Circuits
2.00mm Pitch HDM®0738002200
Board-to-Board
Midplane Header,
Vertical, SMC,
Press-Fit, Long Pin,
Open End Option, 72
Circuits
2.00mm Pitch HDM®0736422200
Board-to-Board
Backplane Header,
Vertical, Press-
Fit, Open End, 72
Circuits

2.00mm Pitch HDM® Board-to- Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location B, Polarizing Key Position N/A, 144 Circuits	0736443016
2.00mm Pitch HDM® Board-to- Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location B, Polarizing Key Position A, 72 Circuits	0736442000
2.00mm Pitch HDM® Board-to-Board Backplane Header, Vertical, Press- Fit, Open End, 144 Circuits	0736423200
2.00mm Pitch HDM® Board-to- Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location A, Polarizing Key Position N/A, 72 Circuits	0736442017
2.00mm Pitch HDM® Board-to- Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location A, Polarizing Key Position A, 144 Circuits	0736443001
2.00mm Pitch HDM® Board-to- Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location A, Polarizing Key Position A, 72 Circuits	0736442001
2.00mm Pitch HDM® Board-to- Board Backplane Header, Vertical, SMC, Press-Fit, Guide Post Location A, Polarizing Key Position N/A, 144 Circuits	0736443217
2.00mm Pitch HDM® Board-to- Board Backplane Header, Vertical, SMC, Press-Fit,	0736443210

Guide Post Location B, Polarizing Key Position F, 144 Circuits 2.00mm Pitch HDM®0736433200 Board-to-Board Backplane Header, Vertical, Press-Fit, Closed End, 144 Circuits	
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 8-Row, Open Signal Module, 80 Circuits, Pin Length 5.15mm, Lead- Free. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740609004
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 8-Row, Guide Pin Signal Module, Shield End Version, Lead-Free, 200 Circuits, Pin Length 5.15mm. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740628504
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 8-Row, Guide Pin Signal Module, Shield End Version, Lead-Free, Lead- Free, Pin End Version, Lead-Free, 80 Circuits, Pin Length 5.15mm. Series:74075 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740629004

2.00mm Pitch HDM®0738000000
Board-to-Board
Midplane Header,
Vertical, SMC,
Press-Fit, Long Pin,
Open End Option, 72
Circuits

2.00mm Pitch 0740571001

VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 60 Circuits,
10 Columns, Pin
Length 4.75mm,
0.76µm Gold Plating.
Series:74074

Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm

2.00mm Pitch 0740571002

VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 60 Circuits,
10 Columns, Pin
Length 6.25mm,
0.76µm Gold Plating.
Series:74074

Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm

2.00mm Pitch 0740571003

VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 60 Circuits,
10 Columns, Pin
Length 4.25mm,
0.76µm Gold Plating.
Series:74074

Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm

2.00mm Pitch 0740571004

VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 60 Circuits,

10 Columns, Pin
Length 5.15mm,
0.76µm Gold Plating.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0740571007
VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 60 Circuits,
10 Columns, Pin
Length 6.25mm,
1.27µm Gold Plating.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0740572501
VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 150 Circuits,
25 Columns, Pin
Length 4.75mm,
0.76µm Gold Plating.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0740572502
VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 150 Circuits,
25 Columns, Pin
Length 6.25mm,
0.76µm Gold Plating.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0740572503
VHDM® Single-
Ended Board-to-
Board Backplane

Header, Vertical, 6-
Row, Open Signal
Module, 150 Circuits,
25 Columns, Pin
Length 4.25mm,
0.76µm Gold Plating.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0740572504
VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical, 6-
Row, Open Signal
Module, 150 Circuits,
25 Columns, Pin
Length 5.15mm,
0.76µm Gold Plating.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0740572601
VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical,
6-Row, Open
Signal Module,
150 Circuits, 25
Columns, Advance
Mate Shield, Pin
Length 4.75mm.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin
lengths 4.25, 4.75,
5.15 and 6.25mm
2.00mm Pitch 0740578601
VHDM® Single-
Ended Board-to-
Board Backplane
Header, Vertical,
6-Row, Open
Signal Module,
150 Circuits, 25
Columns, Advance
Mate Shield, Pin
Length 4.75mm.
Series:74074
Enables designers
to create custom
loaded connectors
utilizing standard pin

lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 4.75mm, 0.76µm Gold (Au) Plating, Lead- Free. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740579001
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 5.15mm, 1.27µm Gold (Au) Plating, Lead- Free. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740579009
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Open Signal Module, 60 Circuits, 10 Columns, Advance Mate Shield, Pin Length 4.75mm, 0.76µm Gold (Au) Plating, Lead- Free. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740579101
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits,	0740581001

Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581003
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581004
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 5.15mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581011
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581012
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors	

utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581013
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	
2.00mm Pitch	0740581014
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 5.15mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	
2.00mm Pitch	0740581021
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	
2.00mm Pitch	0740581022
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION