

Customer Information Sheet

DRAWING No.: M22-6023042

SHEET 2 OF 2


IF IN DOUBT - ASK

(C)

NOT TO SCALE

THIRD ANGLE PROJECTION

ALL DIMENSIONS IN mm



SPECIFICATION:

MATERIALS:

MOULDING = NYLON 6T, UL94V-0 BLACK

CONTACTS = BRASS

FINISH (OVER NICKEL):

GOLD ON CONTACT AREA, 100% TIN ON TAILS

ELECTRICAL:

CONTACT RESISTANCE = $30m\Omega$ MAX.

INSULATION RESISTANCE = $5000M\Omega$ MIN.

CURRENT RATING = 1A MAX

VOLTAGE RATING = 250V AC



VOLTAGE PROOF = 800V AC FOR ONE MINUTE

ENVIRONMENTAL:

TEMPERATURE RANGE = -55° TO $+105^{\circ}$ C


PACKING:

TUBE



NOTES:

1. ALL TOLERANCES ARE ± 0.20 UNLESS OTHERWISE STATED.



ORDER CODE: **M22-6023042**

No. OF CONTACTS PER ROW: 30

FINISH: 42 = SELECTIVE GOLD + 100% TIN

MSP	8	25.04.17	20391
NAME	ISS.	DATE	C/NOTE
APPROVED:		M.PERREN	
CHECKED:		S.BENNETT	
DRAWN:		D.BECK	
CUSTOMER REF.:			
ASSEMBLY DRG.:			

HARWIN

www.harwin.com
technical@harwin.com

THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER SET OUT HEREON ARE CONFIDENTIAL AND COPYRIGHT PROPERTY OF THE HARWIN GROUP AND MUST NOT BE DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING, TENDERING OR FOR ANY OTHER PURPOSE WITHOUT THEIR WRITTEN PERMISSION.

TOLERANCES

~~X = ± 1 mm
X.X = ± 0.50 mm
X.XX = ± 0.10 mm
X.XXX = ± 0.01 mm
ANGLES = $\pm 5^{\circ}$
UNLESS STATED~~

MATERIAL:

SEE ABOVE

FINISH: SEE ABOVE

S/AREA:

mm²

TITLE:

PC104 PLUS
POST HEADER

DRAWING NUMBER:

M22-6023042

SHT
2 OF 2