


REV. Status

ADSL transformer designed for use with Conexant ADSL IC chip CN9001 (20441)

PRELIMINARY
02/03/00 MP

PRELIMINARY 1
CHANGED
A.2, A.3, A1.7,
A.8, & A.9
CHANGED DWG
TO OPEN STYLE
04/06/00 MP

PRELIMINARY 2
CHANGED
A.3 - A.9
ADDED A.10
CHANGED
SCHEMATIC &
LABEL ON ISO.
05/30/00 LL



PREPARED BY:

D. Rund

ENGINEER:

M. Pitchai

QUALITY CONTROL:

D. Kelley

APPROVED:

J. Coleman

DWG CONTROL NO.
P-A1-12346
ACAD\TTC\A1123461.DWG

REV
PR2

ADSL
TRANSFORMER

TAMURA CORPORATION OF AMERICA
43352 BUSINESS PARK DRIVE, TEMECULA, CA. 92590-6624
(909) 699-1270 FAX 9096769482

TTC-4016

MODEL SPECIFICATION



DIM: mm(In) SCL: 2/1 SH: 1 OF 1

- A. Electrical Specifications (@ 25°C)
1. Primary (Line side) Impedance; 100Ω
 2. Secondary (IC side) Impedance; 25Ω
 3. Longitudinal Balance; 45dBm MIN @ 100KHz TO 1MHz, 0dBm (Per ITU method pin 5 or 1 grounded)
 4. Primary Open Circuit Inductance; 0.80mH±5% @ 10KHz, 0.1Vrms Measured (6-10) with 9 and 7 shorted
 5. Leakage Inductance; 10μH MAX @ 100KHz, 0.1Vrms Measured (6-10) with 9 & 7, 1 & 5, and 2 & 4 shorted
 6. Interwinding Capacitance; 30pF MAX @ 100KHz, 0.1Vrms Measured (1-10) with 2 & 4, and 7 & 9 shorted
 7. DC Resistance; (6-9)=0.74Ω MAX (7-10)=0.74Ω MAX (5-1)=0.77Ω MAX, 2 & 4 shorted
 8. Turns Ratio; (6-10):(5-1)=2:1±1% 2 & 4, 7 & 9 shorted
 9. Dielectric Strength; 3000Vrms 1 second @ Pri to Sec
 10. Operating Temperature Range; -40°C to +85°C


B. Marking; TTC-4016, TAMURA, date code and country of origin

C. Safety; Complies with UL1950 3rd Edition and IEC950



D. Schematic and Mounting Footprint;



MODEL NUMBER
TTC-4016



E. Mechanical Specifications;



PROPRIETARY NOTICE: THIS DRAWING PRINT OR DOCUMENT AND SUBJECT MATTER DISCLOSED HEREIN ARE PROPRIETARY ITEMS TO WHICH TAMURA RETAINS THE EXCLUSIVE RIGHT OF DISSEMINATION, REPRODUCTION, MANUFACTURE AND SALE. THIS DRAWING, PRINT OR DOCUMENT IS SUBMITTED IN CONFIDENCE FOR CONSIDERATION BY THE RECIPIENT ALONE UNLESS PERMISSION FOR FURTHER DISCLOSURE IS EXPRESSLY GRANTED IN WRITING.