



2015

wiha 
Tools that work for you


Professional Tech Tools




Complete Tech Tools Program




Wiha Precision Screwdrivers

Description	Page
Precision Slotted Drivers	4-5
Precision Phillips Drivers	5
Precision Pozidriv® Drivers	6
Precision Hex Drivers	6
Precision Ball End Drivers	7
Precision Nut Drivers	8
Precision Torx® Drivers	9
Precision 5Point Drivers	9
 Precision Chip Lifters	4



Wiha Magnetizer/Demagnetizer

Description	Page
 Magnetizer/Demagnetizer	11


Wiha Precision Protturn Drivers

Description	Page
 Protturn Drivers & Blade Sets	14
Slotted, Phillips, Torx, Chip Lifter	





Wiha TorqueControl Tools

Description	Page
 Torque Cable Keys	7
 TorqueControl Handle	7



Wiha ESD Safe Precision Handles/Blades

Description	Page
 SYSTEM 4 Handles/Blades	15-16
SYSTEM 4 Sets	18-19



Wiha Precision Screwdriver Accessories

Description	Page
 Precision Master Tech Set	9
 Precision Pocket Clip	4
 Precision Stand	4
 Precision Pouch	11,13




Wiha ESD Safe Precision Handle & Blades

Description	Page
 SYSTEM 4 Drive-Loc Handle & Blades	17
 SYSTEM 4 Drive-Loc Set	17







Wiha Precision PicoFinish Drivers

Description	Page
 PicoFinish Screwdrivers	10-13
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	
 Insulated PicoFinish Drivers	13







ESD Safe Micro Bit Handles, Bits & Sets

Description	Page
 Micro Bits Handles/Bits/Sets	20-22
 Micro Bit Storage Handle Sets	21
 ESD Safe Micro Bit Sets	23



Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	24
	Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	24
	Electronic Diagonal Cutters Narrow Shape	24
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	25
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	25
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	25
	Electronic Diagonal Cutters Short Nose Precision Pliers	25
	Electronic Stripping Pliers	25
	Flush Cutting Diagonal Cutters	25

Wiha Stripping Tools

	Description	Page
	Self Adj. Cut & Strip Tools	34
	Adjustable Cable Stripper	35
	Adjustable Stripping Tool	35
	CATV/Satellite Stripper	35
	2 Step Stripping Tools	36
	3 Step Stripping Tools	37

Wiha Professional Tweezers

	Description	Page
	ESD Safe Tweezers	26-29
	Inspection Mirrors	29




Wiha ESD Safe Tech Tools

- ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter
- ESD Safe Ceramic Drivers
- ESD Safe SYSTEM 4
Handles/Blades/Sets
- ESD Safe Drive-Loc
Handles/Blades/Sets
- ESD Safe Pliers & Cutters



Catalog 99945.wo

Stripping & Crimping Tools

	Description	Page
	PortaCrimp Frame	30
	PortaCrimp Dies	31-33
	PortaCrimp Sets	30



Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
chrome-vanadium-molybdenum steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface

Wiha Precision Chip Lifter & Accessories



26810 Precision Chip Lifter [SHOP](#)

Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26810	1	3.5	50	145	5.7	.07	1


*Metric dimensions actual - Inch dimensions approximate



26001 Pocket Clip for Precision Screwdrivers [SHOP](#)

Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	lbs.	pkg.
26001	Fits all Precision handles	.0035 1




26000 Plastic Precision Tool Rack [SHOP](#)

Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	lbs.	pkg.
26000	Rack for 6 Precision screwdrivers	.08 1

Wiha Long Life Precision Series




260 Slotted Screwdriver, With Precision Handle [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07	10


*Metric dimensions actual - Inch dimensions approximate



26090 6 Piece Precision Slotted Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	lbs.
26090	.27



26099 8 Piece Precision Slotted Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
26099	.54

Wiha Precision Slotted/Phillips Drivers



261 Phillips Screwdriver, With Precision Handle 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



26092 7 Piece Precision Slotted & Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26092	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



26190 7 Piece Precision Slotted & Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26190	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



26194 4 Piece Precision Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	lbs.
26194	000, 00 x 40mm	.18
	0 x 50mm, 1 x 60mm	




In canvas storage pouch

26199 8 Piece Precision Slotted/Phillips Set 

Blade high alloy CVM steel, hard chrome finished.

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm,	.55
	3.0 x 50mm, 4.0 x 60mm	
	Phillips: 000, 00 x 40mm,	
	0 x 50mm, 1 x 60mm	



26192 5 Piece Precision Slotted & Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26192	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	



Wiha Pozidriv® Precision Series



[SHOP](#)

262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



[SHOP](#)

263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
26307	.7	.028	40	1.6	120	4.7	.02	10	
26309	.9	.035	40	1.6	120	4.7	.02	10	
26313	1.3	.050	40	1.6	120	4.7	.02	10	
26315	1.5	-	50	2.0	145	5.7	.03	10	
26320	2.0	5/64	50	2.0	145	5.7	.03	10	
26325	2.5	-	60	2.4	170	6.7	.04	10	
26330	3.0	-	60	2.4	170	6.7	.04	10	
26340	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch Precision Series



[SHOP](#)

263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
26307	0.028	0.7	40	1.6	120	4.7	.02	10	
26309	0.035	0.9	40	1.6	120	4.7	.02	10	
26313	0.05	1.3	40	1.6	120	4.7	.02	10	
26316	1/16	-	50	2.0	145	5.7	.03	10	
26320	5/64	2.0	50	2.0	145	5.7	.03	10	
26323	3/32	-	60	2.4	170	6.7	.04	10	
26327	7/64	-	60	2.4	170	6.7	.04	10	
26331	1/8	-	60	2.4	170	6.7	.04	10	
26333	9/64	-	60	2.4	170	6.7	.05	10	
26336	5/32	60	2.4	170	6.7	.05	10		

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
26391	Hex Inch: lbs.
	.028, .035, .050 x 1.6" .32
	1/16, 5/64 x 2.0"
	3/32, 7/64, 1/8 x 2.4"



[SHOP](#)

26390 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
26390	Hex Metric: lbs.
	.7, .9, 1.3 x 40mm .28
	1.5, 2.0 x 50mm
	2.5, 3.0 x 60mm




[SHOP](#)

26399 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	
26399	Hex Inch: lbs.
	.028, .035, .050 x 1.6" .55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"

Wiha Ball End Precision Series



SHOP

264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	0.05	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	.050	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

SHOP



26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26490	.050 x 1.6, 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.28

SHOP



In canvas storage pouch

SHOP

26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Ball End Hex Inch:	lbs.
26499	.050 x 1.6", 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

Wiha Torque Cable Keys



SHOP

286 Torque Cable Key For Threaded Hex Connectors

For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28620	8mm	4.0	78	218	1.0	1	.06
28622	9mm	4.0	78	218	1.0	1	.06
28624	11mm	4.0	78	218	1.5	1	.06
28626	12mm	4.0	78	218	1.5	1	.06
28627	13mm	4.0	78	218	1.5	1	.06
28629	14mm	4.0	78	218	1.5	1	.06
28632	17mm	4.0	78	218	1.5	1	.06
28633	18mm	4.0	78	218	1.5	1	.06
28637	22mm	4.0	90	233	2.0	1	.10
28638	24mm	4.0	90	233	2.0	1	.10

28644 Torque Cable Key For Threaded Hex Connectors - Inch

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28644	1/2"	4.0	78	218	1.5	1	.06

+/-6% accuracy tolerance
Certificate of calibration



SHOP

28552 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments	mm	lbs.	pkg.
28552	0.8 - 2.0Nm	.10 Nm	126 - 131	.45	1

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate

[SHOP](#)



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate

[SHOP](#)



26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	Inch Nut Drivers:	lbs.
26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.47

[SHOP](#)



26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	Metric Nut Drivers:	lbs.
26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.48

[SHOP](#)

26592 Set 7 Pcs. Nut Driver Metric

Item No.	26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
----------	-------	-------------------------------------



[SHOP](#)

26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

Wiha Precision Screwdriver Set



[SHOP](#)

26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	Metric Nut Drivers:	lbs.
26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.70



[SHOP](#)

92191 51 Piece Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92191	Phillips:	#000, #00, #0, #1
	Torx®:	T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 3.14	Metric Hex:	1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex:	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers:	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
		26810 Chip Lifter

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26790 6 Pc. TORX® Screwdriver Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm	.30
	T9, T10 x 50mm	
	T15 x 60mm	

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No.	TORX®:	lbs.
26791	T1, T2, T3, T4, T5, T6, T7, T8	



26799 8 Pc. TORX® Screwdriver Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.	TORX®:	lbs.
26799	T3, T4, T5, T6, T7, T8 x 40mm	.50
	T9 x T10 x 50mm	



26792 7 Pc. TORX® Screwdriver Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm	.33
	T9, T10 x 50mm	
	T15 x 60mm	

Wiha 5Point Precision Series

Wiha 5Point drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air



- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 5Point Screwdrivers, With Precision Handle [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	1PL	40	1.6	120	4.7	.01	1	
26762	2PL	40	1.6	120	4.7	.02	1	
26763	3PL	40	1.6	120	4.7	.02	1	
26764	4PL	40	1.6	120	4.7	.02	1	
26765	5PL	40	1.6	120	4.7	.02	1	
26766	6PL	40	1.6	120	4.7	.02	1	

*Metric dimensions actual - Inch dimensions approximate



26794 6 Pc. Precision 5Point Screwdriver Set [SHOP](#)

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. Super hardened best wear resistance long life

Item No.	5Point Screwdrivers:	lbs.
26794	1PL, 2PL, 3PL, 4PL, 5PL, 6PL	.35

Wiha Precision Screwdriver Set



92190 Master Technicians Bench Top Set [SHOP](#)

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:	lbs.
92190	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	2.86
	Phillips: #000, #00, #0, #1	
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0	
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

[SHOP](#)

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26093 8 Pc. Slotted Precision Screwdriver Set, With Soft

PicoFinish Handle In storage pouch

Item No.		lbs.
26093	Slotted: .8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Precision Screwdriver, With Soft PicoFinish

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft

PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26193	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

[SHOP](#)

Item No.	mm	mm	mm	mm	Inch	lbs	pkg.
26815	1	3.5	50	150	5.9	.03	1

Standard Soft PicoFinish handle

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

[SHOP](#)

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate

[SHOP](#)



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX®	lbs.
26793	T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	.50

[SHOP](#)



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX®	lbs.
26796	T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	.57

[SHOP](#)



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	lbs.
26798	.45

[SHOP](#)

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

[SHOP](#)

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Pico Soft Grip Hex Inch & Metric



[SHOP](#)

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Ball End Inch & Metric



[SHOP](#)

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	Weight
26392	.028, .035, .050 x 1.6"	lbs.
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.24



[SHOP](#)

26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	Weight
26493	1/16, 5/64, 3/32 x 2.0"	lbs.
	7/64, 1/8, 9/64, 5/32 x 2.4"	.27



[SHOP](#)

263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26341	.71(.028)	40	1.6	134	5.3	10
26343	.89(.035)	40	1.6	134	5.3	10
26345	1.27(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate




In storage pouch

[SHOP](#)

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	Weight
26393	.71, .89, 1.27 x 40mm	lbs.
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22



[SHOP](#)

91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch.

Item No.	Size	Weight	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Nut Drivers Inch & Metric



[SHOP](#)

265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



[SHOP](#)

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Insulated PicoFinish Precision Screwdrivers



[SHOP](#)

320 Insulated Slotted PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

High quality CV steel, through hardened, black finish. Rotating cap for precise turning and control with fingertip.

Item No.	mm	Inch	mm	mm	Pkg.	lbs.
32000	1.5	.06	40	154	1	.05
32001	2.0	.08	40	154	1	.07
32002	2.5	.10	60	160	1	.07
32003	3.0	.12	60	160	1	.08
32004	3.5	.14	60	160	1	.08



Individually Tested Protective Insulation 1000Volt AC, VDE and GS Tested

1000Volt

[SHOP](#)

32088 8 Piece Slotted & Phillips PicoFinish Set

Item No.	Slotted:	Phillips:	lbs.
32088	1.5, 2.0, 2.5, 3.0, 3.5	#00, #0, #1	.35



[SHOP](#)

321 Insulated Phillips PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

Item No.	Size	mm	mm	Pkg.	lbs.
32106	00	40	154	1	.05
32107	0	60	160	1	.07
32108	1	60	160	1	.08



NEW


1000Volt

[SHOP](#)

32085 5 Piece Slotted & Phillips PicoFinish Set

Item No.	Slotted:	Phillips:	lbs.
32085	1.5, 2.5, 3.5	#0, #1	.26

Wiha Protturn Precision Screwdrivers



protturn

Rotating cap for precise turning and control with fingertip

Tapered handle allows rapid rotation

Molded on ergonomic handle

Tip precision ground for exact fit

Blade CVM steel, black finish blades



[SHOP](#)

95190 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
95190	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



[SHOP](#)

65090 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	mm	mm	Phillips	Size	mm
65090	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60



[SHOP](#)

96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



[SHOP](#)

62990 5 Piece Slotted & Phillips Pocket Pack Set

Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ↔ lbs. .15




[SHOP](#)

62993 9 Piece Slotted/Phillips/TORX® Work Station Set

Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
- ↔ lbs. .64



[SHOP](#)

62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack

Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
- ⬤ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬤ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- ⬤ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬤ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .66 Set in canvas storage pouch

[SHOP](#)

Wiha SYSTEM 4 Precision Handles and Blades



Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5+ 000	120	4.7	.05	
26972	2.0+ 00	120	4.7	.05	
26973	3.0+ 0	120	4.7	.05	
26974	4.0+ 1	120	4.7	.06	



269 SYSTEM 4 Pozidriv Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



269 SYS 4 TORX Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item				
No.	Size	Size	lbs.	
26951	T6 + T8		.03	
26952	T7 + T9		.03	
26953	T10 + T15		.03	
26954	T15 + T20		.03	



269 SYSTEM 4 TORX Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL





Item			
No.	Size	lbs.	
26955	T3	.03	
26956	T4	.03	
26957	T5	.03	

Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Inch Hex Sizes, [SHOP](#)





Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	.50	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex Sizes, [SHOP](#)





Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.


Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



280 SYSTEM 4 Inch Ball End Hex [SHOP](#)






Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06








280 SYSTEM 4 Metric Ball End Hex [SHOP](#)

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1







269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex. [SHOP](#)

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26933	1.5 + 1.5	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	



269 SYSTEM 4 Nut Driver Inch, [SHOP](#)






Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 Nut Driver Metric, [SHOP](#)

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item					
No.	mm	mm	Inch	Inch	lbs.
26940	1.5 + 1.8	.12	.12	.03	
26941	2.0 + 2.5	.16	.16	.03	
26938	1.5 -	.11	.11	.04	
26939	1.8 -	.12	.12	.04	
26949	2.0 -	.13	.13	.06	
26950	2.5 -	.16	.16	.06	
26942	3.0 -	.20	.20	.06	
26943	3.2 -	.20	.20	.06	
26944	3.5 -	.22	.24	.06	
26945	4.0 -	.22	.24	.06	
26946	4.5 -	.25	.28	.06	
26947	5.0 -	.27	.28	.06	
26948	5.5 -	.30	.32	.06	

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



26961 ESD Safe Dissipative Precision Drive-Loc Handle
Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	mm	mm	lbs.
26958	1.5 + 3.0		.02
26959	2.0 + 3.5		.02
26960	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	Size	Size	lbs.
26975	000 + 00		.02
26976	0 + 1		.02



269 SYSTEM 4 TORX Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	Size	Size	lbs.
26977	T1 + T2		.02
26978	T3 + T4		.02
26979	T5 + T6		.02
26980	T6 + T8		.02
26981	T7 + T9		.02
26982	T10 + T15		.02



280 SYSTEM 4 Pozidriv Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	Size	Size	lbs.
28002	0 + 1		.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	mm	mm	lbs.
28003	1.3 + 1.3		.02
28004	1.5 + 1.5		.02
28005	2.0 + 2.0		.02
28006	2.5 + 2.5		.02
28007	3.0 + 3.0		.02
28008	4.0 + 4.0		.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	mm	mm	lbs.
28009	1.5 + 1.8		.02
28010	2.0 + 2.5		.02
28011	3.0 + 3.0		.02
28012	3.2 + 3.2		.02
28013	3.5 + 3.5		.02
28014	4.0 + 4.0		.02
28015	4.5 + 4.5		.02
28016	5.0 + 5.0		.02
28017	5.5 + 5.5		.02



26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set
In storage pouch

Item No.	Item	Weight
26985	ESD Safe Drive-Loc Handle	
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0	
	Phillips: 000x00, 0x1	lbs. .44
	TORX: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15	



Wiha Canvas Pouch Sets



SHOP

Canvas Pouch


26990 4 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:

- **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1

↔ lbs. .17



SHOP

Canvas Pouch


26991 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.

26991 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .29



SHOP

Canvas Pouch

26992 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 15 Wiha interchangeable blades.

26992 Set include the following blades:


- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"
- **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

ESD Safe Precision Chip Lifter

↔ lbs. .63



Slotted, Phillips, TORX® Set In Steel Box



SHOP


28094 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

↔ lbs. 1.51



SHOP

Canvas Pouch

28080 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.


28080 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
 - ⊕ **Phillips:** 000, 00, 0, 1
 - ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
 - **Hex:** .028, .035
 - **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ESD Safe Precision Chip Lifter**

↔ lbs. .33



ESD Technicians Kit Precision Screwdrivers & Tweezers



SHOP



Canvas Pouch

44590 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:

- **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊗ **TORX®:** T6, T7, T8, T9, T10, T15


ESD Safe Precision Tweezers:

- 44501 Fine Point - AA SA
- 44509 Extra Fine Point - 5 SA
- 44505 Flat and Blunt - 2a SA
- 44510 Curved Fine Point - 7a SA

↔ lbs. .60



Slotted & Phillips Set In Steel Box



SHOP

26993 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

26993 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .87




ESD Anti-Static Vinyl Pouch Set




SHOP

28091 6 Piece Slotted & Phillips Precision Interchangeable Blade Set


Wiha-ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

 **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

 **Phillips:** 000, 00, 0, 1

 lbs. .25




SHOP

26996 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades.

26996  **Phillips:** 000, 00, 0, 1


 **Slotted:** 1.5, 2.0, 3.0, 3.5mm

 lbs. .54



SHOP

26997 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

26997  **Phillips:** 000, 00, 0, 1

 **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm


 **TORX®:** T6, T7, T8, T9, T10, T15

 lbs. .64



SHOP

26999 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

26999  **Hex Metric:** .7, .9, 1.3, 1.5,

2.0, 2.5, 3.0, 4.0mm

 lbs. .66



SHOP

26989 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

26989  **Hex Inch:** .050, 1/16, 5/64, 3/32,


7/64, 1/8, 9/64, 5/32"

 lbs. .64



SHOP

26995 5 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 4 interchangeable blades.


26995  **TORX®:** T6, T7, T8, T9, T10, T15, T20

 lbs. .52



SHOP

26987 8 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

 **TORX® standard blades:** T3, T4, T5

 **TORX® reversible blades:**


T6, T7, T8, T9, T10, T15, T20

 lbs. .62




SHOP


28097 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.


28097 Set includes the following blades:

 **Slotted:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips:** 000, 00, 0, 1


 **TORX®:** T5, T6, T7, T8, T9, T10, T15

 lbs. .33




SHOP

28084 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:


 **Slotted:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips:** 000, 00, 0, 1

 **Ball End Hex Inch:** .050, 1/16,


5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 lbs. .44




SHOP

28087 8 Piece TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.

28087 Set includes the following blades:

 **TORX® Sizes on standard blades:** T3, T4, T5

 **TORX® Sizes on reversible blades:**

T6, T7, T8, T9, T10, T15, T20

 lbs. .29



Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits

Rotating Cap
for precise turning and control

Tips
Exact fit, precision machined

Tapered Handle
allows rapid rotation, requires less clearance

Bits High alloy
CVM steel, hardened

Use bits directly in handle or with 4" bit extension



75800 SYSTEM 4 Standard Precision Bit

Handle Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06



75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle 110mm/4.3" OAL

Advantages:

- For working in ESD sensitive applications Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

SYSTEM 4 Micro Bit Extension Blades



75900 Extension Blade For SYS 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07



75901 Magnetic Bit Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04



750 SYSTEM 4 Slotted Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



751 SYSTEM 4 Phillips Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01



753 SYSTEM 4 Hex Metric Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



753 SYSTEM 4 Hex Inch Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



757 SYSTEM 4 TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



757 SYSTEM 4 Security TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01



753 SYS 4 Metric Security Hex Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

753 SYS 4 Security Hex Inch Micro Bits

Item No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter




75902 Micro Bit 1/4" Drive Power Tool Adapter


Shaft CVM steel, hardened, corrosion protected. For 4mm bits. 2.3" OAL


Item No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07

Wiha SYSTEM 4 Micro Bits


NEW 

757 SYSTEM 4 5Point Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.	
75743	1P	28	1.1	.01	
75744	2P	28	1.1	.01	
75745	3P	28	1.1	.01	
75746	4P	28	1.1	.01	
75747	5P	28	1.1	.01	
75748	6P	28	1.1	.01	

NEW 

758 SYSTEM 4 Metric & Inch Nut Setters CVM steel, hardened, on 4 mm hex stock.

Item No.	Metric	mm	mm	Inch	lbs.	
75820	2.0	30	1.2	.01		
75821	2.5	30	1.2	.01		
75822	3.0	30	1.2	.01		
75823	3.5	30	1.2	.01		
75824	4.0	30	1.2	.01		
75825	4.5	30	1.2	.01		
75826	5.0	30	1.2	.01		
75827	5.5	30	1.2	.01		

Item No.	Inch	mm	mm	Inch	lbs.
75810	5/64	30	1.2	.01	
75811	3/32	30	1.2	.01	
75812	7/64	30	1.2	.01	
75813	1/8	30	1.2	.01	
75814	9/64	30	1.2	.01	
75815	5/32	30	1.2	.01	
75816	3/16	30	1.2	.01	
75817	7/32	30	1.2	.01	

1/4" Drive Micro Bit Tool Adapters

#75802  #75803 

75802 Micro Bit To 1/4" Drive Insert Bit Adapter magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.	
75802	4.0	25	4.0	.01	

75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter Uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.	
75803	4.0	38	4.0	.02	

Micro Bit Handle Storage Sets

Micro precision bits on 4mm hex drive

Storage handle

Bits hardened for extreme durability

Bits of exclusive CRM-72 tool steel



75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No. Set with Micro Bit Precision Storage Handle

75981  **Slotted:** 1.2, 1.5, 2.0mm
 **Phillips:** 000, 00, 0
 **lbs.** .08



75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision

No. Storage Handle

75985  **TORX®** T3, T4, T5, T6, T7, T8
 **lbs.** .08



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision

No. Storage Handle

75983  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"
 **lbs.** .08




Protturn Precision Power Driver Bit Set


75989 SYSTEM 4 Protturn Precision Power Screwdriver Set With Micro Bits, 40 Pcs. In Storage Box. Includes Wiha precision handle, Protturn Power Screwdriver & 38 interchangeable Micro bits.


Item Set with System 4 Standard


No. Precision Handle


75989 Set includes the following bits:


 **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

lbs.  **Phillips:** 000, 00, 0, 1

1.18  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

 **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"







Wiha SYS 4 Micro Bits & Compact Bit Sets

75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.



Item No. Combination Bit Set

75999 Set with Standard Precision Handle

Set includes the following bits:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1

Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

100mm Bit Extension

lbs. .64



26 Pc. Set

75792 SYSTEM 4 **TORX** Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.



Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item SYSTEM 4 TORX Bit Set

No. Set with ESD Safe Precision Handle

75792 and the following bits:

TORX:

T3, T4, T5, T6, T7, T8, T9, T10, T15

100mm Bit Extension

lbs. .54



11 Pc. Set

75395 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.



Item No. Combination Bit Set

75395 Set with Standard Precision Handle

Includes the following bits:

Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"


100mm Bit Extension

lbs. .58



18 Pc. Set

759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/**TORX** Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.



Item Handle Options for SYSTEM 4

No. Combination Bit Sets

75991 Set with Standard Precision Handle

75992 Set with ESD Safe Precision Handle

Set includes the following bits:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1

TORX: T3, T4, T5,

T6, T7, T8, T9, T10, T15

Hex Inch: .050, 1/16, 5/64,

3/32, 7/64, 1/8, 9/64, 5/32"


100mm Bit Extension

lbs. .64



27 Pc. Set

75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.



Item SYSTEM 4

No. Combination Bit Set

75996 Set with ESD Safe Precision Handle

Set includes the following bits:

↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

TORX: T3, T4, T5, T6, T7, T8, T9, T10, T15

Hex Metric: 1.3, 1.5,


2.0, 2.5, 3.0, 4.0mm

Hex Inch: .028, .035, .050,

1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"


100mm Bit Extension

lbs. 1.04



40 Pc. Set

75994 SYSTEM 4 Slotted/Phillips/Hex Metric/**TORX** Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.



Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75994 Set with ESD Safe Precision Handle

Set includes the following bits:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1

TORX:

T3, T4, T5, T6, T7, T8, T9, T10, T15

Hex Metric: .7, .9, 1.3,

1.5, 2.0, 2.5, 3.0, 4.0mm

100mm Bit Extension

lbs. .64



27 Pc. Set

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension


Rotation cap

Light weight & compact

Handle tapered for precise control

Bits hardened for extreme durability


Surface resistance of handles is 10⁶ - 10⁹ Ohms



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

- ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊛ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **100mm Bit Extension**


↪ lbs. .17

[SHOP](#)

75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle

- ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- **100mm Bit Extension**


↪ lbs. .17

[SHOP](#)

75095 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

- ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **100mm Bit Extension**

↪ lbs. .17

[SHOP](#)

75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set


75096 Set with ESD Safe Precision Handle

- ⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬢ **Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **100mm Bit Extension**

↪ lbs. .17


[SHOP](#)

SYS 4 Interchangeable Bit Sets




75990 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item No. SYSTEM 4 Combination Bit Set

No. Set with ESD Safe Precision Handle 

75990 Set includes the following bits:


- ↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**

↪ lbs. .65

[SHOP](#)




40 Pc. Set



75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box. Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No. With ESD Precision Handle, 1/4" Ratchet, Micro Bit Extension

75965 Set includes the following micro bits:

- ↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊛ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- ⬢ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- **Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- ⊛ **Pentalobe:** P1, P2, P3, P4, P5, P6

Magnetic 1/4" to 4mm Adapter

↪ lbs. 1.16

[SHOP](#)



Wiha Precision Electronic Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

C70 tool steel HR60 hardness

Glare free black finish

Precision ground cutting edges for smooth cuts



The Comfortable Precision Pliers & Cutters




Velvet soft ergonomically designed multi component handle

Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

Electronic Diagonal Cutters



Full Flush

56818 Precision Electronic Diagonal Cutters, Wide Pointed Head


Cutting edge - full flush. With return spring. C70 special tool steel.

For an absolutely flush cut of copper wire.

#56818	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

[SHOP](#)

Electronic Diagonal Cutters



Semi Flush

56815 Precision Electronic Diagonal Cutters, Wide Pointed Head


Cutting edge - semi flush. With return spring. C70 special tool steel.

Universal small diagonal cutter for cutting copper wires.

Item No.	mm	Inch	Cut Capacity	Medium Hard Wire	Pkg.	lbs.
#56815	138	5.5	2.0mm/12AWG	0.8	1	.23

[SHOP](#)

Electronic Diagonal Cutters



Full Flush

Wire Holding Spring

56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring


Wide, Pointed head. Cutting edge - full flush.

With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#56825	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.23

[SHOP](#)

Electronic Diagonal Cutters



Full Flush

56812 Precision Electronic Diagonal Cutters, Narrow Shape


Extra narrow, short head for working in particularly restricted spaces.

Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56812	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/20AWG	1	.19

[SHOP](#)

Electronic Diagonal Cutters



Full Flush




Wire Holding Spring

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56813	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/18AWG	1	.19

[SHOP](#)

Electronic Oblique 48° Cutter




Full Flush

56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56833	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

[SHOP](#)

Narrow Front Cutter/Long Nose Pliers




Full Flush

56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56830	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/22AWG	1	.19

[SHOP](#)

Electronic Pointed Pliers




56801 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#56801	mm	Inch	Pkg.	lbs.
	138	5.5	1	.23

[SHOP](#)

Electronic Stripping Pliers



56871 Electronic Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	1	.15

[SHOP](#)

Flush Cutting Diagonal Cutters



- Flush cutting, with return spring

[SHOP](#)

326 Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel hardened and tempered. For cutting plastic tie wraps & injection mold components. Soft vinyl grips.

Item	↔		↔	↔	↔
No.	mm	Inch	Pkg.	lbs.	
32607	127	5.0	1	.14	
32614	160	6.3	1	.36	



Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

Item No.	Description	wt.
44501	AA SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Fine Round Points Shorter

Item No.	Description	wt.
44507	3c SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Sturdy Long, Fine Round Points

Item No.	Description	wt.
44502	GG SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Very Fine Points/Tapered To Tip

Item No.	Description	wt.
44508	4 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Long Narrow Body Low Force

Item No.	Description	wt.
44503	SS SA ESD - 135mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Extra Fine Points/Tapered To Tip

Item No.	Description	wt.
44509	5 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Reduced Body To Medium Point

Item No.	Description	wt.
44504	2 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Curved Extra Fine Rounded Tips

Item No.	Description	wt.
44510	7a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Flat Round Tip Smooth Sides

Item No.	Description	wt.
44505	2a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Holds 0.8 to 2mm Diameter

Item No.	Description	wt.
44511	50 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Fine Round Points For Assembly

Item No.	Description	wt.
44506	3 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Holds 1.5 to 3mm Diameter

Item No.	Description	wt.
44512	51 SA ESD - 130mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)

Wiha Professional Quality ESD Safe Tweezers



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
44513	52 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip For Chips Angled 1.6 x 1 x 1mm

Item No.	Description	wt.
44522	13 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
44514	53 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Long Rounded to 1.0mm Wide No Serration

Item No.	Description	wt.
44523	PSF SA ESD - 125mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.
44515	54 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Flat Bent 35°, 3mm Diameter Grip

Item No.	Description	wt.
44524	58 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	wt.
44518	22 SA ESD - 150mm	.10

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Curved Extra Fine, 3mm Long Straight Tip

Item No.	Description	wt.
44525	7abb SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Universal Blunt Tip Serrated

Item No.	Description	wt.
44520	40 SA ESD - 145mm	.11

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Narrow Body Low Force Bent 35° - 3mm Tip

Item No.	Description	wt.
44526	SSbb SA ESD - 140mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip 45° Hook 1x1x2mm

Item No.	Description	wt.
44521	12 SA-SMD ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Angled Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
44527	5abb SA ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)

Wiha Professional Quality ESD Safe Tweezers



Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	↔ wt.
44528	5bb SA ESD - 107mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip Bent 30° 1.6mm

Item No.	Description	↔ wt.
44529	8b SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Flat Bent 35° - 2mm Diameter Grip Radius

Item No.	Description	↔ wt.
44530	59 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



ESD Safe General Purpose Fine Point

Item No.	Description	↔ wt.
44531	1 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	↔ wt.
44532	00 SA ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Angled & Slightly Bent With Extra Fine Tips

Item No.	Description	↔ wt.
44533	7 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip 30° Bend & 0.5mm Slot Milled

Item No.	Description	↔ wt.
55531	11SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Narrow Body, Bent, Long Guide Pin, Serrated

Item No.	Description	↔ wt.
55532	22b SA ESD - 155mm	.10

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Blunt Tips - 1.0mm Wide Serrated

Item No.	Description	↔ wt.
55533	PSF SA ESD - 125mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Flat and Broad Tips 3mm Wide

Item No.	Description	↔ wt.
55534	F SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip Straight & 0.5mm Slot Milled

Item No.	Description	↔ wt.
55535	8ab SA-SMD ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



MicroTip 30° Bent & Angled With 0.5 Slot

Item No.	Description	↔ wt.
55536	19 SA-SMD ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommelloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)

Wiha Professional Quality ESD Safe Tweezers

Chip Holding Curved Fine MicroTip

Item No.	Description	↕↔ wt.
55537	R10 SA ESD - 117mm	.07

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Very Fine Points 40° Tapered To Tip

Item No.	Description	↕↔ wt.
55539	4b SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Wafer Tweezer

Item No.	Description	↕↔ wt.
55538	72a SA ESD -	.07

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)

Inspection Mirrors All Stainless Detachable & Boilable

For Visual Checks and Fault Finding at Inaccessible Locations



Magnifying, Boilable
Mirrors-Clean Room Quality

Natural Finish, Stainless Steel



9mm Wide With Back Stop Pins - Wafer

Item No.	Description	↕↔ wt.
55546	89 SA ESD - 125mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)



Angled 12mm Wide Flat, Back Stop - Wafer

Item No.	Description	↕↔ wt.
55547	91 SA ESD - 125mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

[SHOP](#)

Inspection Mirrors All Stainless Detachable & Boilable



40424 - #5
 24mm

[SHOP](#)

Inspection Mirror - Stainless 24mm Short Stem

Item No.	Description	↕↔ wt.
40424	#5 IM - 175mm	.10



40426 - #6
 26mm

[SHOP](#)

Inspection Mirror - Stainless 26mm

Item No.	Description	↕↔ wt.
40426	#6 IM - 215mm	.10




40430 - #8
 30mm

[SHOP](#)

Inspection Mirror - Stainless 30mm

Item No.	Description	↕↔ wt.
40430	#8 IM - 215mm	.10



40410 - #0
 10mm

[SHOP](#)

Inspection Mirror - Stainless 10mm

Item No.	Description	↕↔ wt.
40410	#0 IM - 185mm	.09




40420 - #3
 20mm

[SHOP](#)

Inspection Mirror - Stainless 20mm

Item No.	Description	↕↔ wt.
40420	#3 IM - 205mm	.09



40414 - #0
 14mm

[SHOP](#)

Inspection Mirror - Stainless 14mm

Item No.	Description	↕↔ wt.
40414	#0 IM - 200mm	.09



40422 - #4
 22mm

[SHOP](#)

Inspection Mirror - Stainless 22mm Short Stem

Item No.	Description	↕↔ wt.
40422	#4 IM - 175mm	.10



Disposable Inspection Mirrors

Item No.	Description	↕↔ wt.
40425	5 Pack - Plastic	.10

Set includes: White disposable inspection mirror #5 Inspection Mirrors - 24mm x 146mm

PortaCrimp Dies, Frame & Sets

PortaCrimp Tools



One piece dies - held together to prevent mix up and loss

Parallel action mimics applicator type performance



Tested to 50,000 Crimps

Reliable, ratchet controlled, ensures consistent and accurate crimp



- **Top Quality:** 50,000 cycle tested frame for longest life & consistent performance
- **Reliable:** Parallel, full cycle, ratchet controlled action ensures consistent accurate crimps
- **Easy To Use:** Designed to give user full visibility of the crimping process
- **Versatile:** Quickly and easily inter-change crimp dies on the job
- **No More Lost Die Parts!** Practical design uses guide pin to keeps die components together
- **Practical:** Pocket size dies are compact & easy to carry
- **Ergonomic:** Reduced effort ratchet assisted crimping use one hand or two with extended grip
- **Economical:** One tool frame to do the job of many, select only the dies you need

PortaCrimp Tool Frame



[SHOP](#)

43149 PortaCrimp Tool Frame Parallel action frame gives better performance. Symmetrical pressure with equal force mimics applicator performance. One piece die held together to prevent mix up and loss.

Item No.	mm	Inch	lbs.	Pkg.
43149	234	9.75	1.1	1



Each die includes storage clip

PortaCrimp Tool Sets



[SHOP](#)

43190 4 Piece PortaCrimp Die Set Electrical

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool frame &	lbs.	Pkg.
43190	43129, 43128, 43142	5.0	1



[SHOP](#)

43191 4 Piece PortaCrimp Die Set Industrial

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43191	43129, 43127, 43147	5.0	1



[SHOP](#)

43192 4 Piece PortaCrimp Die Set Data Com Telco

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43192	43144, 43136, 43132	5.0	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent and accurate with a parallel action stroke, good to 50,000 cycles.



SHOP





43128 PortaCrimp Die Set For Green & Yellow Insulated Terminals & Splices

Item				
No.	Crimps	AWG	lbs.	Pkg.
43128	4-6 & 0.1-0.4mm ²	26-22 & 12-10	1.2	1

SHOP



43129 PortaCrimp Die Set For Red & Blue Insulated Terminals & Splices Die set for 22-16 AWG (0.5 - 1.5mm).

Item				
No.	Crimps	AWG	lbs.	Pkg.
43129	1.5-2.5 & 0.5-1.5mm ²	22-16	1.2	1


SHOP





43142 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item				
No.	Crimps	AWG	lbs.	Pkg.
43142	4-6 & 0.5-2.5mm ²	12-10 & 22-14	1.2	1

SHOP



43137 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item				
No.	Crimps	Awg	lbs.	Pkg.
43137	2.5/1.5/0.75mm ²	14/16/20	1.2	1

SHOP



43139 PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices

Item				
No.	Crimps	AWG	lbs.	Pkg.
43139	10/6/4mm ²	8/10/12	1.2	1

SHOP




43127 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 24-8 AWG (0.25-10mm).



Item				
No.	Crimps	AWG	lbs.	Pkg.
43127	10/6/4/2.5/1-1.5/.25-.75mm ²	8-24	1.2	1

SHOP




43153 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 6-4 AWG (16-25mm).


Item				
No.	Crimps	AWG	lbs.	Pkg.
43153	25 & 16mm ²	6 & 4	1.2	1

SHOP



43154 PortaCrimp Wire Ferrules - Insulated & Non-Insulated

Die set for 2-1/0 AWG (35-50mm).

Item				
No.	Crimps	AWG	lbs.	Pkg.
43154	50 & 35mm ²	1/0 & 2	1.2	1

SHOP



43146 PortaCrimp Open Barrel, Non-Insulated Standard Commercial Terminals & Lugs - .250"(6.3mm) Push On Terminals

Item				
No.	Crimp	AWG	lbs.	Pkg.
43146	4-6/1.5-2.5/0.5-1.0mm ²	22-10	1.2	1



PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



43150 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-1 .110" (2.8mm) Tab

Item	Crimps	AWG	lbs.	Pkg.
43150	0.5-1.0/0.25-0.5/0.1-0.25mm ²	26-18	1.2	1



43151 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-2 .187" (4.8mm) Tab

Item	Crimps	AWG	lbs.	Pkg.
43151	1.5-2.5 & 0.5-1.5mm ²	22-14	1.2	1



43143 PortaCrimp Weather Pack Open Barrel Terminals

Item	Crimps	AWG	lbs.	Pkg.
43143	3.0-0.5mm ²	12-20	1.2	1



43141 PortaCrimp Fiber Optic Die set for SMA, SMB, SFR, ST, SC fiber optic connectors (.178"/.213"/.151"/.128" hex)

Item	Crimps	lbs.	Pkg.
43141	4.52/5.41/3.84/3.25mm (.178/.213/.151/.128")	1.2	1



SHOP

43136 PortaCrimp Coaxial Network & Communications

Die set for RG58, RG59, RG62AU BNC/TNC Coaxial Connectors (.213"/.255"/.068" hex).

Item	Crimps	lbs.	Pkg.
43136	1.69/5.41/6.48mm (.213/.255/.068"hex)	1.2	1



SHOP

43138 PortaCrimp Coaxial Network & Communications, CATV, HDTV, Video Die set for RG6, Belden 1694A, Twinax BNC, CATV F Coaxial Connectors (.360"/.324" Hex).

Item	Crimps	lbs.	Pkg.
43138	9.14 & 8.23mm (.360/.324")	1.2	1




SHOP

43140 PortaCrimp Coaxial Network & Communications

Die set for RG174, RG179 BNC/TNC Coaxial Connectors (.178"/.128"/.068" Hex, .028" (0.7mm)Sq).

Item	Crimps	lbs.	Pkg.
43140	4.52/3.25/1.69mm hex 0.7mm sq. (.178"/.128"/.068" hex, .028" sq.)	1.2	1




SHOP

43144 PortaCrimp Datacom/Telecom Modular Plug

Die set for 8-position 8-contact (RJ45).

Item No.	RJ45	lbs.	Pkg.
43144		1.2	1



SHOP

43132 PortaCrimp Datacom/Telecom Modular Plug

Die set for 6-position 6-contact (RJ11).

Item No.	RJ11	lbs.	Pkg.
43132		1.2	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



43147 PortaCrimp Power Contacts

Item No.	Crimps	AWG	↕ lbs.	▬ Pkg.
43147	4 / .14-1 / 2.5 / 1.5mm	26-12	1.2	1



43148 PortaCrimp Power Contacts

Item No.	Crimps	AWG	↕ lbs.	▬ Pkg.
43148	6 & 10mm	10-8	1.2	1



43158 PortaCrimp Die set for heat shrink connectors:
0.5-1.5mm² red & 1.5-2.5mm² blue.

Item	Crimps	↕ lbs.	▬ Pkg.
No.	0.5-1.5mm ² (22-16AWG) red	lbs.	Pkg.
43158	1.5-25mm ² (16-14 AWG) blue	1.2	1



43162 PortaCrimp Die set for heat shrink connectors:
4-6mm² yellow & 0.32-0.75mm² green.

Item	Crimps	↕ lbs.	▬ Pkg.
No.	4-6mm ² (12-10AWG) yellow	lbs.	Pkg.
43162	0.32-0.75mm ² (22-18AWG) green	1.2	1

Ratchet End Sleeve Crimper



43612 Ratchet End Sleeve Crimper

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item	Inch	AWG	↕ lbs.	▬ Pkg.
No.	Length	Range	lbs.	Pkg.
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper For Standard Connectors



43618 Ratchet Crimper For Standard Connectors

Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-18 red, 16-14 blue, 12-10 yellow. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item	Inch	AWG	↕ lbs.	▬ Pkg.
No.	Length	Range	lbs.	Pkg.
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper Push On Terminals



43624 Ratchet Crimper Push On Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 24-20, 20-18, 16-14, 12-10. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item	Inch	AWG	↕ lbs.	▬ Pkg.
No.	Length	Range	lbs.	Pkg.
43624	220mm/8.6"	24-10	1.06	1

Ratchet Crimper For Eye Terminals



43643 Ratchet Crimper For Eye Terminals

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 26-22, 20-18, 12-10, 8-6. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item	Inch	AWG	↕ lbs.	▬ Pkg.
No.	Length	Range	lbs.	Pkg.
43643	220mm/8.6"	26-6	1.02	1



Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

44212 Self Adjusting Cutting & Stripping Tool

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

Item No.	mm	Inch	AWG	Strip Dim.	lbs.	Pkg.
44212	191	7.5	34 - 8	0.02-10mm ²	.30	1

[SHOP](#)

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Straight
34-8 AWG

44214 Straight Blade Cassette, PVC Insulations

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

Item No.	AWG	Strip Range	lbs.	Pkg.
44214	34 - 8	0.02-10mm ²	.02	1

[SHOP](#)

Replaceable Cassette - 4-16mm²



Stripping Range
4-16mm²



Radius Blade
10-5 AWG

44269 Replaceable Cassette, 4-16mm Stripping Range

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.


Item No.	AWG	Strip Range	lbs.	Pkg.
44269	10 - 5	4-16mm ²	.02	1

[SHOP](#)

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range
0.1 - 4mm²



VBC for PTFE
28-12 AWG


44213 Replaceable VBC or PTFE Cassette, "V" Blade

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

Item No.	AWG	Strip Range	lbs.	Pkg.
44213	28 - 12	0.1-4mm ²	.02	1

[SHOP](#)

Heavy Duty Adjustable Cable Stripper



Circular + Straight
Window Strip
Circular + Spiral Strip



Cables: Power cable. Multi-conductor control, fiber optic and copper trunk cables

44217 Jacket Stripper - Heavy Duty Adjustable

Professional stripping tool for cables of all insulations types. Positive locking positions for circular, lengthways and spiral strips. Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44217	168	6.6	4.5-40mm ²	0-4.5mm	.26	1

[SHOP](#)

Replacement Blade



Replacement cutting blades can be stored within the tool

44218 Replacement Blade For 44217 Stripper

Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

Item No.	Replacement Blade For	lbs.	Pkg.
44218	44217 Stripper	.01	1

[SHOP](#)

Precision Adjustable Stripping Tool



Replaceable Blade

Cables: Multi core cable, Modplug cable. Fiber optic cable etc.

44220 Precision Adjustable Stripping Tool

Professional stripping tool removes the outer cable jacket from signal, telephone, audiovisual, instrumentation and data transmission copper and fiber optic cables up to 11mm/0.43" diameter. The tool features a 9 position indexed blade height adjustment wheel ensuring accurate & repeatable stripping results. Simply squeeze together to open the stripping cavity - insert cable, rotate once and pull off the scrap insulation. Smooth, Lightweight and pocket size. No open blade, replacement blades encased within cassette.

Item No.	mm	Inch	Strip Range	Strip Range	lbs.	Pkg.
44220	90.5	3.6	2.5-11mm	.10"/0.43"	.06	1

[SHOP](#)

Replacement Blade



Replacement Blade

44221 Replacement Blade For 44220 Stripper

Stripping capacity of up to 2.5-11mm/0.43" diameter.

Item No.	Strip Range	Strip Dim.	lbs.	Pkg.
44221	2.5-11mm	11mm/0.43"	.01	1

[SHOP](#)

CATV/Satellite Stripper



Strips: RG59 & RG6 CATV coaxial cables

44206 CATV/Satellite Stripper

Quickly & simply strips RG59 & RG6 coaxial cables for CATV "F" type connectors giving industry standard strip lengths of 6.35mm/.25" for both the braid and the conductor. Patented spring-like action and built-in stop eliminates the need for manual adjustment for different cables.

Item No.	mm	Inch	Strip Length	lbs.	Pkg.
44206	83	3.3"	6.35mm/.25" Braid/Conductor	.05	1


[SHOP](#)



Adjustable Screw For Precise Blade Positioning




4 Cable V-blocks




Reversible Cassettes Long Life



Stepped Stripping Depth For Reduced Friction




Blue Cassette Stripping Tool Kit



Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281

2 Step


2 Step Red Cassette Stripping Tool Kit



Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281

2 Step


2 Step Yellow Cassette Stripping Tool Kit



Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281

2 Step

2 Step Replacement Stripping Cassettes



Cables: RG 58/59/62/174/180/188/195/316/6/ Belden 8281

[SHOP](#)

Stripping Tool - No Cassette



44200 Cassette Hand-Stripping Tool Accurate & versatile coaxial hand-stripping tool. Holds all 2 or 3 step cassettes.

Item No.	lbs.	Pkg.
44200	.07	1

[SHOP](#)

44227 Blue Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44227	90	3.54	1.87-7.6mm	6.8mm	.09	1
			0.10"-0.30"	0.27"		

[SHOP](#)

44222 2 Step Red Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 6.0mm/.24". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44222	90	3.54	1.87-7.6mm	6.0mm	.09	1
			0.10"-0.30"	0.24"		

[SHOP](#)

44224 2 Step Yellow Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 12.0mm/.47". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44224	90	3.54	1.87-7.6mm	12.0mm	.09	1
			0.10"-0.30"	0.47"		

[SHOP](#)

442 2 Step Replacement Stripping Cassettes

High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip Range	Strip Dim.	lbs.	Pkg.
44237	Blue	1.87-7.6mm	6.8(0.27")	.01	1
44238	Red	1.87-7.6mm	6.0(0.24")	.01	1
44239	Yellow	1.87-7.6mm	12.0(0.47")	.01	1
44240	Orange	1.87-7.6mm	9.2(0.36")	.01	1

Stripping Tool Set



44290 10 Piece Set, Cassette Hand-Stripping Tool Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Universal tool body accepts all cassettes.

Item No.	Set includes:	lbs.	Pkg.
44290	Stripping Tool, L-key, 4 Cable V-blocks & 4 Stripping Cassettes	.10	1

[SHOP](#)



Adjustable Screw For Precise Blade Positioning



4 Cable V-blocks




Reversible Cassettes Long Life



Stepped Stripping Depth For Reduce Friction

3 Step



	44251	44255	44259	44260	44261
	Brown	Green	White	Dk. Brown	Black
"C" mm	8.3	6.0	6.8	7.5	5.5
"B" mm	2.7	6.0	2.5	3.5	5.5
"A"	User adjusted				

3 Step Brown Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8282



44241 3 Step Brown Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44241	90	3.54	1.87-7.6mm	8.3mm(B)	.08	1
			0.10"-0.30"	2.7mm(C)		



3 Step Green Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8283



44245 3 Step Green Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44245	90	3.54	1.87-7.6mm	6.0mm(B)	.08	1
			0.10"-0.30"	6.0mm(C)		



3 Step White Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8284




44249 3 Step White Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44249	90	3.54	1.87-7.6mm	6.8mm(B)	.08	1
			0.10"-0.30"	2.5mm(C)		



3 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/188/
195/316/6




442 3 Step Replacement Stripping Cassettes

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip B	Strip C	lbs.	Pkg.
44251	Brown	2.7mm/.11"	8.3mm/.33"	.01	1
44255	Green	6.0mm/.24"	6.0mm/.24"	.01	1
44259	White	2.5mm/.10"	6.8mm/.27"	.01	1
44260	Dk.Brown	3.5mm/.14"	7.5mm/.30"	.01	1
44261	Black	5.5mm/.22"	5.5mm/.22"	.01	1

Stripping Tool Set



44292 11 Piece Set, Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Universal tool body accepts all cassettes.

Item No.	Set includes:	lbs.	Pkg.
44292	4 Cable V-blocks, 5 Stripping Cassettes	.11	1



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
26000	4	26136	10	26457	12	26705	9	26924	16	26991	18
26001	4	26140	10	26459	12	26706	9	26925	16	26992	18
26008	4	26142	10	26461	12	26707	9	26926	16	26993	18
26010	4	26145	10	26463	12	26708	9	26927	16	26995	19
26012	4	26190	5	26465	12	26709	9	26928	16	26996	19
26015	4	26192	5	26467	12	26710	9	26929	16	26997	19
26018	4	26193	10	26490	7	26715	9	26932	16	26999	19
26020	4	26194	5	26491	7	26720	9	26933	16	28000	15
26022	4	26199	5	26493	12	26721	11	26934	16	28001	15
26023	4	26205	6	26499	7	26723	11	26935	16	28002	17
26025	4	26210	6	26510	8	26725	11	26936	16	28003	17
26027	4	26307	6	26515	8	26727	11	26937	16	28004	17
26028	4	26309	6	26520	8	26729	11	26938	16	28005	17
26030	4	26313	6	26523	8	26731	11	26939	16	28006	17
26032	4	26315	6	26525	8	26732	11	26940	16	28007	17
26033	4	26316	6	26527	8	26733	11	26941	16	28008	17
26034	4	26320	6	26530	8	26735	11	26942	16	28009	17
26035	4	26323	6	26531	8	26736	11	26943	16	28010	17
26040	4	26325	6	26532	8	26737	11	26944	16	28011	17
26041	4	26327	6	26535	8	26739	11	26945	16	28012	17
26042	4	26330	6	26536	8	26741	11	26946	16	28013	17
26050	10	26331	6	26539	8	26743	11	26947	16	28014	17
26051	10	26333	6	26540	8	26745	11	26948	16	28015	17
26052	10	26336	6	26545	8	26747	11	26949	16	28016	17
26053	10	26340	6	26547	8	26749	11	26950	16	28017	17
26054	10	26341	12	26550	8	26751	11	26951	15	28021	16
26055	10	26343	12	26555	8	26761	9	26952	15	28023	16
26056	10	26345	12	26556	8	26762	9	26953	15	28024	16
26060	10	26347	12	26560	8	26763	9	26954	15	28025	16
26061	10	26349	12	26563	8	26764	9	26955	15	28026	16
26063	10	26351	12	26570	8	26765	9	26956	15	28027	16
26065	10	26353	12	26571	13	26766	9	26957	15	28028	16
26066	10	26363	12	26572	13	26790	9	26958	17	28029	16
26068	10	26367	12	26573	13	26791	9	26959	17	28033	16
26070	10	26369	12	26574	13	26792	9	26960	17	28034	16
26072	10	26371	12	26575	13	26793	11	26961	17	28035	16
26073	10	26390	6	26576	13	26794	9	26962	16	28036	16
26074	10	26391	6	26577	13	26796	11	26963	16	28037	16
26076	10	26392	12	26578	13	26798	11	26964	16	28080	18
26079	10	26393	12	26579	13	26799	9	26965	16	28084	19
26080	10	26399	6	26581	13	26810	4	26966	16	28087	19
26090	4	26413	7	26582	13	26815	10	26967	16	28091	19
26092	5	26415	7	26583	13	26900	15	26968	16	28094	18
26093	10	26416	7	26584	13	26901	15	26969	16	28097	19
26099	4	26419	7	26585	13	26903	15	26971	15	28552	7
26100	5	26420	7	26586	13	26904	15	26972	15	28620	7
26101	5	26423	7	26587	13	26905	15	26973	15	28622	7
26102	5	26425	7	26588	13	26911	15	26974	15	28624	7
26105	5	26427	7	26589	13	26912	15	26975	17	28626	7
26107	5	26430	7	26590	8	26913	16	26976	17	28627	7
26108	5	26431	7	26591	8	26914	16	26977	17	28629	7
26109	5	26436	7	26592	8	26915	16	26978	17	28632	7
26110	5	26439	7	26593	13	26916	16	26979	17	28633	7
26113	5	26440	7	26596	13	26917	16	26980	17	28637	7
26114	5	26441	12	26598	8	26918	16	26981	17	28638	7
26115	5	26443	12	26599	8	26919	16	26982	17	28644	7
26130	10	26445	12	26701	9	26920	16	26985	17	32000	13
26132	10	26447	12	26702	9	26921	16	26987	19	32001	13
26133	10	26449	12	26703	9	26922	15	26989	19	32002	13
26135	10	26455	12	26704	9	26923	16	26990	18	32003	13

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Notes:
32004	13	44238	36	56818	24	75715	20	
32085	13	44239	36	56825	24	75720	20	
32088	13	44240	36	56830	25	75727	20	
32106	13	44241	37	56833	25	75728	20	
32107	13	44245	37	56871	25	75729	20	
32108	13	44249	37	62990	14	75735	20	
32607	25	44251	37	62993	14	75739	20	
32614	25	44255	37	62994	14	75742	20	
40010	11	44259	37	62995	14	75743	21	
40410	29	44260	37	65090	14	75744	21	
40414	29	44261	37	75008	20	75745	21	
40420	29	44269	34	75012	20	75746	21	
40422	29	44290	36	75015	20	75747	21	
40424	29	44292	37	75018	20	75748	21	
40425	29	44501	26	75020	20	75792	22	
40426	29	44502	26	75025	20	75800	20	
40430	29	44503	26	75030	20	75801	20	
43127	31	44504	26	75035	20	75802	21	
43128	31	44505	26	75040	20	75803	21	
43129	31	44506	26	75093	23	75810	21	
43132	32	44507	26	75094	23	75811	21	
43136	32	44508	26	75095	23	75812	21	
43137	31	44509	26	75096	23	75813	21	
43138	32	44510	26	75105	20	75814	21	
43139	31	44511	26	75110	20	75815	21	
43140	32	44512	26	75115	20	75816	21	
43141	32	44513	27	75120	20	75817	21	
43142	31	44514	27	75307	20	75820	21	
43143	32	44515	27	75309	20	75821	21	
43144	32	44518	27	75313	20	75822	21	
43146	31	44520	27	75315	20	75823	21	
43147	33	44521	27	75320	20	75824	21	
43148	33	44522	27	75322	20	75825	21	
43149	30	44523	27	75325	20	75826	21	
43150	32	44524	27	75327	20	75827	21	
43151	32	44525	27	75330	20	75900	20	
43153	31	44526	27	75332	20	75901	20	
43154	31	44527	27	75340	20	75902	20	
43158	33	44528	28	75342	20	75965	23	
43162	33	44529	28	75350	20	75981	21	
43190	30	44530	28	75352	20	75983	21	
43191	30	44531	28	75354	20	75985	21	
43192	30	44532	28	75356	20	75989	21	
43612	33	44533	28	75358	20	75990	23	
43618	33	44590	18	75360	20	75991	22	
43624	33	55531	28	75362	20	75992	22	
43643	33	55532	28	75364	20	75994	22	
44200	36	55533	28	75366	20	75996	22	
44206	35	55534	28	75368	20	75999	22	
44212	34	55535	28	75370	20	91118	11,13	
44213	34	55536	28	75372	20	92190	9	
44214	34	55537	29	75395	22	92191	8	
44217	35	55538	29	75703	20	95190	14	
44218	35	55539	29	75704	20	96800	14	
44220	35	55546	29	75705	20			
44221	35	55547	29	75706	20			
44222	36	56801	25	75707	20			
44224	36	56812	24	75708	20			
44227	36	56813	25	75709	20			
44237	36	56815	24	75710	20			

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.



wiha 
Tools that work for you



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

**SEE OUR GREAT
WEB SPECIALS!**

Catalog Item No. 99006.w0
version - 4/1/15

Subject to change without notice

©2015 Willi Hahn Corporation

®Torx is a registered trademark of
Acutment Intellectual Properties LLC.




91330.w0 - Tooling Catalog



99004.w0 - Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog



99919.w0 - Insulated Catalog




99001.w0 - TorqueControl Catalog



99934.w0 - Hex Tools Catalog



99951.w0 - Bits Catalog



99945.w0 - ESD Catalog



99977.w0 - Pliers/Crimpers Catalog