

D-SUB coupling - VS-25-KU-DEVNET-ST/ST - 1653074

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



D-SUB coupling, for DeviceNet, shell size 3, header, unshielded, connection direction straight, IP67 degree of protection



DeviceNet™

Key commercial data

Packing unit	1 1
GTIN	 4 017918 970024
Weight per Piece (excluding packing)	34.4 GRM
Custom tariff number	85369010
Country of origin	Germany

Technical data

Product type	Data plug
Pin connector pattern	D-SUB 25
Direction of the cable outlet	Straight
Number of positions	5
Signal type	DeviceNet™

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27261203

D-SUB coupling - VS-25-KU-DEVNET-ST/ST - 1653074

Classifications

eCl@ss

eCl@ss 7.0	27440202
eCl@ss 8.0	27440202

ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000437
ETIM 5.0	EC000437

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Accessories

Accessories

Protective cover

D-SUB protective cover - VS-25-SD - 1652211




D-SUB protective cover, shell size 3, IP54 degree of protection, for panel mounting frame and sleeve housing VS-25...

Drawings

D-SUB coupling - VS-25-KU-DEVNET-ST/ST - 1653074

Dimensioned drawing



D-SUB coupling