

2015











Professional Shop Tools












Complete Shop Tools Program
















Wiha Wrenches Index		
Description	Page	
 Open End Inch/Metric	4-5	
 Soft Grip Wrenches	6	
 Combination Inch/Metric	7-10	
 Box Wrenches Inch/Metric	11	









Wiha 1/2" Square Drive Bit Sockets Index		
Description	Page	
 Torx® 1/2" Sq. Drive	13	
 Security Torx® 1/2" Sq. Dr.	13	
 Slotted 1/2" Square Drive	13	
 Phillips 1/2" Square Drive	13	



Wiha Impact Bit Holding Sockets Index		
Description	Page	
 Impact Bit Holding Sockets 1/4" Drive Bits	14	






Wiha Torx® & Hex Bit Sockets Index		
Description	Page	
 Torx® 1/4" Square Drive	12	
 Torx® 3/8" Square Drive	12	
 Torx® 3/8"-5/16" Bits	12	
 Security Torx® 1/4" & 3/8" Sq. Drive	12	
 Security Torx® 3/8"-5/16" Bits	12	
 TorxPlus® 1/4" & 3/8" Sq. Dr.	12	
 Hex 1/4" Sq. Dr. Bit Sockets	14	
 Hex 3/8" Sq. Dr. Bit Sockets	14	

Wiha Sockets Index		
Description	Page	
 External Torx® Sockets 1/4", 3/8", 1/2"	13	
 6" Bit Sockets 1/4" & 3/8" Drive	15	
 1/4" Hex to Sq. Adapter	15	
 Socket Sets on Molded Rails	16-17	
 1/4" Sockets & Sets	18	
 1/4" Socket Accessories	19	
 3/8" Sockets & Sets	20-21	
 3/8" Socket Accessories	22-23	
 3/8" Spark Plug Socket	23	
 1/2" Sockets & Sets	24-25	
 1/2" Socket Accessories	26-27	
 1/2" Spark Plug Socket	28	
 Socket Rail System	28	

Wiha Scrapers & Awls Index		
Description	Page	
 SoftFinish Scraper Handle & Blades	29	
 Square Reaming Awls	29	
 Gasket Scraper	29	

Wiha Hammers Index		
Description	Page	
 Dead Blow Hammers	31	
 Sledge Hammers	31	
 Hammer Faces	31-32	
 Hickory Handles	31	
 Split Head Mallets	32	
 Mallet Housing	33	
 Split Head Mallet Handles	33	
 Split Head Hammer Sets	33	

Wiha Maxiflex Hose System Index		
Description	Page	
 Maxiflex Hose System 1/4"	34	
 Maxiflex Hose System 1/2"	35	

Wiha Calipers/Rulers/Levels Index		
Description	Page	
 Digital Caliper	36	
 Dial Caliper-ESD & Standard	36	
 Vernier Caliper	36	
 Torpedo Level	36	
 Maxiflex Folding Rulers	36-37	

Wiha TORX®, TORXPlus® & Security TORX® Sockets



Set Screw Replaceable Bit

761 TORX® Sockets, 1/4" Square Drive

Item No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



716 TORXPlus® Sockets, 1/4" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



Set Screw Replaceable Bit

763 Security TORX® Sockets

3/8" Square drive, 5/16" bits.

Item No.	Size	mm	lbs.
76339	T40s	51	.11
76340	T45s	51	.11
76341	T50s	51	.11
76342	T55s	51	.13



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



716 TORXPlus® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09



Set Screw Replaceable Bit

763 Security TORX® Sockets

1/4" Square drive, 1/4" bits.

Item No.	Size	mm	lbs.
76329	T7s	38	.04
76330	T8s	38	.04
76331	T9s	38	.04
76332	T10s	38	.04
76333	T15s	38	.04
76334	T20s	38	.04
76335	T25s	38	.04
76336	T27s	38	.04
76337	T30s	38	.05
76338	T40s	38	.05



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 5/16" Bit. 2" OAL

Item No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13



Set Screw Replaceable Bit

701 Security TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL

Item No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09

Wiha External Sockets



773 TORX® External Sockets

1/4" Square drive socket.

Item No.	Size	mm	lbs.
77304	E4	25	.03
77305	E5	25	.03
77306	E6	25	.03
77307	E7	25	.04
77308	E8	25	.04
77310	E10	25	.04

773 TORX® External Sockets

3/8" Square drive socket.

Item No.	Size	mm	lbs.
77331	E8	28	.07
77333	E10	28	.07
77335	E12	28	.07
77337	E14	28	.08



773 TORX® External Sockets

1/2" Square drive socket.

Item No.	Size	mm	lbs.
77341	E12	37	.12
77343	E14	37	.12
77345	E16	37	.14
77347	E18	37	.14
77349	E20	37	.15
77353	E24	40	.24

Wiha E-TORX® Socket Set On Molded Rail



77391 8 Piece E-TORX® Socket Set

Item No.	lbs.	Set includes the following:
77391	.62	1/4" drive: E6, E7, E8, E10 3/8" drive: E12, E14 1/2" drive: E16, E18

1/2" Square Drive Sockets



Set Screw Replaceable Bit

764 TORX® Sockets, 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76403	T30	59	.10	1
76404	T40	59	.10	1
76405	T45	59	.10	1
76406	T50	59	.10	1
76407	T55	59	.11	1



Set Screw Replaceable Bit

764 Security TORX® Sockets 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76411	T40s	59	.11	1
76412	T45s	59	.11	1
76413	T50s	59	.11	1
76414	T55s	59	.12	1



Set Screw Replaceable Bit

764 Slotted Bit Sockets, 1/2" Square Drive

Item No.	mm	mm	lbs.	pkg.
76417	8	59	.12	1
76418	10	59	.12	1
76419	12	59	.12	1




Set Screw Replaceable Bit

764 Phillips Bit Sockets, 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76422	2	59	.15	1
76423	3	59	.15	1
76424	4	59	.15	1

Wiha Socket Sets On Molded Rails



76191 10 pc. TORX® Socket Set 1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.	↔
76191	lbs. Set includes the following:
	.49 T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



76194 6 pc. TORX® Socket Set 1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.	↔
76194	lbs. Set includes the following:
	.20 T10, T15, T20, T25, T27, T30



76395 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.	↔
76395	lbs. Set includes the following:
	.75 T9, T10, T15, T20, T25, T27, T30, T40



76396 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"


Item No.	↔
76396	lbs. Set includes the following:
	.87 1/4": T20, T25, T27, T30, T40
	5/16": T45, T50, T55

Security Torx®




70195 10 pc. Security TORX® Socket Set 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.

Item No.	↔
70195	lbs. Set includes the following:
	.48 T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



76397 9 pc. Security TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.	↔
76397	lbs. Set includes the following:
	.85 1/4": T10s, T15s, T20s, T27s, T30s
	3/8": T40s (1/4" bit)
	3/8": T45s, T50s (5/16" bit)



76399 12 pc. Security TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.


Item No.	↔
76399	lbs. Set includes the following:
	.80 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
	5/16": T45s, T50s, T55s



71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.


Item No.	↔
71698	lbs. Set includes the following:
	.60 1/4": IP9, IP10, IP15, IP20
	3/8": IP25, IP27, IP30, IP40

Wiha Socket Sets On Molded Rails




71391 10 Piece Hex Inch Socket Set 1/4" Square drive replaceable bit socket. Bits CVM tool steel. OAL 1.5"

Item No.	↔
71391	lbs. Set includes the following:
	.48 1/16, 5/64, 3/32, 7/64, 1/8
	9/64, 5/32, 3/16, 7/32, 1/4"



71798 8 Piece Ball End Hex Inch Socket Set 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	↔
71798	lbs. Set includes the following:
	.72 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71398 7 Piece Ball End Hex Inch Socket Set 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	↔
71398	↔ lbs. Set includes the following:
	.48 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"




71797 7 Piece Ball End Hex Metric Socket Set 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	↔
71797	lbs. Set includes the following:
	.72 Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



71392 8 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No.	↔
71392	lbs. Set includes the following:
	.78 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"




71393 5 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No.	↔
71393	lbs. Set includes the following:
	.54 Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"




71394 5 Piece Hex Metric Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	↔
71394	lbs. Set includes the following:
	.56 Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm



71996 9 Piece Hex Metric Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No.	↔
71996	lbs. Set includes the following:
	.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
	3/8": 5.0, 6.0, 8.0, 10.0mm



71999 9 Piece Tamper Resistant Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	↔
71999	lbs. Set includes the following:
	.86 Tamper Resistant Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71989 7 Piece Tamper Resistant Hex Metric Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	↔
71989	lbs. Set includes the following:
	.74 Tamper Resistant Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Wiha 1/4" Sockets & Sets



601 1/4" Sockets - 6 Points

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60115	4.0	25	.02
60116	4.5	25	.02
60117	5.0	25	.02
60118	5.5	25	.02
60119	6.0	25	.02
60120	7.0	25	.02
60121	8.0	25	.02
60122	9.0	25	.03
60123	10.0	25	.03
60124	11.0	25	.03
60125	12.0	25	.04
60126	13.0	25	.04
60127	14.0	25	.04



601 1/4" Sockets - 6 Points

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60101	1/8	.98	.02
60102	5/32	.98	.02
60103	3/16	.98	.02
60104	7/32	.98	.02
60105	1/4	.98	.02
60106	9/32	.98	.02
60107	5/16	.98	.02
60108	11/32	.98	.03
60109	3/8	.98	.03
60110	7/16	.98	.03
60111	1/2	.98	.04
60112	9/16	.98	.05



60190 17 Piece 6 Point Socket Set - Metric

1/4" Square Drive Hex Metric Socket. Chrome-vanadium sockets.

Item No. 60190 Set includes the following:

4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm
60145 1/4" Rev. Ratchet Varicat 32 tooth - 140mm
60131 1/4" Sliding T-handle - 115mm
60133 1/4" Extension Bar - 100mm
60136 1/4" Universal Joint - 35mm
60139 1/4" Spinner Handle - 145mm



60192 12 Pc. 1/4" Sockets 6 Point - Metric 1/4" Square Drive Socket.

Item No. 60192 Set includes the following:

1/4" Hex Metric: 4.0, 4.5, 5.0, 5.5, 6.0, .48 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm



60191 17 Piece 6 Point Socket Set - Inch

1/4" Square Drive Hex Inch Socket. Chrome-vanadium sockets.

Item No. 60191 Set includes the following:

1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"
60145 1/4" Rev. Ratchet Varicat 32 tooth - 5.5"
60131 1/4" Sliding T-handle - 14.5"
60133 1/4" Extension Bar - 3.9"
60136 1/4" Universal Joint - 1.4"
60139 1/4" Spinner Handle - 5.7"



60193 12 Pc. 1/4" Sockets 6 Point - Inch 1/4" Square Drive Socket.

Item No. 60193 Set includes the following:

1/4" Hex Inch: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"

Wiha 1/4" Socket Accessories



60145 1/4" Reversible Ratchet Varicat - 32 Tooth

DIN 3122 D - ISO 3315

Forged body, satin finish, nickel and hard chrome.

Item	Inch	mm	wt.
60145	5.5	140	.18



60146 1/4" Reversing Ratchet - 20 Tooth, Push Through Type

20 tooth ratchet. DIN 3122 C - ISO 3315

Forged ratchet body, satin finish, nickel and hard chrome.

Item	Inch	mm	wt.
60146	6.0	150	.18




60131 1/4" Sliding T-handle

DIN 3122 A - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60131	4.5	114	.09



601 1/4" Extension Bar

DIN 3123 B - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60132	2.17	50	.05
60133	3.93	100	.10
60134	5.90	150	.14



60135 1/4" Wobble Extension Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60135	3.93	100	.10



60136 1/4" Universal Joint Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60136	1.4	35	.05



60137 1/4" Swivel Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60137	6.10	155	.25



60138 1/4" Spinner Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60138	6.10	155	.25



60139 1/4" Flexible Extension Hard chrome finish.

Item	Inch	mm	wt.
60139	4.72	120	.11



60140 1/4" Converter To 3/8" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60140	1.06	27	.04



60141 1/4" Square Coupler Hard chrome finish, fully polished with spring-loaded retaining ball.

Item	Inch	mm	wt.
60141	.79	20	.01

Wiha 3/8" Sockets & Sets

METRIC



602 3/8" Sockets - 12 Point - Metric
Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60227	6.0	25.5	.02
60228	7.0	25.5	.02
60229	8.0	25.5	.02
60230	9.0	25.5	.03
60231	10.0	25.5	.03
60232	11.0	25.5	.03
60233	12.0	25.5	.04
60234	13.0	25.5	.04
60235	14.0	26	.04
60236	15.0	27	.04
60237	16.0	27	.04
60238	17.0	27	.04
60239	18.0	27	.04
60240	19.0	29	.04
60241	20.0	29	.04
60242	21.0	29	.04
60243	22.0	31	.04



60292 24 Piece 12 Point Socket Set - Metric
Hard chrome finish, fully polished with ball retaining groove.

Item No. 60292 Set includes the following:

	6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0
	3/8" Slotted Screwdriver Bit Socket
	60266- 3/8" Rev. Ratchet Varicat - 200mm - 32 tooth
↺	60248- 3/8" Speed Brace - 300mm
lbs.	60250- 3/8" Sliding T-handle - 200mm
5.48	60251- 3/8" Extension Bar - 125mm
	60255- 3/8" Extension Bar - 250mm
	60257- 3/8" Universal Joint - 50mm



60294 15 Piece 12 Point Socket Set - Metric
Hard chrome finish, fully polished with ball retaining groove.

Item No. 60294 Set includes the following:

↺	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0,
lbs.	15.0, 16.0, 17.0, 18.0, 19.0mm
2.85	60266- 3/8" Rev. Ratchet Varicat - 200mm - 32 tooth
	60251- 3/8" Extension Bar - 125mm
	60257- 3/8" Universal Joint - 50mm

Wiha 3/8" Drive Socket Sets On Rails



60296 12 Piece 3/8" Sockets 12 Point - Metric
3/8" Square Drive Socket.

Item No.	lbs.	Set includes the following:
60296	1.02	3/8" Hex Metric: 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm

Wiha 3/8" Sockets & Sets

INCH



602 3/8" Sockets - 12 Point - Inch
Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60210	1/4	1.00	.02
60211	9/32	1.00	.02
60212	5/16	1.00	.02
60213	11/32	1.00	.02
60214	3/8	1.00	.02
60215	7/16	1.00	.02
60216	1/2	1.00	.02
60217	9/16	1.04	.03
60218	19/32	1.06	.03
60219	5/8	1.06	.03
60220	21/32	1.06	.04
60221	11/16	1.06	.05
60222	3/4	1.14	.05
60223	25/32	1.14	.05
60224	13/16	1.14	.05
60225	7/8	1.22	.05



60293 23 Piece 12 Point Socket Set - Inch
Hard chrome finish, fully polished with ball retaining groove.

Item No. 60293 Set includes the following:

	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 21/32, 11/16, 3/4, 25/32, 13/16, 7/8"
	3/8" Slotted Screwdriver Bit Socket
	60266- 3/8" Rev. Ratchet Varicat - 7.9" - 32 tooth
↺	60248- 3/8" Speed Brace - 11.8"
lbs.	60250- 3/8" Sliding T-handle - 7.9"
5.34	60251- 3/8" Extension Bar - 4.9"
	60255- 3/8" Extension Bar - 9.8"
	60257- 3/8" Universal Joint - 2.0"



60295 15 Piece 12 Point Socket Set - Inch
Hard chrome finish, fully polished with ball retaining groove.

Item No. 60295 Set includes the following:

↺	1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32,
lbs.	5/8, 21/32, 11/16, 3/4"
3.11	60266- 3/8" Rev. Ratchet Varicat - 7.9" - 32 tooth
	60251- 3/8" Extension Bar - 4.9"
	60257- 3/8" Universal Joint - 2.0"

Wiha 3/8" Drive Socket Sets On Rails




60297 12 Piece 3/8" Sockets 12 Point - Inch
3/8" Square Drive Socket.

Item No.	lbs.	Set includes the following:
60297	.96	3/8" Hex Inch: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4"

Wiha 3/8" Socket Accessories




60265 3/8" Reversible Ratchet
45 tooth ratchet. DIN 3122 D - ISO 3315
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60265	7.8	198	.63




60266 3/8" Reversible Ratchet Varicat
32 tooth ratchet. DIN 3122 D - ISO 3315
Forged ratchet body, satin finish, nickel and hard chrome finish.
Spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60266	7.9	200	.54



60267 3/8" Ratchet Push-Thru Type
30 tooth. DIN 3122 C - ISO 3315
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60267	7.9	200	.54




60268 3/8" Flexible Head Reversible Ratchet
60 tooth ratchet.
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60268	10.04	255	.73




Provides ratcheting feature for non ratcheting tools. Use with, extension bars, speed brace, sliding T-handle and swivel handle.

60249 3/8" Reversible Ratchet Unit
60 tooth ratchet. DIN 3122 A - ISO 3315
Hard chrome finish, satin finish with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60249	1.97	50	.48




602 3/8" Extension Bar
DIN 3123 B - ISO 3316
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60252	2.95	75	.14
60251	4.92	125	.20
60255	9.84	250	.38




602 3/8" Wobble Extension
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60253	2.95	75	.13
60254	5.91	150	.23
60256	9.84	250	.36




60248 3/8" Speed Brace
DIN 3122 B - ISO 3315
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60248	11.97	304	.57




60250 3/8" Sliding T-handle
DIN 3122 A - ISO 3315
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60250	7.9	200	.35

Wiha 3/8" Socket Accessories




60257 3/8" Universal Joint Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60257	1.97	50	.13




60258 3/8" Swivel Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60258	8.82	224	.47




60259 3/8" Converter To 1/4" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60259	.98	25	.07




60260 3/8" Converter To 1/2" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60260	1.38	35	.11




60261 3/8" Square Coupler Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60261	.98	25	.03


Wiha 3/8" Spark Plug Sockets



60262 Spark Plug Socket DIN 3124 / ISO 2725
Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 12 point


Item					
No.	Inch	mm	mm	Inch	wt.
60262	13/16"	20.6	65	2.6	.39

60263 Spark Plug Socket DIN 3124 / ISO 2725
Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 12 point

Item					
No.	mm	mm	Inch	wt.	
60263	18	65	2.6	.28	



60264 Spark Plug Socket DIN 3124 / ISO 2725
Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 6 point

Item					
No.	Inch	mm	mm	Inch	wt.
60264	5/8"	16	65	2.6	.25

Wiha 1/2" Sockets & Sets



603 1/2" Sockets Metric - 12 Point

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60321	8.0	40	.12
60322	9.0	40	.12
60323	10.0	40	.12
60324	11.0	40	.12
60325	12.0	40	.12
60326	13.0	40	.13
60327	14.0	40	.13
60328	15.0	40	.15
60329	16.0	40	.15
60330	17.0	40	.15
60331	18.0	40	.16
60332	19.0	40	.16
60333	20.0	40	.17
60334	21.0	40	.17
60335	22.0	40	.19
60336	23.0	43	.23
60337	24.0	43	.24
60338	25.0	43	.29
60339	26.0	43	.30
60340	27.0	43	.32
60341	28.0	43	.34
60342	29.0	43	.40
60343	30.0	43	.36
60344	32.0	43	.40
60345	33.0	43	.40
60346	34.0	43	.42



60396 24 Piece 12 Point Socket Set - Metric

1/2" Square Drive Hex Metric Socket. Chrome-vanadium sockets.

Item No.	Description
60396	Set includes the following: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm 60676- 1/2" Rev. Ratchet Varicat 32 tooth - 275mm 60350- 1/2" Speed Brace - 405mm 60352- 1/2" Sliding T-handle - 300mm 60353- 1/2" Extension Bar - 125mm 60357- 1/2" Extension Bar - 250mm 60359- 1/2" Universal Joint - 80mm

Wiha 1/2" Drive Socket Sets On Rails



60393 12 Piece 1/2" Sockets 12 Point Metric

1/2" Square Drive Socket.

Item No.	lbs.	Description
60393	2.09	Set includes the following: 1/2" Hex Metric: 10.0, 11.0, 12.0, 13.0, 14.0, 15.0 16.0, 17.0, 18.0, 19.0, 20.0, 22.0mm

Wiha 1/2" Sockets & Sets



603 1/2" Sockets Inch - 12 Point

Hard chrome finish, fully polished with ball retaining groove.

No.	Inch	Inch	wt.
60301	3/8	1.57	.12
60302	7/16	1.57	.12
60303	1/2	1.57	.13
60304	9/16	1.57	.13
60305	19/32	1.57	.15
60306	5/8	1.57	.15
60307	11/16	1.57	.16
60308	3/4	1.57	.16
60309	25/32	1.57	.18
60310	13/16	1.57	.17
60311	7/8	1.57	.19
60312	15/16	1.69	.24
60313	31/32	1.69	.28
60314	1	1.69	.30
60315	1-1/16	1.69	.32
60316	1-1/8	1.69	.36
60317	1-3/16	1.69	.37
60318	1-1/4	1.69	.39



60397 24 Piece 12 Point Socket Set - Inch

1/2" Square Drive Hex Inch Socket. Chrome-vanadium sockets.

Item No.	Description
60397	Set includes the following: 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32 13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4" 60676- 1/2" Rev. Ratchet Varicat 32 tooth - 10.8" 60350- 1/2" Speed Brace - 15.9" 60352- 1/2" Sliding T-handle - 11.8" 60353- 1/2" Extension Bar - 4.9" 60357- 1/2" Extension Bar - 9.8" 60359- 1/2" Universal Joint - 3.1"

Wiha 1/2" Drive Socket Sets On Rails



60395 12 Piece 1/2" Sockets 12 Point Inch

1/2" Square Drive Socket.

Item No.	lbs.	Description
60395	2.51	Set includes the following: 1/2" Hex Inch: 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Wiha 1/2" Socket Accessories



60375 1/2" Reversible Ratchet
45 tooth ratchet. DIN 3122 D - ISO 3315
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60375	10.6	270	1.1



60376 1/2" Reversible Ratchet Varicat
32 tooth ratchet. DIN 3122 D - ISO 3315
Forged ratchet body, satin finish, nickel and hard chrome finish.
Spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60376	10.8	275	1.2



60377 1/2" Ratchet - Push-thru type
30 tooth. DIN 3122 C - ISO 3315
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60377	10.6	270	1.1



60378 1/2" Drive Flexible Head Reversible Ratchet
Gears with 60 teeth.
hard chrome finish, polished head.

Item				
No.	Inch	mm	wt.	Pkg.
60378	11.2	285	1.2	5



60379 1/2" Flexible Head Reversible Ratchet Long
60 tooth ratchet.
hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60379	15.5	395	1.6



Provides ratcheting feature for non ratcheting tools. Use with, extension bars, speed brace, sliding T-handle and swivel handle.

60351 1/2" Reversible Ratchet Unit
60 tooth ratchet. DIN 3122 A - ISO 3315
Hard chrome finish, satin finish with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60351	2.17	55	.49



60364 1/2" Converter To 3/8" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60364	36	.11



60365 1/2" Converter To 3/4" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60365	45	.26



60366 1/2" Square Coupler Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60366	34	.10

Wiha 1/2" Socket Accessories



60350 1/2" Speed Brace
DIN 3122 B - ISO 3315
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60350	15.9	405	1.3



60352 1/2" Sliding T-handle
DIN 3122 A - ISO 3315
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60352	11.8	300	.88



603 1/2" Swivel Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60360	250	1.0
60361	375	1.5
60362	450	2.1




60363 1/2" Offset Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60363	200	.59



603 1/2" Extension Bar
DIN 3123 B - ISO 3316
Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60354	2.95	75	.30
60353	4.92	125	.40
60357	9.84	250	.72



603 1/2" Wobble Extension Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60355	1.97	50	.20
60356	4.92	125	.40
60358	9.84	250	.72



60359 1/2" Universal Joint Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60359	3.15	80	.35

Wiha 1/2" Spark Plug Sockets



60370 Spark Plug Socket DIN 3124 / ISO 2725
Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 1/2" Drive

Item				
No.	Inch	mm	mm	wt.
60370	13/16"	20.8	80	.31

60371 Spark Plug Socket DIN 3124 / ISO 2725
Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 19mm hexagon plug. 1/2" Drive

Item				
No.	Inch	mm	mm	wt.
60371	5/8"	16	80	.28

Notes:

Blank lines for notes.

Wiha Universal Socket Rail System



91095 Universal Rail For 1/4, 3/8 and 1/2" Sockets
Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

Item			
No.	lbs.	pkg.	lbs.
91095	.057	1	.06



91110 Replacement 1/4" Clips For The Universal Socket Rail
Package of 10 pieces.

Item No.	lbs.
91110	.03



91112 Replacement 3/8" Clips For The Universal Socket Rail
Package of 10 pieces.

Item No.	lbs.
91112	.03



91114 Replacement 1/2" Clips For The Universal Socket Rail
Package of 10 pieces.

Item No.	lbs.
91114	.05

Wiha Awls Screwdrivers



30002 Square Reaming Awl, With Plastic Handle
Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Round handle cellulose-acetate, impact resistant.

Item							
No.	mm	Inch	mm	Inch	mm	Inch	lbs. pkg.
30002	6.0	.236	100	3.9	185	7.3	.15 10



30102 Round Awl, With Plastic Handle
Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Plastic handle cellulose-acetate, impact resistant.

Item							
No.	mm	Inch	mm	Inch	mm	Inch	lbs. pkg.
30102	6.0	.236	100	4.0	185	7.3	.15 10

Wiha Gasket Scraper



43020 Extra Heavy Duty Gasket Scraper 1" wide scraper for removing sealers and other gasket materials hardened and tempered tool steel with hard chrome finish.

Item					
No.	mm	Inch	mm	Inch	lbs. pkg.
43020	150	5.9	260	10.2	.45 10

Wiha Universal Razor Edged Scraper



43090 Universal Razor Edged Scraper, With Wiha-SoftFinish®
Handle Removes sealing material, glue residue, layers of film and labels. Includes item #43092 - 10 replacement blades.

Item				
No.	mm	Inch	lbs.	pkg.
43090	170	6.7	.22	1

43040 Universal Razor Edged Scraper, With Wiha-SoftFinish®
Handle Removes sealing material, glue residue, layers of film and labels. Handle only.

Item				
No.	mm	Inch	lbs.	pkg.
43040	140	5.5	.15	10

43092 Replacement Blades for Universal Razor Edged Scraper
Package of 10 blades. Standard.

Item No.	lbs.
43092	.07



43093 Replacement Blades for Universal Razor Edged Scraper
Package of 10 blades. Standard.

Item No.	lbs.
43093	.07



43094 Replacement Blades for Universal Razor Edged Scraper
Package of 10 blades.

Item No.	lbs.
43094	.07



43095 Replacement Blades for Universal Razor Edged Scraper
Package of 10 blades.

Item No.	lbs.
43095	.07



43096 Replacement Blades for Universal Razor Edged Scraper
Package of 10 blades.

Item No.	lbs.
43096	.07



43097 Replacement Blades for Universal Razor Edged Scraper
Combo Pack. Package of 10 blades - 2 of each blade.

Item No.	lbs.
43097	.07

MagicRing Ball End Hex L-key Sets



Screw Holding Hex Tools!

Hard Chrome Finish

66991 13 Pc. MagicRing Long Inch Ball End Hex L-key Set, In ErgoStar Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch:	lbs.
66991	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.08

* Standard Ball - No Ring



Screw Holding Hex Tools!

Hard Chrome Finish

66990 9 Pc. MagicRing Long Metric Ball End Hex L-key Set, In ErgoStar Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Metric:	lbs.
66990	1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	.94

* Standard Ball - No Ring

Ball End Hex Chrome L-key Sets



36998 13 Piece Inch Ball End Hex Long L-key Set, In Plastic Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch:	lbs.
36998	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.0



66994 9 Piece Metric Ball End Hex Long L-key Set

Item No.	Metric:	lbs.
66994	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	.98

Ball End Hex L-key Color Coded Sets



36986 13 Piece Inch Ball End Hex Long L-key Set With Color Coded Keys Chrome-V-Moly, hardened

Item No.	Inch:	lbs.
36986	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.08



36987 9 Piece Metric Ball End Hex Long L-key Set With Color Coded Keys Chrome-V-Moly, hardened

Item No.	Metric:	lbs.
36987	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	.90

Ball End Hex L-key Black Finish



36991 13 Piece Inch Ball End Hex Long L-key Set Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36991	1.0



36990 9 Piece Metric Ball End Hex Long L-key Set Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36990	.98



Mid-Length

36937 13 Piece Inch Mid-Length Ball End Hex L-key Set Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36937	.82



Mid-Length

36999 9 Piece Metric Mid-Length Ball End Hex L-key Set Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36999	.72

Dead Blow and Sledge Hammers



802 Dead Blow, Medium Hard Face Hammer, Recoilless, Polyurethane, Steel Tube Shaft. "GS" Sign, Cushion Grip.

- Preserves sensitive surfaces and edges
- Increases striking power
- Avoids hand fatigue

Application:

- Machine tools and gear box construction
- Sheet metal shops and repair shops

Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Tubular handle, lacquered in blue, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80225	25	1.0	106	4.2	288	11.3	18	1
80230	30	1.2	115	4.5	290	11.4	21	1
80235	35	1.4	118	4.6	300	11.8	24	1
80240	40	1.6	125	4.9	305	12.0	30	1
80245	45	1.8	130	5.1	310	12.2	37	1
80250	50	2.0	130	5.1	365	14.4	49	1
80260	60	2.3	156	6.1	375	14.7	72	1
80270	70	2.8	161	6.3	385	15.1	97	1



80290 3 Piece Dead Blow Hammer Set - Medium hard


Item No.	mm	Inch	lbs.
80290	30		6.35
	40		
	50		



For 800 & 802 Hammers

802 Replacement Hammer Faces - Medium hard

Item No.	mm	Inch	lbs.	pkg.
80200	25	1.0	.04	1
80202	30	1.2	.04	1
80204	35	1.4	.05	1
80206	40	1.6	.08	1
80208	45	1.8	.12	1
80210	50	2.0	.16	1
80213	60	2.3	.29	1
80216	70	2.8	.39	1



800 Dead Blow, Medium Hard Face, Recoilless, Polyurethane Face, Hickory Handle. Application:

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry

Steel head for incredible strength. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80025	25	1.0	106	4.2	320	12.5	11	1
80030	30	1.2	113	4.4	350	13.7	16	1
80035	35	1.4	115	4.5	355	13.9	20	1
80040	40	1.6	123	4.8	375	14.7	26	1
80045	45	1.8	130	5.1	380	14.9	35	1
80050	50	2.0	134	5.3	385	15.1	44	1
80060	60	2.3	158	6.2	420	16.5	70	1
80070	70	2.8	158	6.2	430	16.9	91	1



800 Hickory Replacement Handles - For Dead Blow Hammers

Item No.	Fits Hammer	mm	Inch	lbs.	pkg.
80071	80025	25mm		.11	1
80072	80030 & 80035	30/35mm		.19	1
80074	80040 & 80045	40/45mm		.29	1
80076	80050	50mm		.38	1
80078	80060 & 80070	60/70mm		.44	1
80079	80280	80mm		1.76	1
80081	80299	100mm		2.31	1



802 Dead Blow Sledge, Medium Hard Face, Recoilless, Polyurethane Face, Hickory Handle. Application:

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry.


Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
80280	80	3.1	205	8.0	882	34.6	10.0	1
80299	100	3.9	210	8.2	1002	39.3	15.1	1

802 Replacement Hammer Faces - Medium hard.

Item No.	mm	Inch	lbs.	pkg.
80219	80	3.1	.06	1
80222	100	3.9	.10	1

Heavy Duty Split Head Mallets




- Easy replacement with standard components
- Malleable cast iron heads
- Color coded faces
- D-21 to D-80 shore hardness
- Rugged hickory handles




832 Color Coded Faces For Heavy Duty Split Head Mallets -
30mm Diameter (1.2") Mallet Faces

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83231	30	1.2	Soft	21-D	TPE	Blue		1
83232	30	1.2	MedSoft	45-D	Latex Rubber	Black		1
83233	30	1.2	MedHard	65-D	Polyurethane	Yellow		1
83234	30	1.2	Hard	72-D	Cell Acetate	Orange		1
83235	30	1.2	X-Hard	80-D	Nylon	White		1




832 Color Coded Faces For Heavy Duty Split Head Mallets -
40mm Diameter (1.5") Mallet Faces

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83241	40	1.5	Soft	21-D	TPE	Blue	.15	1
83242	40	1.5	MedSoft	45-D	Latex Rubber	Black	.15	1
83243	40	1.5	MedHard	65-D	Polyurethane	Yellow	.15	1
83244	40	1.5	Hard	72-D	Cell Acetate	Orange	.15	1
83245	40	1.5	X-Hard	80-D	Nylon	White	.15	1



832 Color Coded Faces For Heavy Duty Split Head Mallets -
50mm Diameter (2.0") Mallet Faces

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83251	50	2.0	Soft	21-D	TPE	Blue	.26	1
83252	50	2.0	MedSoft	45-D	Latex Rubber	Black	.26	1
83253	50	2.0	MedHard	65-D	Polyurethane	Yellow	.26	1
83254	50	2.0	Hard	72-D	Cell Acetate	Orange	.26	1
83255	50	2.0	X-Hard	80-D	Nylon	White	.26	1



832 Color Coded Faces For Heavy Duty Split Head Mallets -
60mm Diameter (2.4") Mallet Faces

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83261	60	2.4	Soft	21-D	TPE	Blue	.42	1
83262	60	2.4	MedSoft	45-D	Latex Rubber	Black	.42	1
83263	60	2.4	MedHard	65-D	Polyurethane	Yellow	.42	1
83264	60	2.4	Hard	72-D	Cell Acetate	Orange	.42	1
83265	60	2.4	X-Hard	80-D	Nylon	White	.42	1

- 832 Malleable Cast Iron Split Head Mallets With Hickory Handle**
- Safety ribbed housings for handle & faces
 - 5 head diameters 1.2" to 3.1"
 - 5 face shore hardness: D-21 to D-80
 - Sturdy Hickory Handles
- Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable.

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83230	30	1.2	Hard/Soft	260	10.2	10.6oz		1
83240	40	1.5	Hard/Soft	280	11.0	1.4		1
83250	50	2.0	Hard/Soft	310	12.2	2.4		1
83260	60	2.4	Hard/Soft	340	13.3	3.7		1
83280	80	3.1	MedSoft/X-hard	400	15.8	6.5		1

832 Malleable Cast Iron Split Head Sledge Hammer With Hickory Handle

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83289	80	3.1	MedSoft/X-hard	800	31.5	7.6		1



Soft Face

833 Replacement Square Hammer Faces

Item	▣	▣	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83346	40	1.57	Soft	Blue		.10		1
83347	40	1.57	Medium Hard	Yellow		.14		1



Latex Rubber Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets -
80mm Diameter (3.1") Mallet Faces

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83282	80	3.1	MedSoft	45-D	Latex Rubber	Black	.90	1
83285	80	3.1	X-Hard	80-D	Nylon	White	.88	1

Build A Mallet - Handle & Housing Assembly



- 832 Malleable Cast Iron Split Head Housing With Hickory Handle**
- Safety ribbed housings for handle & faces
 - Sturdy Hickory Handles

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83221	30	1.2	Soft	21-D	TPE	Blue	.87	1
83222	40	1.5	MedSoft	45-D	Latex Rubber	Black	1.5	1
83223	50	2.0	MedHard	65-D	Polyurethane	Yellow	2.3	1
83224	60	2.4	Hard	72-D	Cell Acetate	Orange	3.2	1
83225	80	3.1	X-Hard	80-D	Nylon	White	5.6	1
83226	80	3.1	X-Hard	80-D	Nylon	White	7.2	1



832 Replacement Heavy Duty Mallet Housing
For split head mallets made of malleable cast iron

Item	●	●	Shore	Color	⚖	📦		
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83238	30	1.2	Soft	21-D	TPE	Blue	.50	1
83248	40	1.6	MedSoft	45-D	Latex Rubber	Black	1.0	1
83258	50	2.0	MedHard	65-D	Polyurethane	Yellow	1.6	1
83268	60	2.4	Hard	72-D	Cell Acetate	Orange	2.7	1
83288	80	3.1	X-Hard	80-D	Nylon	White	4.4	1



832 Hickory Replacement Handles -
For split head replaceable face mallets

Item	●	●	Shore	Color	⚖	📦
No.	Housing	mm	Inch	lbs.	Code	pkg.
83273	83238	30mm	260	10.2	.18	1
83274	83248	40mm	280	11.0	.24	1
83275	83258	50mm	310	12.2	.39	1
83276	83268	60mm	340	13.3	.49	1
83277	83288	80mm	400	15.8	.68	1
83279	83288	80mm	800	31.5	1.3	1



83290 15 Piece Split Head Mallet Set - In 16" Tool Box

Mallet Housing W/Hickory Handle		Hex Assembly Keys	
Item No. 83290		mm	
83221	30mm 260	35309	5.0
83223	50mm 310	35312	8.0

Mallet Faces		Shore Hardness		
Item				lbs.
83231	30mm Blue Soft	21-D		
83232	30mm Black Med Soft	45-D		8.7
83233	30mm Yellow Med Hard	65-D		
83234	30mm Orange Hard	72-D		
83235	30mm White Ex Hard	80-D		
83251	50mm Blue Soft	21-D		
83252	50mm Black Med Soft	45-D		
83253	50mm Yellow Med Hard	65-D		
83254	50mm Orange Hard	72-D		
83255	50mm White Ex Hard	80-D		




83295 10 Piece Safety Heavy Duty Split Head Mallet Set

Mallet Housing & Handle		Hex Assembly L-key	
Item		mm	
83222	40mm	35260	6.0mm

Mallet Faces		Shore Hardness		
Item				lbs.
83241	40mm Blue Soft	21-D		
83346	40mm Blue Soft Sq.	21-D		5.10
83243	40mm Yellow Med Hard	65-D		
83347	40mm Yellow M. Hard Sq.	65-D		
83244	40mm Orange Hard	72-D		
83245	40mm White Ex Hard	80-D		
83242	40mm Black Med Soft	45-D		
83242	40mm Black Med Soft	45-D		

Wiha Maxiflex Hose System 1/4"

- 34490 Maxiflex Starter Kit**
2 Threaded Connectors 1/4" & 1/8" NPT
3 Cylindrical Nozzles 1/16", 1/8", 7/32"
22 Segments - 11". lbs. .17
Item No. OAL █ pkg.
34490 320mm/12.6" 1
- 34401 Bulk Segments**
1/4" - 28 pc. segments. lbs. 2.38
Item No. OAL █ pkg.
34401 25.75 ft. 1
- 34402 Segments** 1/4" - Pack with
22 segments 11". lbs. .08
Item No. OAL █ pkg.
34402 280mm/11.0" 1
- 34404 1/16" Nozzle**
1/4" - Nozzle Ø 1.6mm - 1/16". lbs. .02
Item No. Dia. █ pkg.
34404 1.6mm/.620" 1
- 34406 1/8" Nozzle**
1/4" - Nozzle Ø 3.2mm - 1/8". lbs. .02
Item No. Dia. █ pkg.
34406 3.2mm/.125" 1
- 34408 7/32" Nozzle**
1/4" - Nozzle Ø 5.6mm - 7/32". lbs. .02
Item No. Dia. █ pkg.
34408 5.6mm/.22" 1
- 34410 Straight Flat Nozzle**
1/4" - Flat Nozzle 24mm wide. lbs. .03
Item No. Width █ pkg.
34410 24mm/.94" 1
- 34412 Straight Multi Hole Nozzle**
1/4" - Multi Hole Nozzle. lbs. .02
Item No. Width █ pkg.
34412 24mm/.94" 1
- 34414 1/16" Nozzle 90° Bend** 1/4" -
Angular Nozzle Ø 1.6mm-1/16". lbs. .02
Item No. Dia. █ pkg.
34414 1.6mm/.620" 1
- 34416 1/8" Nozzle 90° Bend** 1/4" -
Angular Nozzle Ø 3.2mm-1/8". lbs. .02
Item No. Dia. █ pkg.
34416 3.2mm/.125" 1
- 34418 7/32" Nozzle 90° Bend** 1/4" -
Angular Nozzle Ø 5.6mm-7/32". lbs. .02
Item No. Dia. █ pkg.
34418 5.6mm/.22" 1
- 34420 Multi Hole Spray Bar** 1/4" -
Right Angle Multi Hole Nozzle. lbs. .02
Item No. Width █ pkg.
34420 24mm/.94" 1




7 Holes
.060 Hole Diameter

7 Holes
.078 Hole Diameter

All components are in single unit package

- 34432 Adapter for LcLn-1/4" lbs. .02**
Item No. OAL █ pkg.
34432 7x2mm 1
- 34434 Male Double End Segment**
Item No. Size lbs. █ pkg.
34434 1/4" .02 1
- 34436 Female Double End Segment**
Item No. Size lbs. █ pkg.
34436 1/4" .02 1
- 34422 BSPT Threaded Connector**
NPT 1/8" lbs. .03
Item No. Size █ pkg.
34422 1/8" 1
- 34424 BSPT Threaded Connector**
NPT 1/4" lbs. .03
Item No. Size █ pkg.
34424 1/4" 1
- 34426 NPT Threaded Connector**
NPT 1/8" lbs. .02
Item No. Size █ pkg.
34426 1/8" 1
- 34428 NPT Threaded Connector**
NPT 1/4" lbs. .02
Item No. Size █ pkg.
34428 1/4" 1
- 34430 1/4" Y-Junction** lbs. .02
Item No. Size █ pkg.
34430 1/4" 1
- 34438 In Line Valve** lbs. .03
Item No. Size █ pkg.
34438 1/4" 1
- 34440 Segment Clip** lbs. .02
Item No. Size █ pkg.
34440 1/4" 1
- 34442 Separation Wedge** lbs. .06
Item No. Size █ pkg.
34442 1/4" 1
- 34444 Assembly Pliers** lbs. .38
Item No. Size █ pkg.
34444 1/4" 1



Wiha Maxiflex Hose System 1/2"

- 34090 Maxiflex Starter Kit**
2 Threaded Connectors 1/2" & 3/8" NPT
Straight, 90° Bend & Multi Hole Nozzles
12 Segments - 12.6". lbs. .30
Item No. OAL █ pkg.
34090 320mm/12.6" 1
- 34001 Bulk Segments**
1/2" - 28 pc. segments. lbs. 5.71
Item No. OAL █ pkg.
34001 25.75 ft. 1
- 34000 Segments** 1/2" - Pack with
12 segments 11". lbs. .21
Item No. OAL █ pkg.
34000 279mm/11" 1
- 34046 1/2" Pipe Segment** lbs. .06
Item No. OAL █ pkg.
34046 4.75" 1
- 34048 1/2" Segment Clamp**
Including Screws. lbs. .08
Item No. █ pkg.
34048 1
- 34002 1/2" Straight Nozzle**
1/2" - Nozzles Ø 10mm. lbs. .03
Item No. Dia. █ pkg.
34002 10mm/.393" 1
- 34008 Straight Multi Hole Nozzle**
1/2"-Multi Hole Nozzle. lbs. .04
Item No. Width █ pkg.
34008 30mm/1.2" 1
- 34004 Straight Flat Nozzle**
1/2" - Flat Nozzle 30mm wide. lbs. .04
Item No. Width █ pkg.
34004 30mm/1.2" 1
- 34006 Straight Flat Nozzle**
1/2" - Flat Nozzle 60mm wide. lbs. .05
Item No. Width █ pkg.
34006 60mm/2.4" 1
- 34012 Nozzle 90° Bend**
1/2" - Angular Nozzle Ø 7mm. lbs. .03
Item No. Dia. █ pkg.
34012 7mm/.275" 1
- 34010 Nozzle 90° Bend**
1/2" - Angular Nozzle Ø 10mm. lbs. .03
Item No. Dia. █ pkg.
34010 10mm/.393" 1
- 34014 Multi Hole Angular Nozzle** 1/2"
Right Angle Side Spray Nozzle. lbs. .04
Item No. Width █ pkg.
34014 45mm/1.7" 1



6 Holes
.118 Hole Diameter

8 Holes
.125 Hole Diameter

All components are in single unit package

- 34028 Reducer Adapter 1/2" to 1/4"**
Item No. Size lbs. █ pkg.
34028 1/2" .03 1
- 34030 Adapter - 1/2" LcLn**
Item No. Size lbs. █ pkg.
34030 1/2" .04 1
- 34034 Female Double End Segment**
Item No. Size lbs. █ pkg.
34034 1/2" .04 1
- 34036 Male Double End Segment**
Item No. Size lbs. █ pkg.
34036 1/2" .04 1
- 34016 BSPT Threaded Connector**
NPT 3/8" lbs. .03
Item No. Size █ pkg.
34016 1/8" 1
- 34018 BSPT Threaded Connector**
NPT 1/2" lbs. .03
Item No. Size █ pkg.
34018 1/4" 1
- 34020 NPT Threaded Connector**
NPT 3/8" lbs. .03
Item No. Size █ pkg.
34020 1/8" 1
- 34022 NPT Threaded Connector**
NPT 1/2" lbs. .03
Item No. Size █ pkg.
34022 1/4" 1
- 34024 Y-Junction** lbs. .05
Item No. Size █ pkg.
34024 1/2" 1
- 34026 Y Reducer Junction 1/2"-1/4"**
Item No. Size lbs. █ pkg.
34026 1/2" .05 1
- 34038 In Line Valve** lbs. .07
Item No. Size █ pkg.
34038 1/2" 1
- 34040 Segment Clip** lbs. .03
Item No. Size █ pkg.
34040 1/2" 1
- 34042 Separation Wedge** lbs. .15
Item No. Size █ pkg.
34042 1/2" 1
- 34044 Assembly Pliers** lbs. .42
Item No. Size █ pkg.
34044 1/2" 1






Non-corrosive, non-magnetic, hardly conductive and electrically insulated

Made in Switzerland

Thermal stability of the measuring surfaces: Short-term up to 180°C, continuous 100-120°C

Won't damage sensitive parts

Precision ratchet guarantees uniform clamping force of the measuring jaw parts

41101 Digital Caliper DigiMax

Non-metallic high-tech material with 60% fiber glass content. 5 digit digital display with 7.5mm numeral height for easy reading. For outside, inside, depth and step measurements. Switches on automatically when used and switches off automatically after five minutes of non-use. Zero setting possible in every position for quick comparison measurements.

Item		
No.	Reading	Inch Reading mm Pkg. lbs.
41101	0.0005"	6 0.01mm 150 1 .11

Vernier - CaliMax Metric & Inch



41103 Vernier Caliper CaliMax

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Almost parallax-free reading of the measurement value. Neon green vernier scale in with strong contrast for optimal reading. Vernier for millimeter & inch display.

Item		
No.	Reading	mm Inch Pkg. lbs.
41103	.1mm + 1/64"	150 6 1 .10

Wiha Molded Torpedo Level




61670 Molded Torpedo Level

Super light weight, waterproof resistant. 3 vials with magnetic base.

Item		
No.	OAL	lbs. pkg.
61670	8.0"	.46 1

Dial Caliper DialMax - Metric & Inch



Non-metallic high-tech material with 60% fiber glass content, extremely high rigidity. For improved accuracy to .0005"

411 Dial Caliper DialMax - Metric & Inch

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.

Item		
No.	Reading	mm Inch Pkg. lbs.
41102	0.1mm	150 6 Metric 1 .10
41104	.001"	150 6 Inch 1 .10

ESD Safe Dial Caliper DialMax - Metric/Inch

For working in sensitive electronic components



Conductive, Anti-static, Dissipative

ESD Standard IEC 61340-5-1

411 ESD Safe Dial Caliper DialMax - Metric & Inch

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.

Item		
No.	Reading	mm Inch Pkg. lbs.
41105	.001"	150 6 Inch 1 .10
41106	0.1mm	150 6 Metric 1 .10

Wiha Long Life Maxiflex Folding Rulers




61615 Outside Reading Metric Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed black scale on both sides of rules. Metric rules have 10cm red marking.

Item		
No.	Meter	Width Sections Increments lbs. pkg.
61615	2	15mm 10 1mm .40 1

Wiha Long Life Maxiflex Folding Rulers

From KWB division of Wiha in Switzerland



Patented play free joint with steel spring pin, wear resistant & maintenance free

90° positive stop joints

Reinforced with 30% fiberglass, rugged polyimide is scratch resistant

Deep embossed water proof scales

Tough and Flexible, impact resistant

Chemical and weather resistant for outdoor use

61662 Combination Metric & Inch Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Metric rules have 10cm red marking.

Deep embossed scale on both sides of ruler

Item		
No.	Meter Inch	Width Sections Increments lbs. pkg.
61662	2 78"	15mm 10 1/16 & 1mm .31 1

61619 Outside Reading Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Inch rules have 16" red stud wall marking.

Deep embossed scale on both sides of ruler

Item		
No.	Ft.	Width Sections Increments lbs. pkg.
61619	6'	5/8" 12 1/16" .39 1

61609 Inside Reading Long Life MaxiFlex Folding Rulers


Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Inch rules have 16" red stud wall marking.

Deep embossed scale on both sides of ruler

Item		
No.	Ft.	Width Sections Increments lbs. pkg.
61609	6'	5/8" 12 1/16" .46 1

61620 Outside Reading 6" Depth Extension Long Life MaxiFlex Folding Rulers


Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Inch rules have 16" red stud wall marking.



Item		
No.	Ft. Depth	Width Sections Increments lbs. pkg.
61620	6' 6"	5/8" 12 1/16" .40 1

61602 Outside Reading Metric Long Life MaxiFlex Folding Rulers


Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Metric rules have 10cm red marking.



Item		
No.	Meter	Width Sections Increments lbs. pkg.
61602	2	15mm 10 1mm to CM .40 1

61601 MaxiFlex Folding Rulers

Compact Pocket Ruler



Item		
No.	Inch/Meter	Width Sections Increments lbs. pkg.
61601	39"/1	1/2" 10 1/16 & 1mm .12 1

616 Composite Long Life MaxiFlex Folding Rulers

Laminated layers with longitudinal fiberglass strands to ensure unmatched rigidity, water proof outdoor grade. Play-free, wear-free, dirt resistant joint with spring pin for constant tension. 90° & 180° joint click. High visibility white on black with permanent deep embossing with protective steel caps.



Super rigid laminated design

61604 Composite Long Life MaxiFlex Folding Rulers

Laminated layers with longitudinal fiberglass strands to ensure unmatched rigidity, water proof outdoor grade. Play-free, wear-free, dirt resistant joint with spring pin for constant tension. 90° & 180° joint click. High visibility white on black with permanent deep embossing with protective steel caps.

Item		
No.	Meter	Width Sections Increments lbs. pkg.
61604	2	1/2" 10 1mm w/reverse scale .28 1
61606	2	1/2" 10 1mm & 1/16" .28 1

Numerical Index by Item Number

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
30002	29	35020	4	40028	9	47506	11	50094	6	60239	20	60343	24	71332	14	72090	14
30098	7	35021	4	40029	9	47507	11	50095	6	60240	20	60344	24	71340	14	72110	15
30099	7	35022	4	40030	9	47508	11	60101	18	60241	20	60345	24	71341	14	72115	15
30102	29	35023	4	40031	9	47509	11	60102	18	60242	20	60346	24	71370	14	72401	15
34000	35	35024	4	40032	9	47510	11	60103	18	60243	20	60350	27	71371	14	72405	15
34001	35	35025	4	40033	9	47511	11	60104	18	60248	22	60351	26	71372	14	72410	15
34002	35	35026	4	40034	9	47512	11	60105	18	60249	22	60352	27	71374	14	72415	15
34004	35	35027	4	40035	9	47513	11	60106	18	60250	22	60353	27	71375	14	76106	12
34006	35	35028	4	40036	9	47514	11	60107	18	60251	22	60354	27	71376	14	76107	12
34008	35	35029	4	40037	9	47515	11	60108	18	60252	22	60355	27	71377	14	76109	12
34010	35	35032	4	40038	9	47516	11	60109	18	60253	22	60356	27	71378	14	76111	12
34012	35	35033	4	40039	9	47517	11	60110	18	60254	22	60357	27	71379	14	76113	12
34014	35	35034	4	40040	9	47518	11	60111	18	60255	22	60358	27	71380	14	76117	12
34016	35	35035	4	40043	7	47519	11	60112	18	60256	22	60359	27	71381	14	76119	12
34018	35	35036	4	40044	7	47520	11	60115	18	60257	23	60360	27	71382	14	76121	12
34020	35	35037	4	40045	7	47521	11	60116	18	60258	23	60361	27	71383	14	76123	12
34022	35	35038	4	40046	7	47522	11	60117	18	60259	23	60362	27	71384	14	76129	12
34024	35	35039	4	40047	7	47523	11	60118	18	60260	23	60363	27	71385	14	76131	12
34026	35	35040	4	40048	7	47524	11	60119	18	60261	23	60364	26	71386	14	76132	14
34028	35	35041	4	40049	7	47525	11	60120	18	60262	23	60365	26	71388	14	76133	14
34030	35	35042	4	40050	7	47526	11	60121	18	60263	23	60366	26	71390	14	76134	14
34034	35	35043	4	40051	7	47527	11	60122	18	60264	23	60370	28	71391	17	76135	14
34036	35	35044	4	40052	7	47528	11	60123	18	60265	22	60371	28	71392	17	76136	14
34038	35	35045	4	40053	7	47529	11	60124	18	60266	22	60375	26	71393	17	76137	14
34040	35	35046	4	40054	7	47530	11	60125	18	60267	22	60376	26	71394	17	76138	14
34042	35	35047	4	40055	7	47531	11	60126	18	60268	22	60377	26	71398	17	76164	14
34044	35	35048	4	40056	7	47532	11	60127	18	60292	20	60378	26	71661	12	76165	14
34046	35	35049	4	40057	7	47533	11	60131	19	60293	21	60379	26	71662	12	76166	14
34048	35	35050	4	40058	7	47534	11	60132	19	60294	20	60393	24	71663	12	76167	14
34090	35	35051	4	40059	7	47535	11	60133	19	60295	21	60395	25	71664	12	76168	14
34401	34	35052	4	40060	7	47536	11	60134	19	60296	20	60396	24	71665	12	76169	14
34402	34	35053	4	40061	7	47537	11	60135	19	60297	21	60397	25	71666	12	76170	14
34404	34	35054	4	40062	7	47538	11	60136	19	60301	25	61598	12	71667	12	76171	14
34406	34	35055	4	40063	7	47539	11	60137	19	60302	25	61601	37	71668	12	76172	14
34408	34	35056	4	40064	7	47540	11	60138	19	60303	25	61602	37	71669	12	76191	16
34410	34	35090	5	40065	7	47541	11	60139	19	60304	25	61604	37	71670	12	76194	16
34412	34	35091	5	40066	7	47590	11	60140	19	60305	25	61606	37	71671	12	76312	12
34414	34	35092	5	40067	7	47591	11	60141	19	60306	25	61609	37	71673	12	76314	12
34416	34	35093	5	40068	7	50004	6	60145	19	60307	25	61615	36	71674	12	76316	12
34418	34	35094	5	40086	10	50005	6	60146	19	60308	25	61619	37	71675	12	76318	12
34420	34	35095	5	40087	9	50006	6	60190	18	60309	25	61620	37	71676	12	76322	12
34422	34	35096	5	40088	9	50007	6	60191	18	60310	25	61662	37	71677	12	76324	12
34424	34	35097	5	40089	7	50008	6	60192	18	60311	25	61670	36	71678	12	76326	12
34426	34	35098	5	40091	7	50009	6	60193	18	60312	25	66990	30	71680	12	76328	12
34428	34	35099	5	40092	10	50011	6	60210	21	60313	25	66991	30	71681	12	76329	12
34430	34	36937	30	40093	8	50012	6	60211	21	60314	25	66994	30	71698	16	76330	12
34432	34	36986	30	40094	9	50013	6	60212	21	60315	25	70107	12	71761	14	76331	12
34434	34	36987	30	40095	8	50014	6	60213	21	60316	25	70108	12	71762	14	76332	12
34436	34	36990	30	40096	10	50015	6	60214	21	60317	25	70109	12	71763	14	76333	12
34438	34	36991	30	40097	8	50016	6	60215	21	60318	25	70110	12	71764	14	76334	12
34440	34	36998	30	40098	10	50017	6	60216	21	60321	24	70113	12	71765	14	76335	12
34442	34	36999	30	40099	8	50019	6	60217	21	60322	24	70115	12	71766	14	76336	12
34444	34	40001	9	41101	36	50027	6	60218	21	60323	24	70117	12	71767	14	76337	12
34490	34	40002	9	41102	36	50043	6	60219	21	60324	24	70119	12	71768	14	76338	12
35001	4	40003	9	41103	36	50044	6	60220	21	60325	24	70121	12	71771	14	76339	12
35002	4	40004	9	41104	36	50045	6	60221	21	60326	24	70123	12	71772	14	76340	12
35003	4	40005	9	41105	36	50046	6	60222	21	60327	24	70195	16	71773	14	76341	12
35004	4	40006	9	41106	36	50047	6	60223	21	60328	24	71300	14	71774	14	76342	12
35006	4	40007	9	43020	29	50048	6	60224	21	60329	24	71301	14	71775	14	76346	12
35007	4	40008	9	43040	29	50050	6	60225	21	60330	24	71302	14	71776	14	76348	12
35008	4	40009	9	43090	29	50051	6	60227	20	60331	24	71305	14	71777	14	76352	12
35009	4	40011	9	43092	29	50052	6	60228	20	60332	24	71313	14	71797	17	76354	12
35010	4	40012	9	43093	29	50054	6	60229	20	60333	24	71314	14	71798	17	76395	16
35011	4	40013	9	43094	29	50055	6	60230	20	60334	24	71316	14	71989	17	76396	16
35012	4	40014	9	43095	29	50056	6	60231	20	60335	24	71317	14	71996	17	76397	16
35013	4	40015	9	43096	29	50057	6	60232	20	60336	24	71319	14	71999	17	76399	16
35014	4	40016	9	43097	29	50058	6	60233	20	60337	24	71320	14	72001	14	76403	13
35015	4	40017	9	47501	11	50059	6	60234	20	60338	24	71322	14	72002	14	76404	13
35016	4	40018	9	47502	11	50087	6	60235	20	60339	24	71323	14	72003	14	76405	13
35017	4	40019	9	47503	11	50088	6	60236	20	60340	24	71325	14	72004	14	76406	13
35018	4	40020	9	47504	11	50089	6	60237	20	60341	24	71327	14	72005	14	76407	13
35019	4	40027	9	47505	11	50091	6	60238	20	60342	24	71331	14	72006	14	76411	13

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.

wiha 
Premium Tools



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598


To:

Catalog Item No. 99004.w0
version - 2/1/15

Subject to change
without notice

©2015 Willi Hahn Corporation

©Torx is a registered trademark of
Acument Intellectual Properties LLC.




91330.w0 - Tooling Catalog



99006.w0 - Tech Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog




99919.w0 - Insulated Catalog



99001.w0 - TorqueControl Catalog



99934.w0 - Hex Tools Catalog



99951.w0 - Bits Catalog



99945.w0 - ESD Catalog



99977.w0 - Pliers/Crimpers Catalog