




THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANDUIT PART NUMBER	PACKAGE QUANTITY	MAX BUNDLE DIA [mm]	LENGTH "L" +/- .2 [5]	MARKING "XXX SS"
MS4W75T30-Q6	25	4" [102]	20.2" [513]	316 SS
MS6W75T30-Q6	25	6" [152]	26.5" [673]	316 SS
MS8W75T30-Q6	25	8" [203]	32.7" [831]	316 SS
MS10W75T30-Q6	25	10" [254]	39.0" [991]	316 SS
MS12W75T30-Q6	25	12" [305]	44.7" [1135]	316 SS



NOTES:

1. APPLICATION TOOLS: BT75SDT
2. ALL DIMENSIONS IN BRACKETS [] ARE MILLIMETERS
3. MATERIAL: 316 STAINLESS STEEL
4. MAX BUNDLE SIZE FOR SINGLE LOOP APPLICATIONS
BUNDLE SIZE IS HALVED FOR DOUBLE LOOP APPLICATIONS.

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	TITLE				CONTROL DRAWING	
							DISCRETE LENGTH TIE .750" [19.05] WIDE				ITEM REVISION NAME N41311BS/01 DATASET FILE NAME N41311BS_DC/01A UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± N/A .xxx ± N/A .xx ± N/A ANGLES ± N/A  THIRD ANGLE PROJECTION	
							DRAWING NUMBER:				N41311BS_DC	
01A	08/13	ACC	RGR0	RGR0	ADDED MS4W75T30-Q6, MS6W75T30-Q6, MS8W75T30-6, AND MS12W75T30-Q6 TO THE CHART	SSECN1069	DRAWN BY	DATE	CHK	SCALE	SHT 1 OF 1	
00A	02/13	JAMB	SKB	RGR0	DRAWING RELEASED		JAMB	02-13-2013	SKB	NTS	A	