

THIS PRODUCT MANUFACTURED WITH LEAD-FREE PROCESSING

DESIGNED & DIMENSIONED IN MILLIMETERS [INCHES]

SCPE-X-XX.XX-XX-X-XX

DO NOT SCALE FROM THIS PRINT

SCPE-G-XX.XX-D BOM			
ITEM NO.	PART NUMBER	QTY	DESCRIPTION
1	ECA-02-02	XX.XX	CABLE
2	MODP-01-8P8C-X-XX	2	CONNECTOR
3	SCN-17-01	2	CABLE NUT
4	MD-PTC-RF-640-BK	1	PREMOLD
5	MD-NYL-ZY-70G13-BK	1	OVERMOLD
6	LABEL-ET	1	LABEL ET

PLATING SPECIFICATION

-G: 50μ" GOLD ON CONTACT AREAS, NICKEL ON SHELLS

LENGTH

-XX.XX (IN METERS)
(FOR LENGTHS 05.00 METERS AND GREATER, -O OPTION IS REQUIRED)

POLARIZATION OPTION


-NP: NO POLARIZATION (ONLY MATES WITH SCRES-X-XX.XX-XX-C5E) (SEE FIGS 4 & 5, SHT 2)

OUTDOOR OPTION

-O: OUTDOOR RATED

END OPTION

-D: DOUBLE ENDED (BOTH ENDS SEALED) (SEE FIG 1, SHT 1)
-S: SINGLE ENDED (ONE END SEALED) (SEE FIG 2, SHT 2)
-BC: BLUNT CUT (ONE END SEALED) (SEE FIG 3, SHT 3)



NOTE:

-02.00, -03.00, AND -05.00 ARE CATALOG STANDARD LENGTHS. FOR OTHER LENGTHS (0.25M[9.84] MIN - 5.00M[196.85] MAX) CONTACT SAMTEC.






FIG 1
SCPE-G-XX.XX-D SHOWN

NOTES:

1. REPRESENTS A CRITICAL DIMENSION.
2. NOTE DELETED.
3. SAMTEC LOGO TO APPEAR ON SURFACE AS SHOWN, APPROXIMATELY 4.50[.177] x 7.50[.295], RAISED 0.25[.010].
4. NOTE DELETED.
5. ALL MULTIPLE CAVITY MOLDS SHALL IDENTIFY EACH CAVITY WITH A NUMBER DESIGNATION LOCATED WHERE SHOWN.
6. ALL IDENTIFICATION MARKS SHALL NOT STAND GREATER THAN 0.05[.002] OFF THE SURFACE OF THE PART.
7. MOLD TO BE INSERTED TO ACCEPT DIFFERENT CABLE DIAMETERS.
8. ASSEMBLY TO BE 100% ELECTRICALLY TESTED TO CAUSE USING FLUKE DTX-1800 CABLE ANALYZER. AFTER FINAL ELECTRICAL TEST, LABEL EACH ASSEMBLY WITH 1 LABEL-ET.
9. ALL EJECTOR PIN AND GATE LOCATIONS MUST BE APPROVED BY SAMTEC PRODUCT ENGINEERING.
10. ANY ADDITIONAL VOIDING AND/OR MODIFICATIONS TO VOIDING MUST BE APPROVED BY SAMTEC PRODUCT ENGINEERING.
11. ALL DRAFT MUST BE WITHIN THE SPECIFIED TOLERANCES.
12. ALL INSIDE/OUTSIDE RADII 0.13 MAX UNLESS OTHERWISE STATED.
13. NOTE DELETED.
14. NOTE DELETED.
15. ASSEMBLY TO BE BULK PACKAGED.
16. CABLE NUT TORQUE SPEC: 12 IN-LBS.
17. NOTE DELETED.
18. MAXIMUM REGRIND ON OVERMOLD: 10%.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS. TOLERANCES ARE:
DECIMALS ANGLES
X.X: ±0.35 [.014]
X.XX: ±0.25 [.010]
X.XXX: ±0.15 [.006]

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

MATERIAL: DO NOT SCALE DRAWING SHEET SCALE: 1:1.33333
CABLE: PVC, COPPER
CONNECTOR: POLYCARBONATE, PHOS BRONZE
CABLE NUT, OVERMOLD: PA66
PREMOLD: PTC
LABEL ET: POLYESTER
ETHERNET BOOT: PVC
F:\DWG\MISC\MKTG\SCPE-X-XX.XX-XX-X-XX-MKT.SLDDRW

DESCRIPTION:
SEALED CIRCULAR CABLE PLUG, ETHERNET
DWG. NO.
SCPE-X-XX.XX-XX-X-XX
BY: CHAD F 12/11/2004 SHEET 1 OF 11

SCPE-G-XX.XX-S BOM			
ITEM NO.	PART NUMBER	QTY	DESCRIPTION
1	ECA-02-02	XX.XX	CABLE
2	MODP-01-8P8C-X-XX	2	CONNECTOR
3	SCN-17-01	1	CABLE NUT
4	MD-PTC-RF-640-BK	1	PREMOLD
5	MD-NYL-ZY-70G13-BK	1	OVERMOLD
6	LABEL-ET	1	LABEL ET
7	ETHB-02	1	ETHERNET BOOT







FIG 2
SCPE-G-XX.XX-S SHOWN
(SEE SHEET 7-8 FOR IN-PROCESS VIEWS)
(SAME AS FIG 1, UNLESS OTHERWISE STATED)




FIG 4
SCPE-G-XX.XX-D-NP SHOWN
(SAME AS FIG 1, UNLESS OTHERWISE STATED)




FIG 5
SCPE-G-XX.XX-S-NP SHOWN
(SAME AS FIG 2, UNLESS OTHERWISE STATED)

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 0.75:1

samtec
520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:
SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**

BY: CHAD F 12/11/2004 SHEET 2 OF 11






FIG 3
 SCPE-G-XX.XX-BC SHOWN
 (SEE SHEET 9-11 FOR IN-PROCESS VIEWS)
 (SAME AS FIG 1, UNLESS OTHERWISE STATED)







FIG 6
 SCPE-G-XX.XX-BC-NP
 (SAME AS FIG 3, UNLESS OTHERWISE STATED)




<p>PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.</p> <p>DO NOT SCALE DRAWING</p> <p>SHEET SCALE: 0.75:1</p>	
	<p>520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322</p>
	<p>DESCRIPTION: SEALED CIRCULAR CABLE PLUG, ETHERNET</p>
	<p>DWG. NO. SCPE-X-XX.XX-XX-X-XX</p>
<p>BY: CHAD F 12/11/2004 SHEET 3 OF 11</p>	



-D IN-PROCESS 1
(CUT CABLE TO LENGTH AND STRIP OUTER JACKET)



-D IN-PROCESS 2
(FOLD SHIELD BACK OVER JACKET)



-D IN-PROCESS 3
TERMINATE FIRST END TO CONNECTOR
(SEE TABLE 3, SHT 5)

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:5

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322





DESCRIPTION:
SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**

BY: CHAD F 12/11/2004 SHEET 4 OF 11

TABLE 3 - PIN-OUT

END 1 POS	COLOR	END 2 POS	
01	WHITE/ORANGE	01	TWISTING
02	ORANGE	02	
03	WHITE/GREEN	03	TWISTING
04	BLUE	04	
05	WHITE/BLUE	05	TWISTING
06	GREEN	06	
07	WHITE/BROWN	07	TWISTING
08	BROWN	08	
SHELL	BRAID	SHELL	




-D IN-PROCESS 4
 TERMINATE SECOND END TO CONNECTOR
 (SEE NOTE 8)

BREAK LATCH ARM FREE (2 PLCS)



-D IN-PROCESS 5
 REMOVE LATCH ARMS



-D IN-PROCESS 6
 ADD CABLE NUT

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION
 CONFIDENTIAL AND PROPRIETARY TO
 SAMTEC, INC. AND SHALL NOT BE REPRODUCED
 OR TRANSFERRED TO OTHER DOCUMENTS OR
 DISCLOSED TO OTHERS OR USED FOR ANY
 PURPOSE OTHER THAN THAT WHICH IT WAS
 OBTAINED WITHOUT THE EXPRESSED WRITTEN
 CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 0.75:1






520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail info@SAMTEC.com code 55322


DESCRIPTION:
 SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**


BY: CHAD F 12/11/2004 SHEET 5 OF 11



DETAIL 'B'
SCALE 1.5 : 1



DETAIL 'C'
SCALE 1.5 : 1



DETAIL 'D'
SCALE 1.5 : 1

SECTION "A"- "A"

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 0.75:1




520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail: info@SAMTEC.com code 55322


DESCRIPTION:
 SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. SCPE-X-XX.XX-XX-X-XX


BY: CHAD F 12/11/2004 SHEET 6 OF 11



-S IN-PROCESS 1
 (CUT CABLE TO LENGTH AND STRIP OUTER JACKET)
 (SAME AS -D IN-PROCESS 1, UNLESS OTHERWISE STATED)




-S IN-PROCESS 2
 (FOLD SHIELD BACK OVER JACKET AND ASSEMBLE BOOT)
 (SAME AS -D IN-PROCESS 2, UNLESS OTHERWISE STATED)



END 1

END 2



-S IN-PROCESS 3
 TERMINATE FIRST END TO CONNECTOR
 (SAME AS -D IN-PROCESS 3, UNLESS OTHERWISE STATED)

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION
 CONFIDENTIAL AND PROPRIETARY TO
 SAMTEC, INC. AND SHALL NOT BE REPRODUCED
 OR TRANSFERRED TO OTHER DOCUMENTS OR
 DISCLOSED TO OTHERS OR USED FOR ANY
 PURPOSE OTHER THAN THAT WHICH IT WAS
 OBTAINED WITHOUT THE EXPRESSED WRITTEN
 CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 0.75:1






520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail info@SAMTEC.com code 55322


DESCRIPTION:
 SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**


BY: CHAD F 12/11/2004 SHEET 7 OF 11




-S IN-PROCESS 4
 TERMINATE SECOND END TO CONNECTOR
 (SAME AS -D IN-PROCESS 4, UNLESS OTHERWISE STATED)




-S IN-PROCESS 5
 ASSEMBLE BOOT TO CONNECTOR



-S IN-PROCESS 6
 REMOVE LATCH ARM
 (SAME AS -D IN-PROCESS 5, UNLESS OTHERWISE STATED)



-S IN-PROCESS 7
 PREMOLDING
 (SAME AS -D IN-PROCESS 7, UNLESS OTHERWISE STATED)



-S IN-PROCESS 8
 OVERMOLDING
 (SAME AS -D IN-PROCESS 8, UNLESS OTHERWISE STATED)
 (SEE NOTE 8)

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION
 CONFIDENTIAL AND PROPRIETARY TO
 SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR
 TRANSFERRED TO OTHER DOCUMENTS OR
 DISCLOSED TO OTHERS OR USED FOR ANY
 PURPOSE OTHER THAN THAT WHICH IT WAS
 OBTAINED WITHOUT THE EXPRESSED WRITTEN
 CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 0.75:1




520 PARK EAST BLVD., NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail info@SAMTEC.com code 55322

DESCRIPTION:
 SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**

BY: CHAD F 12/11/2004 SHEET 8 OF 11



-BC IN-PROCESS 1
 (CUT CABLE TO LENGTH AND STRIP OUTER JACKET)
 (SAME AS -D IN-PROCESS 1, UNLESS OTHERWISE STATED)




-BC IN-PROCESS 2
 (FOLD SHIELD BACK OVER JACKET)
 (SAME AS -D IN-PROCESS 2, UNLESS OTHERWISE STATED)



END 1

END 2



-BC: BLUNT CUT
IN-PROCESS 3
 TERMINATE FIRST END TO CONNECTOR
 (SAME AS -D IN-PROCESS 3, UNLESS OTHERWISE STATED)

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION
 CONFIDENTIAL AND PROPRIETARY TO
 SAMTEC, INC. AND SHALL NOT BE REPRODUCED
 OR TRANSFERRED TO OTHER DOCUMENTS OR
 DISCLOSED TO OTHERS OR USED FOR ANY
 PURPOSE OTHER THAN THAT WHICH IT WAS
 OBTAINED WITHOUT THE EXPRESSED WRITTEN
 CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:1.33333



samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail info@SAMTEC.com code 55322


DESCRIPTION:
 SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**

BY: CHAD F 12/11/2004 SHEET 9 OF 11




LENGTH: (XX.XX) x 2 + 51 [2.00] + (2 x "B") REF




-BC: BLUNT CUT
IN-PROCESS 4
 TERMINATE SECOND END TO CONNECTOR
 (SAME AS -D IN-PROCESS 4, UNLESS OTHERWISE STATED)
 (SEE NOTE 8)

BREAK LATCH ARM FREE (2 PLCS)



-BC: BLUNT CUT
IN-PROCESS 5
 REMOVE LATCH ARMS
 (SAME AS -D IN-PROCESS 5, UNLESS OTHERWISE STATED)



-BC: BLUNT CUT
IN-PROCESS 6
 ADD CABLE NUT
 (SAME AS -D IN-PROCESS 6, UNLESS OTHERWISE STATED)

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION
 CONFIDENTIAL AND PROPRIETARY TO
 SAMTEC, INC. AND SHALL NOT BE REPRODUCED
 OR TRANSFERRED TO OTHER DOCUMENTS OR
 DISCLOSED TO OTHERS OR USED FOR ANY
 PURPOSE OTHER THAN THAT WHICH IT WAS
 OBTAINED WITHOUT THE EXPRESSED WRITTEN
 CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:1.33333




520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail info@SAMTEC.com code 55322


DESCRIPTION:
 SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**


BY: CHAD F 12/11/2004 SHEET 10 OF 11



-BC: BLUNT CUT
IN-PROCESS 7
 PRE-MOLDING
 (SAME AS -D IN-PROCESS 7, UNLESS OTHERWISE STATED)



-BC: BLUNT CUT
IN-PROCESS 8
 OVERMOLDING
 (SAME AS -D IN-PROCESS 8, UNLESS OTHERWISE STATED)
 (SEE NOTE 8)



-BC: BLUNT CUT
IN-PROCESS 9
 (CUT CABLE IN HALF AND TRIM TO LENGTH)

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION
 CONFIDENTIAL AND PROPRIETARY TO
 SAMTEC, INC. AND SHALL NOT BE REPRODUCED
 OR TRANSFERRED TO OTHER DOCUMENTS OR
 DISCLOSED TO OTHERS OR USED FOR ANY
 PURPOSE OTHER THAN THAT WHICH IT WAS
 OBTAINED WITHOUT THE EXPRESSED WRITTEN
 CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:1.33333

samtec

520 PARK EAST BLVD., NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:
 SEALED CIRCULAR CABLE PLUG, ETHERNET

DWG. NO. **SCPE-X-XX.XX-XX-X-XX**

BY: CHAD F 12/11/2004 SHEET 11 OF 11